






ARCHITECTURAL LIGHTING




AH-001 / INNER LIGHT
TECHNICAL SPECIFICATION.
APPLICATION : WALL LIGHT > INDIRECT LIGHT.
WATTAGE : 60 WATT
POWERED BY : EDISON / OSRAM LED.
COLOR Temp(k) : 3000k/4000k/6500k.
SIZE : 600H*820L*90W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-001 / OUTER LIGHT
TECHNICAL SPECIFICATION.
APPLICATION : WALL LIGHT > DIRECT LIGHT.
WATTAGE : 60 WATT
POWERED BY : EDISON / OSRAM LED.
COLOR Temp (k) : 3000k/4000k/6500k.
SIZE : 600H*820L*135W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-002 / OUTER LIGHT

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT > DIRECT LIGHT.

WATTAGE : 40 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE:340H*L625*135W



AH-003 / OUTER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > DIRECT LIGHT.


WATTAGE : 40 WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE: 400L*400W*70H

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-004/OUTER LIGHT

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT > DIRECT LIGHT.

WATTAGE : 48 WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE:400L*590W*110H



AH-005 / OUTER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > DIRECT LIGHT.


WATTAGE : 40 WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE:1080L*200W*60H

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-006 / INNER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.


WATTAGE : 40 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE: SIZE : 360H*360L*65W

- PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-006 / OUTER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > DIRECT LIGHT.



WATTAGE : 40 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.


SIZE: 360H*360L*65W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-007 / OUTER LIGHT
TECHNICAL SPECIFICATION.
APPLICATION : WALL LIGHT > DIRECT LIGHT.
WATTAGE : 50 WATT
POWERED BY : EDISON / OSRAM LED.
COLOR temp(k) : 3000k/4000k/6500k.
SIZE : 360H*360L*70W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-008 / OUTER LIGHT

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT > DIRECT LIGHT.

WATTAGE : 40 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 440H*440L*65W



AH-008 / INNER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.


WATTAGE : 40 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 440H*440L*50W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-009 / OUTER LIGHT

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT > DIRECT LIGHT.

WATTAGE : 40 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 440H*674L*65W



AH-009 / INNER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.


WATTAGE : 40 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 440H*674L*50W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-010 / OUTER LIGHT

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT > DIRECT LIGHT.

WATTAGE : 20 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 470H*235L*65W



AH-010 / INNER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.


WATTAGE : 20 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 470H*235L*50W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-011 / OUTER LIGHT

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT > DIRECT LIGHT.

WATTAGE : 30 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 230H*700L*65W



AH-011 / INNER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.


WATTAGE : 30 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 230H*700L*50W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-012 / INNER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.


WATTAGE : 60 WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 900H*1300L*65W

- PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-013/INNER LIGHT

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT >INDIRECT LIGHT.

WATTAGE : 40 WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE:435L*680W*65H



AH-013/OUTER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > DIRECT LIGHT.

WATTAGE : 40 WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE:435L*680W*95H

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-016 / INNER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.

WATTAGE : 20 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 595H*165L*50W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-022/INNER LIGHT

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT >INDIRECT LIGHT.

WATTAGE : 80 WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE:320H*690L*110W



AH-022/OUTER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > DIRECT LIGHT.


WATTAGE : 80WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 320H*690L*125W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-026/ OUTER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > DIRECT LIGHT.


WATTAGE : 60WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 340H*L625*135W

- PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-027/ INNER LIGHT

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT > INDIRECT LIGHT.

WATTAGE : 46 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE:620L*455W*100H



AH-027/ INNER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > DIRECT LIGHT.


WATTAGE : 46 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE: 620L*455W*145H

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-028/OUTER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > DIRECT LIGHT.

WATTAGE : 120WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE:340H*515L*125W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-029 / INNER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.

WATTAGE : 20 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 450H*165L*55W



AH-022 / OUTER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > DIRECT LIGHT.

WATTAGE : 20 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 450H*165L*60W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-030 / OUTER LIGHT

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT > DIRECT LIGHT.

WATTAGE : 40 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 450H*356L*70W



AH-030 / INNER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.


WATTAGE : 40 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 450H*356L*60W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-031 / OUTER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > DIRECT LIGHT.

WATTAGE : 40 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 580H*345L*70W



AH-031 / INNER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.

WATTAGE : 40 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 580H*345L*60W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-032 / OUTER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > DIRECT LIGHT.

WATTAGE : 16 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 312H*165L*60W



AH-032 / INNER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.

WATTAGE : 16 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 312H*165L*45W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-033 / INNER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.

WATTAGE : 20 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 50H*455L*195W

- PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-034

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > DIRECT LIGHT.


WATTAGE : 50 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 453H/453L*50W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-035 / INNER LIGHT

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT > INDIRECT LIGHT.

WATTAGE : 40 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 453H*500L*50W



AH-035 / OUTER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > DIRECT LIGHT.

WATTAGE : 40 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 453H*500L*65W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-036/FLOOR LAMP

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.

WATTAGE : 28 WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE: H*L*W



AH-037/FLOOR LAMP

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.


WATTAGE : 48 WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE: H*L*W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-040/INNER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.

WATTAGE : 48 WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE: 50H*900L*475W



AH-040/OUTER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > DIRECT LIGHT.



WATTAGE : 48 WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.


SIZE: 65H*900L*475W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-041 / INNER LIGHT
 TECHNICAL SPECIFICATION.
 APPLICATION : WALL LIGHT > INDIRECT LIGHT.
 WATTAGE : 20WATT
 POWERED BY : EDISON / OSRAM LED.
 COLOR temp(k) : 3000k/4000k/6500k.
 SIZE : 50H*453L*90W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-041 / OUTER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT >DIRECT LIGHT.


WATTAGE : 20WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 65H*453L*90W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-042 / INNER LIGHT

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT > INDIRECT LIGHT.

WATTAGE : 20WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE:50H*870L*90W



AH-042 / OUTER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > DIRECT LIGHT.

WATTAGE : 24WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE :

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-044

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.



WATTAGE : 20WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 50H*453L*100W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-045

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > MIRROR LIGHT.

WATTAGE : 30WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 1020 *70H

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-046

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > MIRROR LIGHT.

WATTAGE : 18WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE:580 *70H



AH-047

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > MIRROR LIGHT.


WATTAGE : 12WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE:430 *70H

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-048 / BACK LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.


WATTAGE : 16WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 540H/L *70W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-049 / BACK LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.

WATTAGE : 12WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 400H/L *70W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-050 / BACK LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.

WATTAGE : 40WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 1040H/L*70W

▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.

▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-051/ BACK LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.

WATTAGE : 18WATT


POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 755H/L*70W

▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.

▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-052 / BACK LIGHT

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT > INDIRECT LIGHT.

WATTAGE : 12WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 470H/L *70W



AH-053 / BACK LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.


WATTAGE : 40WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 540H*200L*50

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-054 / BACK LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.

WATTAGE : 20WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 400H*200L*50



AH-055 / BACK LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.


WATTAGE : 40WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 1000H/L*50

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-056 / BACK LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.

WATTAGE : 20WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 200H*500L*90W



AH-057 / BACK LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > INDIRECT LIGHT.

WATTAGE : 40WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 350*650L*90W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-058/OUTER LIGHT

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT > DIRECT LIGHT.

WATTAGE : 60 WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE: 175H*510L*510W



AH-059/OUTER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > DIRECT LIGHT.


WATTAGE : 40 WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE: 150H*310L*570W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-060

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT >INDIRECT LIGHT.

WATTAGE : 40 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 70H*270L*755W



AH-062

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT >INDIRECT LIGHT.

WATTAGE : 60 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 70H*1040L*1040W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-063

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT >INDIRECT LIGHT.

WATTAGE : 24 WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE: 70H*440L*600W



AH-064

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT >INDIRECT LIGHT.

WATTAGE : 20 WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE: 70H*330L*600W

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-065 INNER / OUTER

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > DIRECT / INDIRECT LIGHT.

WATTAGE : 40 WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE: 40H*360L*325W



AH-066

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > MIRROR LIGHT.


WATTAGE : 12 WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE: 430*70H

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-067

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT >MIRROR LIGHT.

WATTAGE : 18 WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE:580L*70H



AH-068

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT >DIRECT LIGHT.

WATTAGE : 40 WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE:870*95W*60H

- PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-069/INNER LITE

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT >INDIRECT LIGHT.

WATTAGE : 16 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 165L*165W*55H



AH-069/OUTER LITE

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT >DIRECT LIGHT.

WATTAGE : 16 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 165L*165W*70H

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-070/INNER LITE

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT >INDIRECT LIGHT.

WATTAGE : 24 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 435L*235W*55H



AH-070/OUTER LITE

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT >DIRECT LIGHT.


WATTAGE : 24 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 435L*235W*70H

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-071/INNER LITE

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT >INDIRECT LIGHT.

WATTAGE : 36 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 340L*420W*55H



AH-071/OUTER LITE

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT >DIRECT LIGHT.

WATTAGE : 36 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 340L*420W*85H

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-072/INNER LITE

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT >INDIRECT LIGHT.

WATTAGE : 36 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 460L*255W*45H



AH-072/OUTER LITE

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT >DIRECT LIGHT.



WATTAGE : 36 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE:460L*255W*60H

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-073/INNER LITE
TECHNICAL SPECIFICATION.
APPLICATION : WALL LIGHT >INDIRECT LIGHT.
WATTAGE : 42 WATT
POWERED BY : EDISON / OSRAM LED.
COLOR temp(k) : 3000k/4000k/6500k.
SIZE : 455L*375W*55H

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-074/INNER LITE

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT >INDIRECT LIGHT.

WATTAGE : 32 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 310L*310W*70H



AH-074/OUTER LITE

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT >DIRECT LIGHT.

WATTAGE : 32 WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE


:310L*310W*70H

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-075/INNER LITE
TECHNICAL SPECIFICATION.
APPLICATION : WALL LIGHT >INDIRECT LIGHT.
WATTAGE : 24 WATT
POWERED BY : EDISON / OSRAM LED.
COLOR temp(k) : 3000k/4000k/6500k.
SIZE : 380L*235W*60H

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-076

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT >INDIRECT LIGHT.

WATTAGE : 40 WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.


SIZE:520L*520W*215H

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-077/INNER LITE
TECHNICAL SPECIFICATION.
APPLICATION : WALL LIGHT > INDIRECT LIGHT.
WATTAGE : 36 WATT
POWERED BY: EDISON / OSRAM LED.
COLOR temp(k): 3000k/4000k/6500k.
SIZE:370L*235W*70H

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-078/INNER LITE

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT > INDIRECT LIGHT.

WATTAGE : 40 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR Temp(k) : 3000k/4000k/6500k.

SIZE : 650L*650W*50H



AH-079/OUTER LITE

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > DIRECT LIGHT.



WATTAGE : 40 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 635L*635W*80H

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-080

SIDE/FRONT/BACK

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT >UNIVERSAL LIGHT.


WATTAGE : 40 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR Temp(k) : 3000k/4000k/6500k.

SIZE : 650L*650W*50H

- PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-081/INNER LITE

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT >INDIRECT LIGHT.

WATTAGE : 30 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR Temp(k) : 3000k/4000k/6500k.

SIZE : 410L*410W*70H

- PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-82

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT >MIRROR LIGHT.


WATTAGE : 12WT,18WT,30WT

SIZE : 430/580/1040*90H

POWERED BY : EDISON / OSRAM LED.

COLOR Temp(k) : 3000k/4000k/6500k.

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-83

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT >MIRROR LIGHT.

WATTAGE : 16WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.


SIZE : 236L*132W*50H

- PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-84
TECHNICAL SPECIFICATION.
APPLICATION : WALL LIGHT >INDIRECT LIGHT.
WATTAGE : 24WATT
POWERED BY : EDISON / OSRAM LED.
COLOR temp(k) : 3000k/4000k/6500k.
SIZE : 330L*300W*50

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-85

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT >INDIRECT LIGHT.

WATTAGE : 50WATT

POWERED BY : EDISON / OSRAM LED.

COLOR temp(k) : 3000k/4000k/6500k.

SIZE : 350L*515W*110H



AH-86

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT >DOWN INDIRECT LIGHT.

WATTAGE : 10WATT

POWERED BY : EDISON / OSRAM LED.

COLOR Temp(k) : 3000k/4000k/6500k.

SIZE : 430L*80W*30H

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-087/OUTER
TECHNICAL SPECIFICATION.
APPLICATION : WALL LIGHT >DIRECT LIGHT.
WATTAGE : 60WATT
POWERED BY : EDISON / OSRAM LED.
COLOR Temp(k) : 3000k/4000k/6500k.
SIZE : 530L*530W*80H

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-088

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT >INDIRECT LIGHT.


WATTAGE : 40WATT

POWERED BY : EDISON / OSRAM LED.

COLOR Temp(k) : 3000k/4000k/6500k.

SIZE : 870L*150W*40H

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-089

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT >DIRECT LIGHT.

WATTAGE : 60 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR Temp(k) : 3000k/4000k/6500k.

SIZE : 560L*560W*100H



AH-090/OUTER LITE

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > DIRECT LIGHT.


WATTAGE : 30 WATT

POWERED BY : EDISON / OSRAM LED.

COLOR Temp(k) : 3000k/4000k/6500k.

SIZE : 870*150W*40H

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-091/OUTER LITE

TECHNICAL SPECIFICATION.


APPLICATION : WALL LIGHT >DIRECT LIGHT.

WATTAGE : 30WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE:225L*320W*115H



AH-092 / OUTER LIGHT

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT >INDIRECT LIGHT.



WATTAGE : 42WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE:1510L*60W*115H

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-093
 TECHNICAL SPECIFICATION.
 APPLICATION : WALL LIGHT >INDIRECT LIGHT.
 WATTAGE : 80WATT
 POWERED BY: EDISON / OSRAM LED.
 COLOR temp(k): 3000k/4000k/6500k.
 SIZE:710L*310W*580H

- ▶ PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- ▶ LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-094

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT >INDIRECT LIGHT.

WATTAGE : 12WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE:430L*45W*95H



AH-095

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT >INDIRECT LIGHT.

WATTAGE : 12 WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE:430L*45W*95H

- PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.



AH-096

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT >INDIRECT LIGHT.

WATTAGE : 18WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE:580L*45W*95H



AH-097 OUTER

TECHNICAL SPECIFICATION.

APPLICATION : WALL LIGHT > DIRECT LIGHT.

WATTAGE : 60 WATT

POWERED BY: EDISON / OSRAM LED.

COLOR temp(k): 3000k/4000k/6500k.

SIZE:630L*630W*110H

- PRODUCT COLOR CAN BE CUSTOMIZED AS PER YOUR CHOICE.
- LEAD TIME FOR CUSTOMIZATIONS 8-12 WORKING DAYS.