



LED WALL LIGHTING &
CUSTOM-MADE LIGHTING












MODEL NO: LC-001.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > INDIRECT LIGHT.
DRIVER: 22V300mA (6WATT).
POWERED BY: EDISON / OSRAM LED.
COLOR temp(k): 3000/4000/6500
SIZE : 80L*98W*150H.



MODEL NO: LC-002
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: STEEL/M.S/ACRYLIC.
APPLICATION : WALL LIGHT > INDIRECT LIGHT UP/DOWN.
DRIVER : 75V300mA (12WATT)
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE : 400L*120W*45H





MODEL NO: LC-003.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 42V300mA (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k):3000/4000/6500.
SIZE : 400L*115W*50H




MODEL NO: LC-004.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL:ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > DIRECT LIGHT.
DRIVER: 22V300mA (6WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 200L*55W*120H






MODEL NO: LC-005.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > INDIRECT LIGHT.
DRIVER: 52V150mA (8WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k):3000/4000/6500.
SIZE : 250L*110W*104H


MODEL NO:LC-006.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION : WALL LIGHT > DIM LIGHT.
DRIVER : 12V350mA (4WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k):3000/4000/6500.
SIZE : 80L*125W*275H




MODEL NO: LC-007.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > DIM LIGHT.
DRIVER: 12V350mA (4WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k):3000/4000/6500.
SIZE: 80L*125W*275H





MODEL NO:LC-008.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION : WALL LIGHT > DIRECT LIGHT.
DRIVER : 22V300mA (6WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k):3000/4000/6500.
SIZE : 200L*105W*60H






MODEL NO: LC-009.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: STEEL/M.S/ACRYLIC.
APPLICATION : WALL LIGHT > INDIRECT LIGHT UP/DOWN.
DRIVER : 22V300mA (6WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k):3000/4000/6500.
SIZE : 225L*120W*43H

MODEL NO: LC-010.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/ACRYLIC.
APPLICATION: WALL LIGHT > INDIRECT LIGHT.
DRIVER: 22V300mA (6WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k):3000/4000/6500.
SIZ : 150L*150W*50H



MODEL NO: LC-010.
 TECHNICAL SPECIFICATION.
 HOUSING MATERIAL: ALUMINUM/ACRYLIC.
 APPLICATION: WALL LIGHT > INDIRECT LIGHT.
 DRIVER: 22V300mA (6WATT).
 POWERED BY: EDISON/OSRAM LED.
 COLOR temp(k):3000/4000/6500.
 SIZ : 150L*150W*50H




MODEL NO: LC-011.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION : WALL LIGHT > DOWN LIGHT.
DRIVER : 33V150mA (3WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k):3000/4000/6500.
SIZE : 100L*120W*55H




MODEL NO: LC-012.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > INDIRECT LIGHT.
DRIVER: 22V300mA (6WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k):3000/4000/6500.
SIZE: 225*86W*90H



MODEL NO: LC-013.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UP/DOWN LIGHT.
DRIVER: 42V300mA (10WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k):3000/4000/6500.
SIZE: 115L*150W*100H




MODEL NO: LC-014.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > DIRECT/INDIRECT LIGHT.
DRIVER: 22V300mA (6WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k):3000/4000/6500.
SIZE: 200L*60W*130H






MODEL NO: LC-015.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR/PICTURE LIGHT.
DRIVER: 52V150mA (8WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 285L*180W*50H



MODEL NO:LC-016.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UP/DOWN LIGHT.
DRIVER: 22V300mA (6WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 240L*77W*70H





MODEL NO: LC-017.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > INDIRECT LIGHT.
DRIVER: 22V300mA (6WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 200L*45W*150H



MODEL NO: LC-018.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > INDIRECT LIGHT.
DRIVER: 22V600mA (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 350L*80W*70H






MODEL NO: LC-019.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/ACRYLIC.
APPLICATION : WALL LIGHT > DOWN LIGHT.
DRIVER : 22V300mA (6WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE : 220L*50W*40H



MODEL NO: LC-020.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 50V540mA (24WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 300L*75W*300H





MODEL NO: LC-020.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 50V540mA (24WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 300L*75W*300H



MODEL NO: LC-021.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/STEEL/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > DIRECT LIGHT.
DRIVER: 33V280mA (9WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k):3000/4000/6500.
SIZE: 230L*95W*150H



MODEL NO: LC-022.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > DOWN LIGHT.
DRIVER: 33V150mA (5WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 115L*150W*100H





MODEL NO: LC-023.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM.
APPLICATION: WALL LIGHT > UP/DOWN LIGHT.
DRIVER: 22V300mA (6WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 99L*100W*76H




MODEL NO:LC-025.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION : WALL LIGHT > MIRROR/PICTURE LIGHT.
DRIVER : 42V300mA (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k):3000/4000/6500.
SIZE : 350L*170W*60H





MODEL NO: LC-026.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > PICTURE LIGHT.
DRIVER: 40V450mA (18WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 540L*230W*60H



MODEL NO: LC-027.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UP LIGHT.
DRIVER: 33V150mA (5WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 100L*130W*180H






MODEL NO: LC-028.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UP LIGHT.
DRIVER: 42V300mA (10WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k):3000/4000/6500.
SIZE: 210L*130W*180H



MODEL NO: LC-029.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UP LIGHT.
DRIVER: 40V450mA (15WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 315L*130W*185H





MODEL NO: LC-030.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > FRONT LIGHT.
DRIVER: 42V300mA (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 265L*57W*120H

MODEL NO: LC-031.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > FRONT LIGHT.
DRIVER: 22V300mA (6WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 80L*100W*145H



MODEL NO: LC-032.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION : WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 33V150mA (5WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 100L*70W*100H




MODEL NO: LC-033.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR/PICTURE LIGHT.
DRIVER: 22V300mA (6WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 230L*110W*50H





MODEL NO: LC-034.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 75V180mA (14WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 300L*50W*120H



MODEL NO: LC-035.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UP/DOWN LIGHT.
DRIVER: 22V450mA (9WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 355L*75W*70H



MODEL NO: LC-036.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > INDIRECT LIGHT.
DRIVER: 33V150mA (5WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k):3000/4000/6500.
SIZE: 60L*125W*125H




MODEL NO: LC-037.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > INDIRECT LIGHT.
DRIVER: 22V300mA (6WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 270L*70W*150H





MODEL NO: LC-038.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UP/DOWN LIGHT.
DRIVER: 22V300mA (6WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 150L*90W*150H


MODEL NO: LC-039.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UP/DOWN LIGHT.
DRIVER: 22V300mA (6WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 160L*80W*160H




MODEL NO: LC-040.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UP/DOWN LIGHT.
DRIVER: 22V300mA (6WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 180L*85W*140H




MODEL NO:LC-041.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR/PICTURE LIGHT.
DRIVER : 42V300mA (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 300L*85W*45H






MODEL NO: LC-042.
 TECHNICAL SPECIFICATION.
 HOUSING MATERIAL: M.S/ACRYLIC.
 APPLICATION: WALL LIGHT > MIRROR/PICTURE LIGHT.
 DRIVER: 33V600mA (20WATT).
 POWERED BY: EDISON/OSRAM LED.
 COLOR temp(k): 3000/4000/6500.
 SIZE: 450L*85W*50H



MODEL NO: LC-043.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: /M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR/PICTURE LIGHT.
DRIVER: 40V1100mA (38WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k):3000/4000/6500.
SIZE: 600L*95W*60H



MODEL NO: LC-044.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > INDIRECT LIGHT.
DRIVER: 22V300mA (6WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 40L*82W*375H



MODEL NO: LC-045.
 TECHNICAL SPECIFICATION.
 HOUSING MATERIAL: STEEL/M.S/ACRYLIC.
 APPLICATION : WALL LIGHT > FRONT LIGHT.
 DRIVER: 33V600mA (18WATT).
 POWERED BY: EDISON/OSRAM LED.
 COLOR temp(k): 3000/4000/6500.
 SIZE: 480L*115W*150H



MODEL NO: LC-046.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: STEEL/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > FRONT LIGHT.
DRIVER: 36V800mA (27WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 480L*110W*220H




MODEL NO: LC-047.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: STEEL/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > FRONT LIGHT.
DRIVER: 40V1100mA (36WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 480L*120W*300H





MODEL NO: LC-048.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > FRONT LIGHT.
DRIVER: 22V450mA (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 250L*55W*280H




MODEL NO: LC-049.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > INDIRECT UP/DOWN LIGHT.
DRIVER: 22V300mA (6WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 225L*120W*43H





MODEL NO: LC-050.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > INDIRECT UP/DOWN LIGHT.
DRIVER: 75V300mA (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 400L*120W*45H



MODEL NO: LC-051.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > PICTURE LIGHT.
DRIVER: 22V300mA (6WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 200L*120W*55H






MODEL NO: LC-052.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 52V150mA (8WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 90L*65W*90H



MODEL NO: LC-052.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 52V150mA (8WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 90L*65W*90H




MODEL NO: LC-053.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 66V240mA (16WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 175L*65W*90H





MODEL NO: LC-054.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 75V300mA (25WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 270L*65W*145H




MODEL NO: LC-055.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > FRONT LIGHT.
DRIVER: 75V180mA (14WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 230L*40W*300H






MODEL NO: LC-056.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 33V150mA (5WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 140L*120W*70H



MODEL NO: LC-058.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 40V450mA (15WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 420L*125W*75H







MODEL NO: LC-057.
 TECHNICAL SPECIFICATION.
 HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
 APPLICATION: WALL LIGHT > MIRROR LIGHT.
 DRIVER: 42V300mA (10WATT).
 POWERED BY: EDISON/OSRAM LED.
 COLOR temp(k): 3000/4000/6500.
 SIZE: 280L*120W*70H




MODEL NO: LC-059.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 33V150mA (5WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 140L*117W*70H



MODEL NO: LC-060.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 42V300mA (10WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 280L*115W*70H






MODEL NO: LC-061.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 40V450mA (15WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 420L*120W*75H



MODEL NO: LC-062.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/ACRYLIC.
APPLICATION: WALL LIGHT > INDIRECT UP/DOWN LIGHT.
DRIVER: 42V300mA (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 210L*105W*76H






MODEL NO: LC-063.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/ACRYLIC.
APPLICATION: WALL LIGHT > UP/DOWN LIGHT.
DRIVER: 22V600mA (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 270L*60W*60H

MODEL NO: LC-064.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > FRONT LIGHT.
DRIVER: 66V240mA (16WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 180L*70W*180H



MODEL NO: LC-065.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > FRONT LIGHT.
DRIVER: 22V300mA (8WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k):3000/4000/6500.
SIZE: 140L*115W*55H



MODEL NO: LC-066.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/ACRYLIC.
APPLICATION: WALL LIGHT > DOUBLE UP/DOWN LIGHT.
DRIVER: 20V600mA (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 290L*140W*75H





MODEL NO: LC-067.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > FRONT LIGHT.
DRIVER: 42V300mA (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 175L*65W*200H



MODEL NO: LC-068.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 40V600mA (24WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 346L*80W*200H







MODEL NO: LC-069.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 120V300mA (36WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 350L*80W*350H



MODEL NO: LC-070.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > FRONT LIGHT.
DRIVER: 40V600mA (24WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 390L*80W*160H




MODEL NO: LC-071.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT UNIVERSAL LIGHTING.
DRIVER: 40V1 100mA (40WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 635L*80W*210H


MODEL NO: LC-072.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > FRONT LIGHT.
DRIVER: 40V1 100mA (40WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 455L*80W*350H




MODEL NO: LC-073.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 33V150mA (5WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 140L*120W*70H




MODEL NO: LC-074.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 42V300mA (10WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 280L*115W*70H






MODEL NO: LC-075.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 40V450mA (15WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 420L*120W*75H




MODEL NO: LC-076.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > CEILING LIGHT.
DRIVER: 66V300mA (16WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 90L*90W*210H






MODEL NO: LC-077.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 66V300mA (20WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 570L*125W*75H





MODEL NO: LC-078.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 66V300mA (20WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 570L*125W*75H





MODEL NO: LC-079.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 66V300mA (20WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 570L*120W*80H



MODEL NO: LC-080.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UP/DOWN LIGHT.
DRIVER: 75V300mA (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 200L*58W*38H






MODEL NO: LC-081.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/PVC.
APPLICATION: WALL LIGHT > STAIRCASE LIGHT.
DRIVER: 12V350mA (4WATT).
POWERED BY: EDISON/OSRAM LED (COB).
COLOR temp(k): 3000/4000/6500.
SIZE: 130L*70W*130H



MODEL NO: LC-082.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM.
APPLICATION: WALL LIGHT > DOWN LIGHT.
DRIVER: 22V300mA (6WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500
SIZE: 100L*100W*76H




MODEL NO: LC-083.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > PICTURE LIGHT.
DRIVER: 40V450mA (18WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 570L*125W*50H




MODEL NO: LC-084.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 33V150mA (5WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 100L*130W*65H








MODEL NO: LC-085.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 42V300mA (10WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 240L*135W*65H



MODEL NO: LC-086.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 44V450mA (15WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 380L*135W*65H







MODEL NO: LC-087.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 66V300mA (20WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 520L*135W*65H


MODEL NO: LC-088.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 42V300mA (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 300L*115W*50H



MODEL NO: LC-089.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 33V600mA (20WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 450L*125W*55H



MODEL NO: LC-090.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 40V1100mA (38WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 600L*130W*65H



MODEL NO: LC-091.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > FRONT LIGHT.
DRIVER: 22V300mA (6WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 170L*55W*180H

MODEL NO: LC-092.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION : WALL LIGHT > FRONT LIGHT.
DRIVER: 42V300mA (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 280L*50W*284H



MODEL NO: LC-093.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > CEILING LIGHT.
DRIVER: 56V600mA (34WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 180L*90W*210H



MODEL NO: LC-094.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > INDIRECT UNIVERSAL LIGHTING.
DRIVER: 42V300mA (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 260L*130W*260H






MODEL NO: LC-095.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 40V1200mA (40WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 445L*80W*445H



MODEL NO: LC-096.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UP/DOWN LIGHT.
DRIVER: 42V300mA (10WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 60L*90W*400H






MODEL NO: LC-097.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > PICTURE LIGHT.
DRIVER: 42V300mA (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 330L*110W*50H



MODEL NO: LC-098.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > PICTURE LIGHT.
DRIVER: 33V600mA (20WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 480L*110W*50H






MODEL NO: LC-099.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > PICTURE LIGHT.
DRIVER: 40V1100mA (38WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 630L*110W*50H



MODEL NO: LC-100.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UP/DOWN LIGHT.
DRIVER: 20V600mA (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 200L*75W*140H



MODEL NO: LC-101.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING .
DRIVER: 33V1800mA (60WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 900L*140W*60H

MODEL NO: LC-102.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > W/M LIGHT.
DRIVER: 12V2amps (24WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 475L*80W*170H




MODEL NO: LC-103.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > W/M LIGHT.
DRIVER: 12V1amps (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 310L*55W*130H





MODEL NO: LC-104.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > FRONT LIGHT.
DRIVER: 12V1amps*2 (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 175L*60W*405H









MODEL NO: LC-104.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > FRONT LIGHT.
DRIVER: 12V1amps*2 (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 175L*60W*405H




MODEL NO: LC-105.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 12V3amps (24WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 355L*75W*350H




MODEL NO: LC-106.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 12V3amps (36WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 375L*75W*630H





MODEL NO: LC-107.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 12V2amps (24WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 315L*75W*248H



MODEL NO: LC-108.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 12V2amps (24WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 420L*220W*220H





MODEL NO: LC-109.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > FRONT UP/DOWN LIGHT.
DRIVER: 52V350mA (18WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500 (COLOR CHANGING).
SIZE: 500L*50W*70H



MODEL NO: LC-110.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > FRONT UP/DOWN LIGHT.
DRIVER: 33V350mA (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500 (COLOR CHANGING).
SIZE: 305L*50W*70H






MODEL NO: LC-110.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT > FRONT UP/DOWN LIGHT.
DRIVER: 33V350mA (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500 (COLOR CHANGING).
SIZE: 305L*50W*70H



MODEL NO: LC-111.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 52V150mA (8WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 200L*115W*45H



MODEL NO: LC-112.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > PICTURE LIGHT.
DRIVER: 52V150mA (8WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 200L*55W*90H







MODEL NO: LC-113.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > PICTURE LIGHT.
DRIVER: 42V300mA (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 300L*55W*90H



MODEL NO: LC-114.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > PICTURE LIGHT.
DRIVER: 33V600mA (20WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 450L*60W*90H






MODEL NO: LC-115.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > PICTURE LIGHT.
DRIVER: 40V1100mA (38WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 600L*70W*95H

MODEL NO: LC-116.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > PICTURE LIGHT.
DRIVER: 33V1800mA (60WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 900L*75W*95H




MODEL NO: LC-117.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM.
APPLICATION: WALL LIGHT > UP/DOWN LIGHT.
DRIVER: 8V500mA (4WATT).
POWERED BY: EDISON/OSRAM LED (COB).
COLOR temp(k): 3000/4000/6500.
SIZE: 50L*32W*80H


MODEL NO: LC-118.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/ACRYLIC.
APPLICATION: WALL LIGHT > INDIRECT UP/DOWN LIGHT.
DRIVER: 40V520mA (20WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 367L*35W*100H





MODEL NO: LC-118.
 TECHNICAL SPECIFICATION.
 HOUSING MATERIAL: ALUMINUM/ACRYLIC.
 APPLICATION: WALL LIGHT > INDIRECT UP/DOWN LIGHT.
 DRIVER: 40V520mA (20WATT).
 POWERED BY: EDISON/OSRAM LED.
 COLOR temp(k): 3000/4000/6500.
 SIZE: 367L*35W*100H




MODEL NO: LC-119.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/ACRYLIC.
APPLICATION: WALL LIGHT > INDIRECT UP/DOWN LIGHT.
DRIVER: 40V520Ma*2 (36WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 500L*35W*100H




MODEL NO: LC-120.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM.
APPLICATION: WALL LIGHT > INDIRECT UP/DOWN LIGHT.
DRIVER: 22V300mA (6WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 100L*100W*75H




MODEL NO: LC-121.
 TECHNICAL SPECIFICATION.
 HOUSING MATERIAL: ALUMINUM.
 APPLICATION: WALL LIGHT > INDIRECT UP/DOWN LIGHT.
 DRIVER: 42V300mA (12WATT).
 POWERED BY: EDISON/OSRAM LED.
 COLOR temp(k): 3000/4000/6500.
 SIZE: 210L*100W*75H




MODEL NO: LC-122.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UP/DOWN LIGHT.
DRIVER: 42V300mA (12WATT)
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 65L*95W*298H





MODEL NO: LC-123.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UP/DOWN LIGHT.
DRIVER: 42V300mA (12WATT)
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 65L*95W*275H





MODEL NO: LC-124
 TECHNICAL SPECIFICATION.
 HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
 APPLICATION: WALL LIGHT > M LIGHT.
 DRIVER: 66V240mA (16WATT).
 POWERED BY: EDISON/OSRAM LED.
 COLOR temp(k): 3000/4000/6500.
 SIZE: 180L*60W*180H




MODEL NO: LC-125.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > DOWN LIGHT.
DRIVER: 75V300mA (12WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 200L*58W*34H




MODEL NO: LC-126
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 33V150mA (5WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500
SIZE: 140L*160W*70H




MODEL NO: LC-127
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 42V300mA (10WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500
SIZE: 280L*70W*160H






MODEL NO: LC-128
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 40V450mA (15WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500
SIZE: 420L*165W*75H



MODEL NO: LC-129
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 66V300mA (20WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500
SIZE: 570L*170W*75H






MODEL NO: LC-130
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 33V150mA (5WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500
SIZE: 140L*160W*70H




MODEL NO: LC-131
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 42V300mA (10WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500
SIZE: 280L*70W*160H







MODEL NO: LC-132
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION : WALL LIGHT > MIRROR LIGHT.
DRIVER : 40V450mA (15WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k):3000/4000/6500
SIZE : 420L*170W*175H



MODEL NO: LC-133
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 66V300mA (20WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500
SIZE: 570L*170W*75H







MODEL NO: LC-133
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > MIRROR LIGHT.
DRIVER: 66V300mA (20WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500
SIZE: 570L*170W*75H




MODEL NO: LC-134
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT
DRIVER: 66V240mA (12watt)
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500
SIZE: 300L*108W*60H



MODEL NO: LC-135
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT
DRIVER: 75v240mA (18watt)
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500
SIZE: 400L*108W*60H





MODEL NO: LC-136
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT
DRIVER: 75*2v180mA (28watt)
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500
SIZE: 550L*40W*105H



MODEL NO: LC-137
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT
DRIVER: 42v300mA (12watt)
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500
SIZE: 200L*60W*200H




MODEL NO: LC-138
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT
DRIVER: 33v1100mA (40watt)
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500
SIZE: 370L*80W*370H




MODEL NO: LC-139
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT
DRIVER: 33v350mA (12watt)
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500
SIZE: 425L*120W*80H






MODEL NO: LC-140
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT
DRIVER: 22v300mA (6watt)
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500
SIZE: 64L*40W*130H



MODEL NO: LC-141
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT
DRIVER: 40v300mA (12watt)
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500
SIZE: 345L*50W*170H






MODEL NO: LC-142
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT
DRIVER: 66v300mA (20watt)
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500
SIZE: 330L*65W*330H





MODEL NO: LC-146
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT
DRIVER: 75*2v180mA (28watt)
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500
SIZE: 120L*120W*130H



MODEL NO: LC-147
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S/ACRYLIC.
APPLICATION: WALL LIGHT
DRIVER: 33V-500mA (22watt)
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500
SIZE: 150L*65W*150H





MODEL NO: LC-148.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S / ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 33v*1000mA (36watt).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k):3000k/4000k/6500k.
SIZE: 520L*80W*230H


MODEL NO: LC-149.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S / ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 42v*1400mA (48watt).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000k/4000k/6500k.
SIZE: 700L*80W*230H




MODEL NO: LC-150.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S / ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 33v*400mA (20watt).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000k/4000k/6500k.
SIZE: 200L*60W*50H



MODEL NO: LC-151.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM / M.S / ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 33v*150mA (6watt).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000k/4000k/6500k.
SIZE: 100L*105W*50H.





MODEL NO: LC-152.
 TECHNICAL SPECIFICATION.
 HOUSING MATERIAL: ALUMINUM / M.S / ACRYLIC.
 APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
 DRIVER: 33v*300mA (12watt).
 POWERED BY: EDISON/OSRAM LED.
 COLOR temp(k): 3000k/4000k/6500k.
 SIZE: 210L*105W*50H.



MODEL NO: LC-153.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S / ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 12V 10WATT
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000k/4000k/6500k.
SIZE: 200 OUTER DIA*50W.

MODEL NO: LC-154.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S / ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 12V 15WATT
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000k/4000k/6500k.
SIZE: 250 OUTER DIA*50W.




MODEL NO: LC-155.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S / ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 12V 20WATT
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000k/4000k/6500k.
SIZE: 300 OUTER DIA*50W.




MODEL NO: LC-156.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S / ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 33v*1400mA 60WATT.
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000k/4000k/6500k.
SIZE: 1380L*50W*120H.



MODEL NO: LC-157.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S / ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 33V*300mA 12WATT.
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000k/4000k/6500k.
SIZE: 210L*220W*30H.




MODEL NO: LC-158.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINIUM / M.S / ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 33V-1000mA 36WATT.
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000k/4000k/6500k.
SIZE: 800L*75W*130H.





MODEL NO: LC-159.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINIUM / M.S / ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 33V-1000mA 36WATT.
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000k/4000k/6500k.
SIZE: 800L*75W*130H.



MODEL NO: LC-160.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S / ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 33V-1000mA 36WATT.
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000k/4000k/6500k.
SIZE: 780L*50W*130H.





MODEL NO: LC-160.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S / ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 33V-1000mA 36WATT.
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000k/4000k/6500k.
SIZE: 780L*50W*130H.



MODEL NO: LC-161.
 TECHNICAL SPECIFICATION.
 HOUSING MATERIAL: M.S / ACRYLIC.
 APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
 DRIVER: 33V-400mA 16WATT.
 POWERED BY: EDISON/OSRAM LED.
 COLOR temp(k): 3000k/4000k/6500k.
 SIZE: 240L*40W*240H.



MODEL NO: LC-161.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S / ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 33V-400mA 16WATT.
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000k/4000k/6500k.
SIZE: 240L*40W*240H.

MODEL NO: LC-162.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S / ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 33V-300mA 12WATT.
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000k/4000k/6500k.
SIZE: 305L*53W*60H.




MODEL NO: LC-163.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S / ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 33V-500mA 24WATT.
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000k/4000k/6500k.
SIZE: 460L*53W*60H.

MODEL NO: LC-164.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S / ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 33V-1000mA 36WATT.
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000k/4000k/6500k.
SIZE: 730L*53W*60H.





MODEL NO: LC-165.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S / ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 12V 12WATT.
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000k/4000k/6500k.
SIZE: 150 OUTER DIA*70H



MODEL NO: LC-166.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: M.S / ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING.
DRIVER: 12V 22WATT.
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000k/4000k/6500k.
SIZE: 300 OUTER DIA*70H





MODEL NO: LC-167.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > UNIVERSAL LIGHTING .
DRIVER: 33V1800mA (80WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 1200L*140W*60H

MODEL NO: LC-168.
TECHNICAL SPECIFICATION.
HOUSING MATERIAL: ALUMINUM/M.S/ACRYLIC.
APPLICATION: WALL LIGHT > PICTURE LIGHT.
DRIVER: 33V1800mA (80WATT).
POWERED BY: EDISON/OSRAM LED.
COLOR temp(k): 3000/4000/6500.
SIZE: 1200L*75W*95H



Brightening Lives