


Illuminate
The
Extraordinary





The world of Architectural Lights

A thick, horizontal yellow brushstroke is positioned below the text "The world of Architectural Lights". It has a rough, painterly texture with visible bristles and a slight gradient of yellow.

Neptune Lights ... A tale of stylish LED Lights

Can you imagine a home with no lights? It doesn't even sound like home. Light acts as a medium for people to show things that they want to show in the way they wish to show. While bright lights add a different mood to the setting, dim lights tend to tell a separate tale. One can set the mood of their surroundings by only changing the lighting. That's the impact lights have. They can speak for the place!

One can say that light becomes an indispensable part of people's lives. And to be there for people to help them tell their stories is what we aim to do at Neptune Lights.

Our Story

Founded sometime in the 1980s, Neptune Lights was built with the vision to not just provide lighting solutions but to become a medium for people to express themselves. In 2011, we brought around revolutionary lighting solutions by incorporating LED lights. With the advent of LED, we soon became experts who specialize exclusively in LED technology.

LED is our passion... and we serve with conviction!

Apart from leveraging technology, we also combine our experience, precision, and quality control to provide our customers with innovative and high-quality products at competitive rates. Every product we manufacture is in accordance with the latest norms and standards, thus proving to be safe, reliable as well as economical.

Adding to our list of products, we provide a wide range of architectural lighting, interior lighting and exterior lighting for commercial and industrial buildings, retail, hotels, restaurants, etc.

So, if you are looking to enhance your space and wish to tell your story, then you can always get in touch with us. Explore the classiest and most sophisticated range of LED lighting solutions at Neptune Lights.


Thank You!
Neptune Lights

Neptune[®]
LIGHTS
ILLUMINATE YOUR LIFE

Signature
Collection

NeptuneAir[™]
Your smart home solution

THE HISTORY OF LIGHTING



1802

Humphry Davy

invented the Electrical Arc Lamp.

1840

Warren de la Rue


Built a light bulb using a platinum filament that was coiled inside a vacuum tube.



1878

Thomas Edison


Filed a patent under the label "Improvement in Electric Lights."



1880

Edison


Began marketing and manufacturing the latest version of his bulb to commercial clients & built the first central power plant in the U.S.



1893

Nikola Tesla


Demonstrated the possibility of wireless electricity, which he used to light a Geissler tube.



1874

Henry Woodward & Mathew Evans

Filed a patent for their carbon rod lamps, but failed at creating a commercial version.



1879

Edison
Submitted another patent.



1893

General Electric


Produced the first enclosed carbon arc lamp for commercial clients.




1901

Peter Cooper Hewitt

Introduced the Mercury-Vapor Lamp (gas discharge lamp).





**A LIGHT
THAT NEVER
GOES OUT OF
TREND**





QUICK (AIR-012)

POWER
7W

FEATURE
FRONT
OPENABLE

BODY CLR

WH+WH BK+MATT BK
WH+GB BK+GB
WH+CP BK+CP

DIMENSION D72x42mm	CUTOUT Ø65mm	BEAM ANGLE 45°
IP RATING IP 20	CRI Ra>92+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1247/-
NP Air (TW) 2327/-	BT-Mesh (TW) 2696/-	Zigbee (TW) 3467/-
Dali DIM(DT-6) 3413/-	Dali TW (DT-8) 5040/-	

Signature



QUICK (AIR-012)

POWER
12W

FEATURE
FRONT
OPENABLE

BODY CLR

WH+WH BK+MATT BK
WH+GB BK+GB
WH+CP BK+CP

DIMENSION D82xH47mm	CUTOUT Ø75mm	BEAM ANGLE 45°
IP RATING IP 20	CRI Ra>92+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1750/-
NP Air (TW) 2777/-	BT-Mesh (TW) 3145/-	Zigbee (TW) 3916/-
Dali DIM(DT-6) 4077/-	Dali TW (DT-8) 5490/-	

Signature



QUICK (AIR-012)

POWER
18W

FEATURE
FRONT
OPENABLE

BODY CLR

WH+WH BK+MATT BK
WH+GB BK+GB
WH+CP BK+CP

DIMENSION D92xH57mm	CUTOUT Ø85mm	BEAM ANGLE 45°
IP RATING IP 20	CRI Ra>92+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2204/-
NP Air (TW) 3338/-	BT-Mesh (TW) 3660/-	Zigbee (TW) 4462/-
Dali DIM(DT-6) 4852/-	Dali TW (DT-8) 6265/-	

Signature



QUICK TRIMLESS (AIR-012)

POWER
7W

FEATURE
FRONT
OPENABLE

BODY CLR

WH+WH BK+MATT BK
WH+GB BK+GB
WH+CP BK+CP

TRIM CLR
WHITE

DIMENSION D115xH42mm	CUTOUT Ø65mm	BEAM ANGLE 45°
IP RATING IP 20	CRI Ra>92+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1722/-
NP Air (TW) 2515/-	BT-Mesh (TW) 2884/-	Zigbee (TW) 3654/-
Dali DIM(DT-6) 3890/-	Dali TW (DT-8) 5227/-	

Signature



QUICK TRIMLESS (AIR-012)

POWER
12W

FEATURE
FRONT
OPENABLE

BODY CLR

WH+WH BK+MATT BK
WH+GB BK+GB
WH+CP BK+CP

TRIM CLR
WHITE

DIMENSION D125xH47mm	CUTOUT Ø75mm	BEAM ANGLE 45°
IP RATING IP 20	CRI Ra>92+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2263/-
NP Air (TW) 3478/-	BT-Mesh (TW) 3847/-	Zigbee (TW) 4617/-
Dali DIM(DT-6) 4590/-	Dali TW (DT-8) 5928/-	

Signature



QUICK TRIMLESS (AIR-012)

POWER
18W

FEATURE
FRONT
OPENABLE

BODY CLR

WH+WH BK+MATT BK
WH+GB BK+GB
WH+CP BK+CP

TRIM CLR
WHITE

DIMENSION D135xH57mm	CUTOUT Ø85mm	BEAM ANGLE 45°
IP RATING IP 20	CRI Ra>92+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2980/-
NP Air (TW) 4066/-	BT-Mesh (TW) 4387/-	Zigbee (TW) 5190/-
Dali DIM(DT-6) 5628/-	Dali TW (DT-8) 6992/-	

Signature



QUICK-C/S (AIR-012)

POWER
2*7W

FEATURE
RECESSED
FRONT
OPENABLE

BODY CLR

WH+WH BK+MATT BK
WH+GB BK+GB
WH+CP BK+CP

DIMENSION 147x79x42mm	CUTOUT Ø135x65mm	BEAM ANGLE 45°2°
IP RATING IP 20	CRI Ra>92+	LED TYPE COB
LUMENS 1400LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 3594/-
NP Air (TW) 5754/-	BT-Mesh (TW) 6492/-	Zigbee (TW) 8034/-
Dali DIM(DT-6) 7926/-	Dali TW (DT-8) 11180/-	

Signature



QUICK-C/S (AIR-012)

POWER
2*12W

FEATURE
RECESSED
FRONT
OPENABLE

BODY CLR

WH+WH BK+MATT BK
WH+GB BK+GB
WH+CP BK+CP

DIMENSION 167x89x47mm	CUTOUT Ø135x75mm	BEAM ANGLE 45°2°
IP RATING IP 20	CRI Ra>92+	LED TYPE COB
LUMENS 2400LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 4750/-
NP Air (TW) 6804/-	BT-Mesh (TW) 7540/-	Zigbee (TW) 9082/-
Dali DIM(DT-6) 9404/-	Dali TW (DT-8) 12230/-	

Signature



QUICK-C/S (AIR-012)

POWER
2*18W

FEATURE
RECESSED
FRONT
OPENABLE

BODY CLR

WH+WH BK+MATT BK
WH+GB BK+GB
WH+CP BK+CP

DIMENSION 187x99x57mm	CUTOUT Ø135x85mm	BEAM ANGLE 45°2°
IP RATING IP 20	CRI Ra>92+	LED TYPE COB
LUMENS 3600LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 5808/-
NP Air (TW) 8076/-	BT-Mesh (TW) 8720/-	Zigbee (TW) 10324/-
Dali DIM(DT-6) 11104/-	Dali TW (DT-8) 13930/-	

Signature



QUICK-C/S (AIR-012)

POWER
3*7W

FEATURE
FRONT
OPENABLE

BODY CLR

WH+WH BK+MATT BK
WH+GB BK+GB
WH+CP BK+CP

DIMENSION 215x79x42mm	CUTOUT Ø200x65mm	BEAM ANGLE 45°3°
IP RATING IP 20	CRI Ra>92+	LED TYPE COB
LUMENS 2100LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 5291/-
NP Air (TW) 8531/-	BT-Mesh (TW) 9638/-	Zigbee (TW) 11951/-
Dali DIM(DT-6) 11785/-	Dali TW (DT-8) 16670/-	

Signature



QUICK-C/S (AIR-012)

POWER
3*12W


FEATURE
FRONT
OPENABLE

BODY CLR

WH+WH BK+MATT BK
WH+GB BK+GB
WH+CP BK+CP

DIMENSION 245x89x42mm	CUTOUT Ø230x75mm	BEAM ANGLE 45°3°
IP RATING IP 20	CRI Ra>92+	LED TYPE COB
LUMENS 3600LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 7050/-
NP Air (TW) 10131	BT-Mesh (TW) 11235/-	Zigbee (TW) 13548/-
Dali DIM(DT-6) 14031/-	Dali TW (DT-8) 18270/-	

Signature



REGAL (AIR-009)

POWER
8W

FEATURE
RECESSED

BODY CLR

WH / GUN BK / MATT BK

DIMENSION D66xH52mm	CUTOUT Ø60mm	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 760LM±5%	CCT 3K/4K/5K	PRICE(on/off) 1771/-
NP Air (TW) 2585/-	BT-Mesh (TW) 2965/-	Zigbee (TW) 3757/-
Dali DIM(DT-6) 3999/-	Dali TW (DT-8) 5374/-	

Signature



REGAL (AIR-009)

POWER
15W

FEATURE
RECESSED

BODY CLR

WH / GUN BK / MATT BK

DIMENSION D80.5xH62mm	CUTOUT Ø75mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1425LM±5%	CCT 3K/4K/5K	PRICE(on/off) 2327/-
NP Air (TW) 3575/-	BT-Mesh (TW) 3905/-	Zigbee (TW) 4730/-
Dali DIM(DT-6) 4719/-	Dali TW (DT-8) 6584/-	

Signature



REGAL (AIR-009)

POWER
20W

FEATURE
RECESSED

BODY CLR

WH / GUN BK / MATT BK

DIMENSION D92xH67mm	CUTOUT Ø85mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1900LM±5%	CCT 3K/4K/5K	PRICE(on/off) 3064/-
NP Air (TW) 4180/-	BT-Mesh (TW) 4510/-	Zigbee (TW) 5335/-
Dali DIM(DT-6) 5786/-	Dali TW (DT-8) 7189/-	

Signature



SHEEN (AIR-004)

POWER
8W

FEATURE
RECESSED

BODY CLR
BK / WH

DIMENSION D71xH63mm	CUTOUT Ø63mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 720LM±5%	CCT 3K/4K/5K	PRICE(on/off) 1826/-
NP Air (TW) 2816/-	BT-Mesh (TW) 3196/-	Zigbee (TW) 3988/-
Dali DIM(DT-6) 4054/-	Dali TW (DT-8) 5605/-	<i>Signature</i>



SHEEN (AIR-004)

POWER
15W

FEATURE
RECESSED

BODY CLR
BK / WH

DIMENSION D88xH80mm	CUTOUT Ø80mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1350LM±5%	CCT 3K/4K/5K	PRICE(on/off) 2486/-
NP Air (TW) 3685/-	BT-Mesh (TW) 4015/-	Zigbee (TW) 4840/-
Dali DIM(DT-6) 4879/-	Dali TW (DT-8) 6694/-	<i>Signature</i>




SHEEN (AIR-004)

POWER
8W

FEATURE
RECESSED

BODY CLR
GUN BK / BRASS

DIMENSION D71xH63mm	CUTOUT Ø63mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 720LM±5%	CCT 3K/4K/5K	PRICE(on/off) 2057/-
NP Air (TW) 2904/-	BT-Mesh (TW) 3284/-	Zigbee (TW) 4076/-
Dali DIM(DT-6) 4285/-	Dali TW (DT-8) 5693/-	<i>Signature</i>



SHEEN (AIR-004)

POWER
15W

FEATURE
RECESSED

BODY CLR
GUN BK / BRASS

DIMENSION D88xH80mm	CUTOUT Ø80mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1350LM±5%	CCT 3K/4K/5K	PRICE(on/off) 2739/-
NP Air (TW) 3945/-	BT-Mesh (TW) 4274/-	Zigbee (TW) 5099/-
Dali DIM(DT-6) 5132/-	Dali TW (DT-8) 6952/-	<i>Signature</i>



TWINKLE (AIR-007)

POWER
8W

FEATURE
RECESSED

BODY CLR
WH / MATT BK / BROWN

DIMENSION D61xH64.5mm	CUTOUT Ø50mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 720LM±5%	CCT 3K/4K/5K	PRICE(on/off) 1480/-
NP Air (TW) 2563/-	BT-Mesh (TW) 2943/-	Zigbee (TW) 3735/-
Dali DIM(DT-6) 3707/-	Dali TW (DT-8) 5352/-	<i>Signature</i>



TWINKLE (AIR-007)

POWER
15W

FEATURE
RECESSED

BODY CLR
WH / MATT BK / BROWN

DIMENSION D75xH74.5mm	CUTOUT Ø62mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1350LM±5%	CCT 3K/4K/5K	PRICE(on/off) 1995/-
NP Air (TW) 3410/-	BT-Mesh (TW) 3740/-	Zigbee (TW) 4565/-
Dali DIM(DT-6) 4387/-	Dali TW (DT-8) 6419/-	<i>Signature</i>



TWINKLE (AIR-007)

POWER
20W

FEATURE
RECESSED

BODY CLR
WH / MATT BK / BROWN

DIMENSION D88xH85mm	CUTOUT Ø75mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K/5K	PRICE(on/off) 2558/-
NP Air (TW) 3949/-	BT-Mesh (TW) 4279/-	Zigbee (TW) 5104/-
Dali DIM(DT-6) 5280/-	Dali TW (DT-8) 6958/-	<i>Signature</i>



RINGO-A (TRIM FIX)

POWER
12W

FEATURE
RECESSED

BODY CLR
WH / BK

DIMENSION 84x65mm	CUTOUT Ø45mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K	PRICE(on/off) 3300/-
NP Air (TW) 5072/-	BT-Mesh (TW) 5440/-	Zigbee (TW) 6211/-
Dali DIM(DT-6) 5628/-	Dali TW (DT-8) 7785/-	<i>Signature</i>



RINGO-A (TRIM FIX)

POWER
18W

FEATURE
RECESSED

BODY CLR
WH / BK

DIMENSION 115x90mm	CUTOUT Ø60mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1620LM±5%	CCT 3K/4K/5K	PRICE(on/off) 4425/-
NP Air (TW) 6458/-	BT-Mesh (TW) 6778/-	Zigbee (TW) 7580/-
Dali DIM(DT-6) 7072/-	Dali TW (DT-8) 9384/-	<i>Signature</i>



RINGO-B (TRIM TILTABLE)

POWER
12W

FEATURE
RECESSED

BODY CLR
BK / WH

DIMENSION	CUTOUT	BEAM ANGLE
99x65mm	Ø50mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K	3547/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
5318/-	5687/-	6457/-
Dali DIM(DT-6)	Dali TW (DT-8)	
5874/-	8030/-	

Signature



RINGO-B (TRIM TILTABLE)

POWER
18W

FEATURE
RECESSED

BODY CLR
BK / WH

DIMENSION	CUTOUT	BEAM ANGLE
120x90mm	Ø65mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1620LM±5%	3K/4K/5K	4724/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
6757/-	7078/-	7880/-
Dali DIM(DT-6)	Dali TW (DT-8)	
7372/-	9684/-	

Signature



RINGO-C (TRIMLESS FIX)

POWER
12W

FEATURE
RECESSED

BODY CLR
WH

DIMENSION	CUTOUT	BEAM ANGLE
84x65mm	Ø42	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K	3547/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
5318/-	5687/-	6458/-
Dali DIM(DT-6)	Dali TW (DT-8)	
5874/-	8030/-	

Signature



RINGO-C (TRIMLESS FIX)

POWER
18W

FEATURE
RECESSED

BODY CLR
WH

DIMENSION	CUTOUT	BEAM ANGLE
115x90mm	Ø55mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1620LM±5%	3K/4K/5K	4724/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
6757/-	7078/-	7880/-
Dali DIM(DT-6)	Dali TW (DT-8)	
7372/-	9684/-	

Signature



RINGO-D (TRIMLESS TILTABLE)

POWER
12W

FEATURE
RECESSED

BODY CLR
WH

DIMENSION	CUTOUT	BEAM ANGLE
99x65mm	Ø50mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K	3692/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
5462/-	5832/-	6602/-
Dali DIM(DT-6)	Dali TW (DT-8)	
6018/-	8175/-	

Signature



RINGO-D (TRIMLESS TILTABLE)

POWER
18W

FEATURE
RECESSED

BODY CLR
WH

DIMENSION	CUTOUT	BEAM ANGLE
120x90mm	Ø70mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1620LM±5%	3K/4K/5K	4970/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
7003/-	7324/-	8127/-
Dali DIM(DT-6)	Dali TW (DT-8)	
7618/-	9930/-	

Signature



CAVA (AIR-013)

POWER
10W

FEATURE
RECESSED

BODY CLR
WH / MATT BK /
CHAMPAGNE

DIMENSION	CUTOUT	BEAM ANGLE
D40x98mm	Ø35mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>92+	COB
LUMENS	CCT	PRICE(on/off)
1000LM±5%	3K/4K/5K	2172/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3092/-	3462/-	4232/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4500/-	5805/-	

Signature



CAVA (AIR-013)

POWER
15W

FEATURE
RECESSED

BODY CLR
WH / MATT BK /
CHAMPAGNE

DIMENSION	CUTOUT	BEAM ANGLE
D50x110mm	Ø45mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>92+	COB
LUMENS	CCT	PRICE(on/off)
1500LM±5%	3K/4K/5K	2782/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4018/-	4338/-	5141/-
Dali DIM(DT-6)	Dali TW (DT-8)	
5110/-	6944/-	

Signature



CAVA (AIR-013)

POWER
20W

FEATURE
RECESSED

BODY CLR
WH / MATT BK /
CHAMPAGNE

DIMENSION	CUTOUT	BEAM ANGLE
D60x115mm	Ø55mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>92+	COB
LUMENS	CCT	PRICE(on/off)
2000LM±5%	3K/4K/5K	3665/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4665/-	4986/-	5788/-
Dali DIM(DT-6)	Dali TW (DT-8)	
6313/-	7592/-	

Signature



WENDY

POWER
10W

FEATURE
RECESSED

BODY CLR
WH / GUN BK / COPPER /
MATT BK

DIMENSION D41xH90mm	CUTOUT Ø35mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 900LM±5%	CCT 3K/4K/5K	PRICE(on/off) 2456/-
NP Air (TW) 3959/-	BT-Mesh (TW) 4328/-	Zigbee (TW) 5098/-
Dali DIM(DT-6) 4783/-	Dali TW (DT-8) 6672/-	

Signature



WENDY

POWER
15W

FEATURE
RECESSED

BODY CLR
WH / GUN BK / COPPER /
MATT BK

DIMENSION D51xH105mm	CUTOUT Ø45mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1350LM±5%	CCT 3K/4K/5K	PRICE(on/off) 2836/-
NP Air (TW) 4868/-	BT-Mesh (TW) 5190/-	Zigbee (TW) 5992/-
Dali DIM(DT-6) 5163/-	Dali TW (DT-8) 7795/-	

Signature



PUNCH

POWER
8W

FEATURE
RECESSED

BODY CLR
WH / MATT BK / BROWN

DIMENSION D49xH74.5mm	CUTOUT Ø43mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 765LM±5%	CCT 3K/4K	PRICE(on/off) 1887/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) 4114/-	Dali TW (DT-8) N/A	

Signature



PUNCH

POWER
15W

FEATURE
RECESSED

BODY CLR
WH / MATT BK / BROWN

DIMENSION D60xH84.5mm	CUTOUT Ø55mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1275LM±5%	CCT 3K/4K	PRICE(on/off) 2558/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) 4950/-	Dali TW (DT-8) N/A	

Signature



VERTO-C

POWER
15W

FEATURE
RECESSED
WALL WASHER

BODY CLR
WH / MATT BK

DIMENSION D82xH79mm	CUTOUT Ø75mm	BEAM ANGLE ASYMMETRIC
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1500LM±5%	CCT 3K/4K	PRICE(on/off) 4462/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) 7112/-	Dali TW (DT-8) N/A	

Signature



MODULE DEEP D65 (AIR-006-DEEP)

POWER
7W

FEATURE
RECESSED

BODY CLR
WH / BK

DIMENSION D70xH72mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1378/-
NP Air (TW) 2400/-	BT-Mesh (TW) 2767/-	Zigbee (TW) 3530/-
Dali DIM(DT-6) 3525/-	Dali TW (DT-8) 5088/-	

Signature



MODULE DEEP D75 (AIR-006-DEEP)

POWER
7W

FEATURE
RECESSED

BODY CLR
WH / BK

DIMENSION D80xH79mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1420/-
NP Air (TW) 2443/-	BT-Mesh (TW) 2809/-	Zigbee (TW) 3572/-
Dali DIM(DT-6) 3566/-	Dali TW (DT-8) 5130/-	

Signature



MODULE DEEP D65 (AIR-006-DEEP)

POWER
12W

FEATURE
RECESSED

BODY CLR
WH / BK

DIMENSION D70xH89mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1775/-
NP Air (TW) 2883/-	BT-Mesh (TW) 3248/-	Zigbee (TW) 4012/-
Dali DIM(DT-6) 4081/-	Dali TW (DT-8) 5570/-	

Signature



MODULE DEEP D75 (AIR-006-DEEP)

POWER
12W

FEATURE
RECESSED

BODY CLR
WH / BK

DIMENSION D80xH96mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1823/-
NP Air (TW) 2930/-	BT-Mesh (TW) 3297/-	Zigbee (TW) 4060/-
Dali DIM(DT-6) 4128/-	Dali TW (DT-8) 5618/-	

Signature



MODULE DEEP D75
(AIR-006-DEEP)

POWER
18W

FEATURE
RECESSED

BODY CLR
WH / BK

DIMENSION D80xH96mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1620LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2370/-
NP Air (TW) 3705/-	BT-Mesh (TW) 4022/-	Zigbee (TW) 4818/-
Dali DIM(DT-6) 4992/-	Dali TW (DT-8) 6604/-	

Signature



MODULE CURVE D65
(AIR-006-CURVE)

POWER
7W

FEATURE
RECESSED

BODY CLR
WH / BK

DIMENSION D70xH68mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1378/-
NP Air (TW) 2400/-	BT-Mesh (TW) 2767/-	Zigbee (TW) 3530/-
Dali DIM(DT-6) 3525/-	Dali TW (DT-8) 5088/-	

Signature



MODULE CURVE D75
(AIR-006-CURVE)

POWER
7W

FEATURE
RECESSED

BODY CLR
WH / BK

DIMENSION D80xH68mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1420/-
NP Air (TW) 2443/-	BT-Mesh (TW) 2809/-	Zigbee (TW) 3572/-
Dali DIM(DT-6) 3566/-	Dali TW (DT-8) 5130/-	

Signature



MODULE CURVE D65
(AIR-006-CURVE)

POWER
12W

FEATURE
RECESSED

BODY CLR
WH / BK

DIMENSION D70xH84mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1775/-
NP Air (TW) 2883/-	BT-Mesh (TW) 3248/-	Zigbee (TW) 4012/-
Dali DIM(DT-6) 4081/-	Dali TW (DT-8) 5570/-	

Signature



MODULE CURVE D75
(AIR-006-CURVE)

POWER
12W

FEATURE
RECESSED

BODY CLR
WH / BK

DIMENSION D80xH87mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1823/-
NP Air (TW) 2930/-	BT-Mesh (TW) 3297/-	Zigbee (TW) 4060/-
Dali DIM(DT-6) 4128/-	Dali TW (DT-8) 5618/-	

Signature



MODULE CURVE D75
(AIR-006-CURVE)

POWER
18W

FEATURE
RECESSED

BODY CLR
WH / BK

DIMENSION D80xH87mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1620LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2370/-
NP Air (TW) 3705/-	BT-Mesh (TW) 4022/-	Zigbee (TW) 4818/-
Dali DIM(DT-6) 4992/-	Dali TW (DT-8) 6604/-	

Signature



MODULE SQUARE D65
(AIR-006-SQ)

POWER
7W

FEATURE
RECESSED

BODY CLR
WH / BK

DIMENSION D71x71xH71mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1378/-
NP Air (TW) 2400/-	BT-Mesh (TW) 2767/-	Zigbee (TW) 3530/-
Dali DIM(DT-6) 3525/-	Dali TW (DT-8) 5088/-	

Signature



MODULE SQUARE D75
(AIR-006-SQ)

POWER
7W

FEATURE
RECESSED

BODY CLR
WH / BK

DIMENSION D81x81xH76mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1420/-
NP Air (TW) 2443/-	BT-Mesh (TW) 2809/-	Zigbee (TW) 3572/-
Dali DIM(DT-6) 3566/-	Dali TW (DT-8) 5130/-	

Signature



MODULE SQUARE D65
(AIR-006-SQ)

POWER
12W

FEATURE
RECESSED

BODY CLR
WH / BK

DIMENSION D71x71xH89mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1775/-
NP Air (TW) 2883/-	BT-Mesh (TW) 3248/-	Zigbee (TW) 4012/-
Dali DIM(DT-6) 4081/-	Dali TW (DT-8) 5570/-	

Signature



MODULE SQUARE D75
(AIR-006-SQ)

POWER
12W

FEATURE
RECESSED

BODY CLR
WH / BK

DIMENSION D81x81xH95mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1823/-
NP Air (TW) 2930/-	BT-Mesh (TW) 3297/-	Zigbee (TW) 4060/-
Dali DIM(DT-6) 4128/-	Dali TW (DT-8) 5618/-	

Signature



MODULE SQUARE D75
(AIR-006-SQ)

POWER
18W

FEATURE
RECESSED

BODY CLR
WH / BK

DIMENSION D81x81xH95mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1620LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2370/-
NP Air (TW) 3705/-	BT-Mesh (TW) 4022/-	Zigbee (TW) 4818/-
Dali DIM(DT-6) 4992/-	Dali TW (DT-8) 6604/-	

Signature



MODULE DEEP RING
(D65) (AIR-006-DEEP RING)

POWER
7W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D73xH72mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1638/-
NP Air (TW) 2660/-	BT-Mesh (TW) 3026/-	Zigbee (TW) 3790/-
Dali DIM(DT-6) 3784/-	Dali TW (DT-8) 5348/-	

Signature



MODULE DEEP RING
(D75) (AIR-006-DEEP RING)

POWER
7W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D83xH79mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1749/-
NP Air (TW) 2772/-	BT-Mesh (TW) 3138/-	Zigbee (TW) 3900/-
Dali DIM(DT-6) 3895/-	Dali TW (DT-8) 5459/-	

Signature



MODULE DEEP RING
(D65) (AIR-006-DEEP RING)

POWER
12W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D73xH89mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2062/-
NP Air (TW) 3170/-	BT-Mesh (TW) 3535/-	Zigbee (TW) 4298/-
Dali DIM(DT-6) 4368/-	Dali TW (DT-8) 5857/-	

Signature



MODULE DEEP RING
(D75) (AIR-006-DEEP RING)

POWER
12W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D83xH96mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2173/-
NP Air (TW) 3280/-	BT-Mesh (TW) 3646/-	Zigbee (TW) 4410/-
Dali DIM(DT-6) 4479/-	Dali TW (DT-8) 5968/-	

Signature



MODULE DEEP RING
(D75) (AIR-006-DEEP RING)

POWER
18W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D83xH96mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1620LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2730/-
NP Air (TW) 4187/-	BT-Mesh (TW) 4505/-	Zigbee (TW) 5300/-
Dali DIM(DT-6) 5353/-	Dali TW (DT-8) 7087/-	

Signature



MODULE CURVE RING
(D65) (AIR-006-CURVE RING)

POWER
7W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D73xH72mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1638/-
NP Air (TW) 2660/-	BT-Mesh (TW) 3026/-	Zigbee (TW) 3790/-
Dali DIM(DT-6) 3784/-	Dali TW (DT-8) 5348/-	

Signature



MODULE CURVE RING
(D75) (AIR-006-CURVE RING)

POWER
7W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D83xH79mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1749/-
NP Air (TW) 2772/-	BT-Mesh (TW) 3138/-	Zigbee (TW) 3900/-
Dali DIM(DT-6) 3895/-	Dali TW (DT-8) 5459/-	

Signature



MODULE CURVE RING
(D65) (AIR-006-CURVE RING)

POWER 12W
FEATURE RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D73xH89mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2062/-
NP Air (TW) 3170/-	BT-Mesh (TW) 3535/-	Zigbee (TW) 4298/-
Dali DIM(DT-6) 4368/-	Dali TW (DT-8) 5857/-	<i>Signature</i>



MODULE CURVE RING
(D75) (AIR-006-CURVE RING)

POWER 12W
FEATURE RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D83xH96mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2173/-
NP Air (TW) 3280/-	BT-Mesh (TW) 3646/-	Zigbee (TW) 4410/-
Dali DIM(DT-6) 4479/-	Dali TW (DT-8) 5968/-	<i>Signature</i>



MODULE CURVE RING
(D75) (AIR-006-CURVE RING)

POWER 18W
FEATURE RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D83xH96mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1620LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2730/-
NP Air (TW) 4187/-	BT-Mesh (TW) 4505/-	Zigbee (TW) 5300/-
Dali DIM(DT-6) 5353/-	Dali TW (DT-8) 7087/-	<i>Signature</i>



MODULE SQUARE RING
(D65) (AIR-006-SQ RING)

POWER 7W
FEATURE RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D73x73xH71mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1638/-
NP Air (TW) 2660/-	BT-Mesh (TW) 3026/-	Zigbee (TW) 3790/-
Dali DIM(DT-6) 3784/-	Dali TW (DT-8) 5348/-	<i>Signature</i>



MODULE SQUARE RING
(D75) (AIR-006-SQ RING)

POWER 7W
FEATURE RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D83x83xH76mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1749/-
NP Air (TW) 2772/-	BT-Mesh (TW) 3138/-	Zigbee (TW) 3900/-
Dali DIM(DT-6) 3895/-	Dali TW (DT-8) 5459/-	<i>Signature</i>



MODULE SQUARE RING
(D65) (AIR-006-SQ RING)

POWER 12W
FEATURE RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D73x73xH89mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2062/-
NP Air (TW) 3170/-	BT-Mesh (TW) 3535/-	Zigbee (TW) 4298/-
Dali DIM(DT-6) 4368/-	Dali TW (DT-8) 5857/-	<i>Signature</i>



MODULE SQUARE RING
(D75) (AIR-006-SQ RING)

POWER 12W
FEATURE RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D83x83xH95mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2173/-
NP Air (TW) 3280/-	BT-Mesh (TW) 3646/-	Zigbee (TW) 4410/-
Dali DIM(DT-6) 4479/-	Dali TW (DT-8) 5968/-	<i>Signature</i>



MODULE SQUARE RING
(D75) (AIR-006-SQ RING)

POWER 18W
FEATURE RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D83x83xH95mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1620LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2730/-
NP Air (TW) 4187/-	BT-Mesh (TW) 4505/-	Zigbee (TW) 5300/-
Dali DIM(DT-6) 5353/-	Dali TW (DT-8) 7087/-	<i>Signature</i>



MODULE DEEP TRIMLESS
(D65) (AIR-006-DEEP TRIMLESS)

POWER 7W
FEATURE RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D70xH72mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1780/-
NP Air (TW) 2809/-	BT-Mesh (TW) 3175/-	Zigbee (TW) 3938/-
Dali DIM(DT-6) 3928/-	Dali TW (DT-8) 5496/-	<i>Signature</i>



MODULE DEEP TRIMLESS
(D75) (AIR-006-DEEP TRIMLESS)

POWER
7W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D80xH79mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1882/-
NP Air (TW) 2907/-	BT-Mesh (TW) 3272/-	Zigbee (TW) 4035/-
Dali DIM(DT-6) 4028/-	Dali TW (DT-8) 5595/-	

Signature



MODULE DEEP TRIMLESS
(D65) (AIR-006-DEEP TRIMLESS)

POWER
12W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D70xH89mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2168/-
NP Air (TW) 3275/-	BT-Mesh (TW) 3640/-	Zigbee (TW) 4405/-
Dali DIM(DT-6) 4473/-	Dali TW (DT-8) 5962/-	

Signature



MODULE DEEP TRIMLESS
(D75) (AIR-006-DEEP TRIMLESS)

POWER
12W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D80xH96mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2290/-
NP Air (TW) 3398/-	BT-Mesh (TW) 3763/-	Zigbee (TW) 4526/-
Dali DIM(DT-6) 4595/-	Dali TW (DT-8) 6085/-	

Signature



MODULE DEEP TRIMLESS
(D75) (AIR-006-DEEP TRIMLESS)

POWER
18W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D80xH96mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1620LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2846/-
NP Air (TW) 4182/-	BT-Mesh (TW) 4500/-	Zigbee (TW) 5295/-
Dali DIM(DT-6) 5470/-	Dali TW (DT-8) 6020/-	

Signature



MODULE CURVE TRIMLESS
(D65) (AIR-006-CURVE TRIMLESS)


POWER
7W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D70xH72mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1780/-
NP Air (TW) 2809/-	BT-Mesh (TW) 3175/-	Zigbee (TW) 3938/-
Dali DIM(DT-6) 3928/-	Dali TW (DT-8) 5496/-	

Signature



MODULE CURVE TRIMLESS
(D75) (AIR-006-CURVE TRIMLESS)

POWER
7W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D80xH79mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1882/-
NP Air (TW) 2907/-	BT-Mesh (TW) 3272/-	Zigbee (TW) 4035/-
Dali DIM(DT-6) 4028/-	Dali TW (DT-8) 5595/-	

Signature



MODULE CURVE TRIMLESS
(D65) (AIR-006-CURVE TRIMLESS)


POWER
12W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D70xH89mm	CUTOUT Ø65mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2168/-
NP Air (TW) 3275/-	BT-Mesh (TW) 3640/-	Zigbee (TW) 4405/-
Dali DIM(DT-6) 4473/-	Dali TW (DT-8) 5962/-	

Signature



MODULE CURVE TRIMLESS
(D75) (AIR-006-CURVE TRIMLESS)

POWER
12W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D80xH96mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2290/-
NP Air (TW) 3398/-	BT-Mesh (TW) 3763/-	Zigbee (TW) 4526/-
Dali DIM(DT-6) 4595/-	Dali TW (DT-8) 6085/-	

Signature



MODULE CURVE TRIMLESS
(D75) (AIR-006-CURVE TRIMLESS)

POWER
18W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION D80xH96mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1620LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2846/-
NP Air (TW) 4182/-	BT-Mesh (TW) 4500/-	Zigbee (TW) 5295/-
Dali DIM(DT-6) 5470/-	Dali TW (DT-8) 6020/-	

Signature



MODULE SQUARE TRIMLESS
(D65) (AIR-006-SQ TRIMLESS)

POWER
7W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D71x71xH71mm	Ø65mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K/5K/6K	1780/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2809/-	3175/-	3938/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3928/-	5496/-	

Signature



MODULE SQUARE TRIMLESS
(D75) (AIR-006-SQ TRIMLESS)

POWER
7W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D81x81xH76mm	Ø75mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K/5K/6K	1882/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2907/-	3272/-	4035/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4028/-	5595/-	

Signature



MODULE SQUARE TRIMLESS
(D65) (AIR-006-SQ TRIMLESS)

POWER
12W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D71x71xH89mm	Ø65mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K/6K	2168/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3275/-	3640/-	4405/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4473/-	5962/-	

Signature



MODULE SQUARE TRIMLESS
(D75) (AIR-006-SQ TRIMLESS)

POWER
12W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D81x81xH95mm	Ø75mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K/6K	2290/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3398/-	3763/-	4526/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4595/-	6085/-	

Signature



MODULE SQUARE TRIMLESS
(D75) (AIR-006-SQ TRIMLESS)

POWER
18W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D81x81xH95mm	Ø75mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1620LM±5%	3K/4K/5K/6K	2846/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4182/-	4500/-	5295/-
Dali DIM(DT-6)	Dali TW (DT-8)	
5470/-	6020/-	

Signature



MODULE DOUBLE
(D65) (AIR-006-DOUBLE)

POWER
2*7W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D141x73xH71mm	Ø135*65mm	2x38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K/5K/6K	3175/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
5220/-	5952/-	7478/-
Dali DIM(DT-6)	Dali TW (DT-8)	
7468/-	10595/-	

Signature



MODULE DOUBLE
(D75) (AIR-006-DOUBLE)

POWER
2*7W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D161x83xH76mm	Ø155*75mm	2x38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K/5K/6K	3328/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
5380/-	6110/-	7637/-
Dali DIM(DT-6)	Dali TW (DT-8)	
7622/-	10754/-	

Signature



MODULE DOUBLE
(D65) (AIR-006-DOUBLE)


POWER
2*12W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D141x73xH89mm	Ø135*65mm	2x38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K/6K	3853/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
6068/-	6800/-	8326/-
Dali DIM(DT-6)	Dali TW (DT-8)	
8465/-	11442/-	

Signature



MODULE DOUBLE
(D75) (AIR-006-DOUBLE)

POWER
2*12W

FEATURE
RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D161x83xH95mm	Ø155*75mm	2x38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K/6K	4112/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
6328/-	7060/-	8586/-
Dali DIM(DT-6)	Dali TW (DT-8)	
8724/-	11702/-	

Signature



MODULE DOUBLE
(D75) (AIR-006-DOUBLE)

POWER 2*18W
FEATURE RECESSED

BODY CLR
WH / BK / GOLD

DIMENSION	CUTOUT	BEAM ANGLE
D161x83xH95mm	Ø155*75mm	2x38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1620LM±5%	3K/4K/5K/6K	5290/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
7960/-	8596/-	10186/-
Dali DIM(DT-6)	Dali TW (DT-8)	
10536/-	13758/-	

Signature



GLOW-TRIM
(AIR-010)

POWER 10W
FEATURE RECESSED/
FRONT OPENABLE

BODY CLR
WH / BK

REFLECTOR
GUN BK / MATT WH / MATT
BK

DIMENSION	CUTOUT	BEAM ANGLE
72x82mm	Ø65mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1000LM±5%	3K/4K/5K/6K	1712/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3050/-	3418/-	4190/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4040/-	5762/-	



GLOW-TRIM
(AIR-010)

POWER 16W
FEATURE RECESSED/
FRONT OPENABLE

BODY CLR
WH / BK

REFLECTOR
GUN BK / MATT WH / MATT
BK

DIMENSION	CUTOUT	BEAM ANGLE
82x92mm	Ø75mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1600LM±5%	3K/4K/5K/6K	2162/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3585/-	3905/-	4708/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4809/-	6510/-	



GLOW-TRIM
(AIR-010)

POWER 22W
FEATURE RECESSED/
FRONT OPENABLE

BODY CLR
WH / BK

REFLECTOR
GUN BK / MATT WH / MATT
BK

DIMENSION	CUTOUT	BEAM ANGLE
102x93mm	Ø85mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
2200LM±5%	3K/4K/5K/6K	2530/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4494/-	4815/-	5618/-
Dali DIM(DT-6)	Dali TW (DT-8)	
5178/-	9400/-	



GLOW-TRIMLESS
(AIR-010)

POWER 10W
FEATURE TRIMLESS/
FRONT OPENABLE

BODY CLR
WH / BK

REFLECTOR
GUN BK / MATT WH / MATT
BK

DIMENSION	CUTOUT	BEAM ANGLE
72x82mm	Ø65mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1000LM±5%	3K/4K/5K/6K	2135/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3482/-	3852/-	4622/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4462/-	6195/-	



GLOW-TRIMLESS
(AIR-010)

POWER 16W
FEATURE TRIMLESS/
FRONT OPENABLE

BODY CLR
WH / BK

REFLECTOR
GUN BK / MATT WH / MATT
BK

DIMENSION	CUTOUT	BEAM ANGLE
82x92mm	Ø75mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1600LM±5%	3K/4K/5K/6K	2632/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4023/-	4345/-	5146/-
Dali DIM(DT-6)	Dali TW (DT-8)	
5280/-	6950/-	



GLOW-TRIMLESS
(AIR-010)

POWER 22W
FEATURE TRIMLESS/
FRONT OPENABLE

BODY CLR
WH / BK

REFLECTOR
GUN BK / MATT WH / MATT
BK

DIMENSION	CUTOUT	BEAM ANGLE
102x93mm	Ø85mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
2200LM±5%	3K/4K/5K/6K	3076/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
5055/-	5376/-	6180/-
Dali DIM(DT-6)	Dali TW (DT-8)	
5724/-	9962/-	



GLOW-D (AIR-010)

POWER 2*10W
FEATURE RECESSED/
FRONT OPENABLE

BODY CLR
WH / BK

REFLECTOR
GUN BK / MATT WH / MATT
BK

DIMENSION	CUTOUT	BEAM ANGLE
L120xW62xH82mm	Ø55mm	2x36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1000LM±5%	3K/4K/5K/6K	4173/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
6848/-	7586/-	9127/-
Dali DIM(DT-6)	Dali TW (DT-8)	
8827/-	12272/-	



GLOW-D (AIR-010)

POWER 2*16W
FEATURE RECESSED/
FRONT OPENABLE

BODY CLR
WH / BK

REFLECTOR
GUN BK / MATT WH / MATT
BK

DIMENSION	CUTOUT	BEAM ANGLE
L164xW84xH92mm	Ø75mm	2x36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1600LM±5%	3K/4K/5K/6K	5243/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
8132/-	8774/-	10379/-
Dali DIM(DT-6)	Dali TW (DT-8)	
10540/-	13985/-	



ZEN

POWER 7W **FEATURE** RECESSED

BODY CLR
WH / BK

DIMENSION D45xH50mm	CUTOUT Ø40mm	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 869/-
NP Air (TW) 2415/-	BT-Mesh (TW) 2794/-	Zigbee (TW) 3586/-
Dali DIM(DT-6) 3097/-	Dali TW (DT-8) 5203/-	



ZEN

POWER 7W **FEATURE** RECESSED

BODY CLR
COPPER

DIMENSION D45xH50mm	CUTOUT Ø40mm	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 924/-
NP Air (TW) 2470/-	BT-Mesh (TW) 2849/-	Zigbee (TW) 3641/-
Dali DIM(DT-6) 3152/-	Dali TW (DT-8) 5258/-	



ZEN

POWER 12W **FEATURE** RECESSED

BODY CLR
WH / BK

DIMENSION D60xH67mm	CUTOUT Ø52mm	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1155/-
NP Air (TW) 2976/-	BT-Mesh (TW) 3355/-	Zigbee (TW) 4147/-
Dali DIM(DT-6) 3548/-	Dali TW (DT-8) 5764/-	



ZEN

POWER 12W **FEATURE** RECESSED

BODY CLR
COPPER

DIMENSION D60xH67mm	CUTOUT Ø52mm	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1265/-
NP Air (TW) 3086/-	BT-Mesh (TW) 3465/-	Zigbee (TW) 4257/-
Dali DIM(DT-6) 3658/-	Dali TW (DT-8) 5874/-	



ZEN

POWER 18W **FEATURE** RECESSED

BODY CLR
WH/BK

DIMENSION D72xH75mm	CUTOUT Ø60mm	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1620LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1678/-
NP Air (TW) 3768/-	BT-Mesh (TW) 4098/-	Zigbee (TW) 4923/-
Dali DIM(DT-6) 4400/-	Dali TW (DT-8) 6776/-	



ZEN

POWER 18W **FEATURE** RECESSED

BODY CLR
COPPER

DIMENSION D72xH75mm	CUTOUT Ø60mm	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1620LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1843/-
NP Air (TW) 3933/-	BT-Mesh (TW) 4263/-	Zigbee (TW) 5088/-
Dali DIM(DT-6) 4565/-	Dali TW (DT-8) 6941/-	



BEAT (AIR-002)

POWER 8W(AIR-7W) **FEATURE** RECESSED

BODY CLR
WH / BK

DIMENSION D65xH45mm	CUTOUT Ø55mm	BEAM ANGLE 90°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 760LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1036/-
NP Air (TW) 2133/-	BT-Mesh (TW) 2505/-	Zigbee (TW) 3283/-
Dali DIM(DT-6) 3223/-	Dali TW (DT-8) 4870/-	



BEAT (AIR-002)

POWER 15W(AIR-12W) **FEATURE** RECESSED

BODY CLR
WH / BK

DIMENSION D85xH55mm	CUTOUT Ø75mm	BEAM ANGLE 90°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1425LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1404/-
NP Air (TW) 2830/-	BT-Mesh (TW) 3202/-	Zigbee (TW) 3980/-
Dali DIM(DT-6) 3753/-	Dali TW (DT-8) 5567/-	



BEAT (AIR-002)

POWER 20W(AIR-18W) **FEATURE** RECESSED

BODY CLR
WH / BK

DIMENSION D92xH65mm	CUTOUT Ø85mm	BEAM ANGLE 90°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1900LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1863/-
NP Air (TW) 3580/-	BT-Mesh (TW) 3904/-	Zigbee (TW) 4715/-
Dali DIM(DT-6) 4536/-	Dali TW (DT-8) 6534/-	



GRACE CR

(AIR-001)

POWER
7W

FEATURE
RECESSED

BODY CLR
WH / BK

REFLECTOR
MATT GD/CH.GD/COPPER RG
GUN BK/MATT BK/MATT WH

DIMENSION D75xH55mm	CUTOUT Ø60mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 770/-
NP Air (TW) 2046/-	BT-Mesh (TW) 2426/-	Zigbee (TW) 3218/-
Dali DIM(DT-6) 2998/-	Dali TW (DT-8) 4835/-	



GRACE CR

(AIR-001)

POWER
12W

FEATURE
RECESSED

BODY CLR
WH / BK

REFLECTOR
MATT GD/CH.GD/COPPER RG
GUN BK/MATT BK/MATT WH

DIMENSION D85xH65mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 974/-
NP Air (TW) 2585/-	BT-Mesh (TW) 2910/-	Zigbee (TW) 3702/-
Dali DIM(DT-6) 3366/-	Dali TW (DT-8) 5319/-	



GRACE CR

(AIR-001)

POWER
20W

FEATURE
RECESSED

BODY CLR
WH / BK

REFLECTOR
MATT GD/CH.GD/COPPER RG
GUN BK/MATT BK/MATT WH

DIMENSION D95xH75mm	CUTOUT Ø85mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 2000LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1507/-
NP Air (TW) 3267/-	BT-Mesh (TW) 3597/-	Zigbee (TW) 4422/-
Dali DIM(DT-6) 4230/-	Dali TW (DT-8) 6276/-	



GRACE CR

POWER
30W

FEATURE
RECESSED

BODY CLR
WH / BK

REFLECTOR
MATT GD/CH.GD/COPPER RG
MATT WH / MATT BK

DIMENSION D121xH65mm	CUTOUT Ø110mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 3000LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2915/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) 5638/-	Dali TW (DT-8) N/A	



GRACE DR

POWER
7W

FEATURE
RECESSED

BODY CLR
WH / BK

REFLECTOR
COPPER / CROME
MATT WH / MATT BK

DIMENSION D75xH55mm	CUTOUT Ø60mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 880/-
NP Air (TW) 2426/-	BT-Mesh (TW) 2805/-	Zigbee (TW) 3597/-
Dali DIM(DT-6) 3108/-	Dali TW (DT-8) 5214/-	



GRACE DR

POWER
12W

FEATURE
RECESSED

BODY CLR
WH / BK

REFLECTOR
COPPER / CROME
MATT WH / MATT BK

DIMENSION D85xH65mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1128/-
NP Air (TW) 2948/-	BT-Mesh (TW) 3328/-	Zigbee (TW) 4120/-
Dali DIM(DT-6) 3520/-	Dali TW (DT-8) 5737/-	



GRACE DR

POWER
20W

FEATURE
RECESSED

BODY CLR
WH / BK

REFLECTOR
COPPER / CROME
MATT WH / MATT BK

DIMENSION D95xH75mm	CUTOUT Ø85mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 2000LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1793/-
NP Air (TW) 3883/-	BT-Mesh (TW) 4213/-	Zigbee (TW) 5038/-
Dali DIM(DT-6) 4516/-	Dali TW (DT-8) 6892/-	



GRACE

POWER
7W

FEATURE
RECESSED

BODY CLR
WH / BK

DIMENSION D59xH65mm	CUTOUT Ø50mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 682/-
NP Air (TW) 2228/-	BT-Mesh (TW) 2607/-	Zigbee (TW) 3399/-
Dali DIM(DT-6) 2910/-	Dali TW (DT-8) 5016/-	



GRACE

POWER
7W

FEATURE
RECESSED

BODY CLR
COPPER

DIMENSION D59xH65mm	CUTOUT Ø50mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1089/-
NP Air (TW) 2635/-	BT-Mesh (TW) 3014/-	Zigbee (TW) 3806/-
Dali DIM(DT-6) 3317/-	Dali TW (DT-8) 5423/-	



GRACE

POWER
12W

FEATURE
RECESSED

BODY CLR
WH / BK

DIMENSION D85xH80mm	CUTOUT Ø75mm	BEAM ANGLE 40°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 809/-
NP Air (TW) 2629/-	BT-Mesh (TW) 3009/-	Zigbee (TW) 3801/-
Dali DIM(DT-6) 3201/-	Dali TW (DT-8) 5418/-	



GRACE

POWER
12W

FEATURE
RECESSED

BODY CLR
COPPER

DIMENSION D85xH80mm	CUTOUT Ø75mm	BEAM ANGLE 40°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1540/-
NP Air (TW) 3361/-	BT-Mesh (TW) 3740/-	Zigbee (TW) 4532/-
Dali DIM(DT-6) 3933/-	Dali TW (DT-8) 6149/-	



GRACE

POWER
18W

FEATURE
RECESSED

BODY CLR
WH / BK

DIMENSION D100xH100mm	CUTOUT Ø90mm	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1331/-
NP Air (TW) 3421/-	BT-Mesh (TW) 3751/-	Zigbee (TW) 4576/-
Dali DIM(DT-6) 4054/-	Dali TW (DT-8) 6430/-	



GRACE

POWER
18W

FEATURE
RECESSED

BODY CLR
COPPER

DIMENSION D100xH100mm	CUTOUT Ø90mm	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2475/-
NP Air (TW) 4565/-	BT-Mesh (TW) 4895/-	Zigbee (TW) 5720/-
Dali DIM(DT-6) 5198/-	Dali TW (DT-8) 7574/-	



GRACE TL

POWER
7W

FEATURE
RECESSED

BODY CLR
WH / BK

REFLECTOR
MATT GD/CH.GD/COPPER RG
GUN BK/MATT BK/MATT WH

DIMENSION D85xH55mm	CUTOUT Ø75mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1430/-
NP Air (TW) 2976/-	BT-Mesh (TW) 3355/-	Zigbee (TW) 4147/-
Dali DIM(DT-6) 3658/-	Dali TW (DT-8) 5764/-	



GRACE TL


POWER
12W

FEATURE
RECESSED

BODY CLR
WH / BK

REFLECTOR
MATT GD/CH.GD/COPPER RG
GUN BK/MATT BK/MATT WH

DIMENSION D98xH65mm	CUTOUT Ø88mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1749/-
NP Air (TW) 3570/-	BT-Mesh (TW) 3949/-	Zigbee (TW) 4741/-
Dali DIM(DT-6) 4142/-	Dali TW (DT-8) 6358/-	





ORA

POWER
12W

FEATURE
RECESSED

BODY CLR
WH

DIMENSION D82xH54mm	CUTOUT Ø72mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1705/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



ORA

POWER
18W

FEATURE
RECESSED

BODY CLR
WH

DIMENSION D100xH81mm	CUTOUT Ø88mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1620LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2561/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



HALO

POWER
7W

FEATURE
RECESSED

BODY CLR
WH

DIMENSION D80xH70mm	CUTOUT Ø66mm	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1179/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



HALO

POWER
12W

FEATURE
RECESSED

BODY CLR
WH

DIMENSION D100xH80mm	CUTOUT Ø88mm	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1705/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



VEGA

POWER
3W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D62xH35mm	CUTOUT Ø50mm	BEAM ANGLE 3°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 300LM±5%	CCT 3K/4K	PRICE(on/off) 1793/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



VEGA

POWER
5W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D53xH40mm	CUTOUT Ø45mm	BEAM ANGLE 5°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 500LM±5%	CCT 3K/4K	PRICE(on/off) 2228/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



VEGA

POWER
7W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D67xH72mm	CUTOUT Ø60mm	BEAM ANGLE 10°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 600LM±5%	CCT 3K/4K	PRICE(on/off) 2657/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



TERO-D

POWER
6W

FEATURE
RECESSED

BODY CLR
MATT WH / MATT BK/
PEARL WH / BRASS/
CHAMPAGNE

DIMENSION D45xH50mm	CUTOUT Ø35mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 540LM±5%	CCT 3K/4K	PRICE(on/off) 1560/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



TERO-D

POWER
10W

FEATURE
RECESSED

BODY CLR
MATT WH / MATT BK/
PEARL WH / BRASS/
CHAMPAGNE

DIMENSION D45xH70mm	CUTOUT Ø35mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 900LM±5%	CCT 3K/4K	PRICE(on/off) 1953/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



TERO-E

POWER
6W

FEATURE
RECESSED

BODY CLR
MATT WH / MATT BK/
PEARL WH / BRASS/
CHAMPAGNE

DIMENSION D45xH50mm	CUTOUT Ø35mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 540LM±5%	CCT 3K/4K	PRICE(on/off) 1560/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



TERO-E

POWER
10W

FEATURE
RECESSED

BODY CLR
MATT WH / MATT BK/
PEARL WH / BRASS/
CHAMPAGNE

DIMENSION D45xH70mm	CUTOUT Ø35mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 900LM±5%	CCT 3K/4K	PRICE(on/off) 1953/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



TERO-F

POWER
6W

FEATURE
RECESSED

BODY CLR
MATT WH / MATT BK/
BRASS/ CHAMPAGNE

DIMENSION D45xH50mm	CUTOUT Ø35mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 540LM±5%	CCT 3K/4K	PRICE(on/off) 1560/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



TERO-F

POWER
10W

FEATURE
RECESSED

BODY CLR
MATT WH / MATT BK/
BRASS/ CHAMPAGNE

DIMENSION D45xH70mm	CUTOUT Ø35mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 900LM±5%	CCT 3K/4K	PRICE(on/off) 1953/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



I-BALL

POWER
5W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D52xH40mm	CUTOUT Ø35mm	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 400LM±5%	CCT 3K/4K/5K	PRICE(on/off) 1628/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



I-BALL

POWER
10W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D74xH50mm	CUTOUT Ø45mm	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 800LM±5%	CCT 3K/4K/5K	PRICE(on/off) 1887/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



RAY 8RT3

POWER
8W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D100x40xH42.2mm	Ø95x35mm	30°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
640LM±5%	3K/4K/6K	1953/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



RAY 12RT5

POWER
12W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D160x40xH42.2mm	Ø155x35mm	30°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
960LM±5%	3K/4K/6K	2921/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



RAY 18SQ9

POWER
18W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D100x100xH42.2mm	Ø95x95mm	30°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1440LM±5%	3K/4K/6K	3798/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



RAY 3RI

POWER
3W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D40xH32.1mm	Ø35mm	30°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
240LM±5%	3K/4K/6K	952/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



RAY 8R3

POWER
8W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D61xH42.5mm	Ø55mm	30°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
640LM±5%	3K/4K/6K	1813/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



RAY 15R7

POWER
15W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D80xH55mm	Ø75mm	30°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1200LM±5%	3K/4K/6K	2902/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



LUMA

POWER
9W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D53xH63mm	Ø47mm	45°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
900LM±5%	3K/4K/5K/6K	929/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2474/-	2854/-	3646/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3321/-	5263/-	



LUMA

POWER
15W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D68xH81mm	Ø62mm	45°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1500LM±5%	3K/4K/5K/6K	1491/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3581/-	3911/-	4736/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3883/-	6589/-	



LUMA

POWER
20W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D80xH90mm	Ø71mm	45°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
2000LM±5%	3K/4K/5K/6K	2057/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4147/-	4477/-	5302/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4780/-	7156/-	



LUMA

POWER
30W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D100xH111mm	CUTOUT Ø91mm	BEAM ANGLE 45°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 3000LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2943/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) 5665/-	Dali TW (DT-8) N/A	



LUMA

POWER
50W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D135xH133mm	CUTOUT Ø125mm	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 5000LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 4703/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



TRITON

POWER
3W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D64xH49mm	CUTOUT Ø55mm	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 300LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 516/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



TRITON

POWER
7W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D85xH60mm	CUTOUT Ø70mm	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 737/-
NP Air (TW) 2142/-	BT-Mesh (TW) 2487/-	Zigbee (TW) 3207/-
Dali DIM(DT-6) 2762/-	Dali TW (DT-8) 4677/-	



TRITON

POWER
12W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D90xH60mm	CUTOUT Ø70mm	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 902/-
NP Air (TW) 2557/-	BT-Mesh (TW) 2902/-	Zigbee (TW) 3622/-
Dali DIM(DT-6) 3077/-	Dali TW (DT-8) 5092/-	



TRITON

POWER
18W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D108xH70mm	CUTOUT Ø92mm	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1329/-
NP Air (TW) 3229/-	BT-Mesh (TW) 3529/-	Zigbee (TW) 4279/-
Dali DIM(DT-6) 4150/-	Dali TW (DT-8) 5964/-	



TRITON

POWER
24W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D128xH80mm	CUTOUT Ø115mm	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 2400LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1815/-
NP Air (TW) 5090/-	BT-Mesh (TW) 5290/-	Zigbee (TW) N/A
Dali DIM(DT-6) 7640/-	Dali TW (DT-8) 8575/-	



TRITON

POWER
30W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D160xH102mm	CUTOUT Ø135mm	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 3000LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2398/-
NP Air (TW) 5673/-	BT-Mesh (TW) 5873/-	Zigbee (TW) N/A
Dali DIM(DT-6) 5223/-	Dali TW (DT-8) 9158/-	



TRITON

POWER
50W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D160xH115mm	CUTOUT Ø135mm	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 5000LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 3174/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



TRITON-D

POWER 2x7W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
190x108x26mm	Ø170x88mm	2x60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1250LM±5%	3K/4K/5K/6K	2750/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
5560/-	6250/-	7690/-
Dali DIM(DT-6)	Dali TW (DT-8)	
7205/-	10630/-	



TRITON-D

POWER 2x12W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
190x108x26mm	Ø170x88mm	2x60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
2160LM±5%	3K/4K/5K/6K	3333/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
6643/-	7333/-	8773/-
Dali DIM(DT-6)	Dali TW (DT-8)	
8118/-	11713/-	



TRITON-D

POWER 2x18W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
231x129x26mm	Ø211x109mm	2x60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
3240LM±5%	3K/4K/5K/6K	4263/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
8063/-	8666/-	10163/-
Dali DIM(DT-6)	Dali TW (DT-8)	
9708/-	13533/-	



APEX-C

POWER 25W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
180x100mm	Ø100mm	38/60°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
3125LM±5%	3K/4K/5K/6K	3230/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
5900/-	N/A	

Signature



APEX-C

POWER 35W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
115x110mm	Ø105mm	38/60°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
4375LM±5%	3K/4K/5K/6K	3753/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
6426/-	N/A	

Signature



APEX-M

POWER 25W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
118x100mm	Ø110mm	38/60°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
3125LM±5%	3K/4K/5K/6K	3572/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
6245/-	N/A	

Signature



APEX-M

POWER 35W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
125x110mm	Ø115mm	38/60°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
4375LM±5%	3K/4K/5K/6K	4185/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
6858/-	N/A	

Signature



APEX-D

POWER 2x25W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
259x134x100mm	Ø245x120mm	2x38°/2x60°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1000LM±5%	3K/4K/5K/6K	9095/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
14440/-	N/A	

Signature



APEX-D

POWER 2x35W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
266x141x111mm	Ø250x125mm	2x38°/2x60°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1600LM±5%	3K/4K/5K/6K	10692/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
16038/-	N/A	

Signature



ZENITH

POWER 8W **FEATURE** RECESSED

BODY CLR BK/WH

REFLECTOR WH/SS GREY/MATT GD/ MATT BK

DIMENSION	CUTOUT	BEAM ANGLE
L70x40xH51mm	Ø63x33mm	50°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
720LM±5%	3K/4K/5K	1938/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
4105/-	N/A	

Signature



ZENITH

POWER 15W **FEATURE** RECESSED

BODY CLR BK/WH

REFLECTOR WH/SS GREY/MATT GD/ MATT BK

DIMENSION	CUTOUT	BEAM ANGLE
L100x40xH51mm	Ø93x33mm	50°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1350LM±5%	3K/4K/5K	2707/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
5035/-	N/A	

Signature



ZENITH

POWER 20W **FEATURE** RECESSED

BODY CLR BK/WH

REFLECTOR WH/SS GREY/MATT GD/ MATT BK

DIMENSION	CUTOUT	BEAM ANGLE
L150x40xH51mm	Ø143x33mm	50°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1980LM±5%	3K/4K/5K	3724/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
6372/-	N/A	

Signature



ZENITH (WITH GLASS)


POWER 8W **FEATURE** RECESSED

BODY CLR BK/WH

REFLECTOR SS GREY/MATT GD/ MATT BK
GLASS RING WH/BK SILVER/COPPER

DIMENSION	CUTOUT	BEAM ANGLE
L86x56x56mm	Ø63x33mm	50°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
680LM±5%	3K/4K/5K	2585/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
4750/-	N/A	

Signature



ZENITH (WITH GLASS)


POWER 15W **FEATURE** RECESSED

BODY CLR BK/WH

REFLECTOR SS GREY/MATT GD/ MATT BK
GLASS RING WH/BK/ SILVER/COPPER

DIMENSION	CUTOUT	BEAM ANGLE
L116x40x56mm	Ø93x33mm	50°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1275LM±5%	3K/4K/5K	3542/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
5868/-	N/A	

Signature



ZENITH (WITH GLASS)


POWER 20W **FEATURE** RECESSED

BODY CLR BK/WH

REFLECTOR SS GREY/MATT GD/ MATT BK
GLASS RING WH/BK SILVER/COPPER

DIMENSION	CUTOUT	BEAM ANGLE
L166x40x56mm	Ø143x33mm	50°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1870LM±5%	3K/4K/5K	4772/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
7420/-	N/A	

Signature



CUBE (AIR-008)

POWER 3x3W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
101x41xH40mm	Ø93x33mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
765LM±5%	3K/4K/5K/6K	1900/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2835/-	3208/-	3985/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4250/-	5572/-	

Signature



CUBE (AIR-008)

POWER 5x3W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
160x41xH40mm	Ø152x32mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1275LM±5%	3K/4K/5K/6K	2722/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3628/-	3952/-	4762/-
Dali DIM(DT-6)	Dali TW (DT-8)	
5070/-	6582/-	

Signature



CUBE

POWER 10x3W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
310x41xH40mm	Ø330x30mm	36°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
2550LM±5%	3K/4K/5K/6K	5352/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
8025/-	12356/-	

Signature



PRISM

POWER
12W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D87x87xH65mm	Ø73x73mm	45°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K/6K	1733/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3553/-	3933/-	4725/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4125/-	6342/-	



PRISM

POWER
2x12W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D156x87xH65mm	Ø140x70mm	45°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
2160LM±5%	3K/4K/5K/6K	2888/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
6529/-	7288/-	8872/-
Dali DIM(DT-6)	Dali TW (DT-8)	
7673/-	12106/-	



PRISM

POWER
3x12

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D225x87xH65mm	Ø215x75mm	45°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
3240LM±5%	3K/4K/5K/6K	4510/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
9972/-	11110/-	13486/-
Dali DIM(DT-6)	Dali TW (DT-8)	
11688/-	18337/-	



PRISM-S

POWER
6W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
L65x65xH45mm	Ø54x54mm	45°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
540LM±5%	3K/4K/5K/6K	1095/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



PRISM-S

POWER
2x6W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D115x65xH45mm	Ø104x54mm	45°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K/6K	1661/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



PRISM-S

POWER
3x6W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D155x65xH45mm	Ø148x54mm	45°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1620LM±5%	3K/4K/5K/6K	2310/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



PRISM-XS

POWER
3W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D45x45xH42mm	Ø35x35mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
270LM±5%	3K/4K/5K/6K	715/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



PRISM-XS

POWER
2x3W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D75x45xH42mm	Ø66x35mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
540LM±5%	3K/4K/5K/6K	732/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




PRISM-XS

POWER
3x3W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D105x45xH42mm	Ø95x35mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
810LM±5%	3K/4K/5K/6K	1320/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



PRISM-XS

POWER
5x3W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D147x45xH42mm	Ø138x35mm	60°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1350LM±5%	3K/4K/5K/6K	1491/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



ELITE

POWER
12W

FEATURE
RECESSED
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D98x98xH93mm	Ø90x90mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1020LM±5%	3K/4K/6K	2740/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



ELITE

POWER
2x12

FEATURE
RECESSED
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D178x98xH93mm	Ø168x90mm	2x38°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
2040LM±5%	3K/4K/6K	4965/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



ROCKET

POWER
12W

FEATURE
RECESSED
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D90xH102mm	Ø82mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/6K	2354/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4175/-	4554/-	5346/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4747/-	6963/-	



ROCKET

POWER
2x12W

FEATURE
RECESSED
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D175x90xH102mm	Ø166x82mm	2x38°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
2160LM±5%	3K/4K/6K	4708/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
8349/-	9108/-	10692/-
Dali DIM(DT-6)	Dali TW (DT-8)	
9493/-	13926/-	



SPY (RD)

POWER
7W

FEATURE
RECESSED
PULLOUT
TILTABLE

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D61.6xH79mm	Ø55mm	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
630M±5%	3K/4K/5K/6K	1760/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3306/-	3685/-	4477/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3988/-	6094/-	



SPY (SQ)

POWER
7W

FEATURE
RECESSED
PULLOUT
TILTABLE

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D63.5x63.5xH87.5mm	Ø55x55mm	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K/5K/6K	1760/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3306/-	3685/-	4477/-
Dali DIM(DT-6)	Dali TW (DT-8)	
3988/-	6094/-	



SPY (RD)

POWER
12W

FEATURE
RECESSED
PULLOUT
TILTABLE

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D84xH100.5mm	Ø75mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K/6K	2420/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4241/-	4620/-	5412/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4813/-	7029/-	



SPY (SQ)

POWER
12W

FEATURE
RECESSED
PULLOUT
TILTABLE

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D84x84xH111.5mm	Ø75mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K/6K	2420/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4241/-	4620/-	5412/-
Dali DIM(DT-6)	Dali TW (DT-8)	
4813/-	7029/-	



SPY (RD)

POWER
20W

FEATURE
RECESSED
PULLOUT
TILTABLE

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D110xH121.5mm	Ø95mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1800LM±5%	3K/4K/5K/6K	4235/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
6325/-	6655/-	7480/-
Dali DIM(DT-6)	Dali TW (DT-8)	
6958/-	9334/-	



SPY (SQ)

POWER
20W

FEATURE
RECESSED
PULLOUT

BODY CLR
WH/BK

FEATURE
RECESSED
PULLOUT
TILTABLE

DIMENSION	CUTOUT	BEAM ANGLE
D104.5xH137.5mm	Ø95mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1800LM±5%	3K/4K/5K/6K	4235/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
6325/-	6655/-	7480/-
Dali DIM(DT-6)	Dali TW (DT-8)	
6958/-	9334/-	



SPY

POWER
2x7W

FEATURE
RECESSED
PULLOUT

BODY CLR
WH/BK

FEATURE
RECESSED
PULLOUT
TILTABLE

DIMENSION	CUTOUT	BEAM ANGLE
D129.5x68.5xH84mmØ120x55mm		2x24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1260LM±5%	3K/4K/5K/6K	3850/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
6941/-	7700/-	9284/-
Dali DIM(DT-6)	Dali TW (DT-8)	
8305/-	12518/-	



SPY

POWER
2x12W

FEATURE
RECESSED
PULLOUT

BODY CLR
WH/BK

FEATURE
RECESSED
PULLOUT
TILTABLE

DIMENSION	CUTOUT	BEAM ANGLE
D180x90.5xH111.7mmØ165x75mm		2x38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
2160LM±5%	3K/4K/5K/6K	5555/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
9196/-	9955/-	11539/-
Dali DIM(DT-6)	Dali TW (DT-8)	
10340/-	14773/-	



SPY

POWER
2x20W

FEATURE
RECESSED
PULLOUT

BODY CLR
WH/BK

FEATURE
RECESSED
PULLOUT
TILTABLE

DIMENSION	CUTOUT	BEAM ANGLE
D223.5x109.5xH133.5mm	Ø210x92mm	2x38°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
3600LM±5%	3K/4K/5K/6K	9240/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
13420/-	14080/-	15730/-
Dali DIM(DT-6)	Dali TW (DT-8)	
14685/-	19437/-	



ZOOM

POWER
18W

FEATURE
RECESSED
ZOOM

BODY CLR
WH/BK

FEATURE
RECESSED
ZOOM
LIGHTS

DIMENSION	CUTOUT	BEAM ANGLE
D110xH90mm	Ø98mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
1620M±5%	3K/4K/6K	2393/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
5115/-	N/A	



ZOOM

POWER
30W

FEATURE
RECESSED
ZOOM

BODY CLR
WH/BK

FEATURE
RECESSED
ZOOM
LIGHTS

DIMENSION	CUTOUT	BEAM ANGLE
D165xH140mm	Ø148mm	38°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	COB
LUMENS	CCT	PRICE(on/off)
2700LM±5%	3K/4K/6K	4015/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
6738/-	N/A	



ZINO

POWER
1W

FEATURE
RECESSED

BODY CLR
WH/GUN BK/COPPER

NOTE:
Requires External DC 12V Power Supply

DIMENSION D22xH39mm	CUTOUT Ø18mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 100LM±5%	CCT 3K/4K	PRICE(on/off) 610/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



DOT

POWER
5W

FEATURE
RECESSED

BODY CLR
WH/BK/BROWN

DIMENSION D42xH37mm	CUTOUT Ø35mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 450LM±5%	CCT 3K/4K	PRICE(on/off) 1053/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



GINI

POWER
5W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D45xH38mm	CUTOUT Ø40mm	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 450LM±5%	CCT 3K/4K/6K	PRICE(on/off) 688/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



GINI

POWER
5W

FEATURE
RECESSED

BODY CLR
COPPER

DIMENSION D45xH38mm	CUTOUT Ø40mm	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 450LM±5%	CCT 3K/4K/6K	PRICE(on/off) 765/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



GINI

POWER
3W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D36xH34mm	CUTOUT Ø32mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 270LM±5%	CCT 3K/4K/6K	PRICE(on/off) 372/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




GINI

POWER
3W

FEATURE
RECESSED

BODY CLR
COPPER

DIMENSION D36xH34mm	CUTOUT Ø32mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 270LM±5%	CCT 3K/4K/6K	PRICE(on/off) 429/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



PIN

POWER
3W

FEATURE
RECESSED

BODY CLR
WH/GUN BK
COPPER/CH.GD

DIMENSION 35x17mm	CUTOUT Ø30mm	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 240LM±5%	CCT 3K/4K	PRICE(on/off) 275/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



MINNIE

POWER
1W

FEATURE
RECESSED

BODY CLR
WH

DIMENSION D30xH26mm	CUTOUT Ø25mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 90LM±5%	CCT 3K/4K/6K/GR /BL/RD/PINK	PRICE(on/off) 158/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



TINY (RD&SQ)

POWER
2W

FEATURE
RECESSED

BODY CLR
WH

DIMENSION D35xH30mm	CUTOUT Ø30mm	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 180LM±5%	CCT 3K/4K/6K/GR /BL/RD/PINK	PRICE(on/off) 206/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

NEW



AERO

POWER 10W **FEATURE SURFACE**

BODY CLR
SS GREY/SS BRASS

DIMENSION D35x140mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1000LM±5%	CCT 3K/4K	PRICE(on/off) 2862/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW



AERO

POWER 15W **FEATURE SURFACE**

BODY CLR
SS GREY/SS BRASS

DIMENSION D45x158mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1500LM±5%	CCT 3K/4K	PRICE(on/off) 3720/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW



VERTO-S

POWER 15W **FEATURE SURFACE WALL WASHER**

BODY CLR
WH/MATT BK

DIMENSION D75x115mm	CUTOUT ASYMMETRIC	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1500LM±5%	CCT 3K/4K	PRICE(on/off) 5304/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW



BRAVO

POWER 8W **FEATURE SURFACE**

BODY CLR
BROWN/MATT BK

DIMENSION D80x67mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 800LM±5%	CCT 3K/4K/5K	PRICE(on/off) 3536/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW



BRAVO

POWER 15W **FEATURE SURFACE**

BODY CLR
BROWN/MATT BK

DIMENSION D80x85mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1500LM±5%	CCT 3K/4K/5K	PRICE(on/off) 4056/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW



ZENITH-S

POWER 12W **FEATURE SURFACE**

BODY CLR
WH+WH/BK+MATT BK

DIMENSION D102x42x57mm	CUTOUT N/A	BEAM ANGLE 50°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/5K	PRICE(on/off) 3172/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW



ZENITH-S

POWER 18W **FEATURE SURFACE**

BODY CLR
WH+WH/BK+MATT BK

DIMENSION D152x42x57mm	CUTOUT N/A	BEAM ANGLE 50°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K/5K	PRICE(on/off) 4316/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW



APEX-S

POWER 25W **FEATURE SURFACE**

BODY CLR
BK / WH

DIMENSION D94xH207mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 2500LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 5500/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW



APEX-S

POWER 35W **FEATURE SURFACE**

BODY CLR
BK / WH

DIMENSION D101xH217mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 3500LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 6380/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>



BEAM

POWER
7W

FEATURE
SURFACE

BODY CLR
WH+GUN BK
SS GREY+GUN BK
BROWN+GUN BK

DIMENSION D58xH67mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K	PRICE(on/off) 1678/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



BEAM

POWER
12W

FEATURE
SURFACE

BODY CLR
WH+GUN BK
SS GREY+GUN BK
BROWN+GUN BK

DIMENSION D72xH80mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K	PRICE(on/off) 2294/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



BEAM

POWER
18W

FEATURE
SURFACE

BODY CLR
WH+GUN BK
SS GREY+GUN BK
BROWN+GUN BK

DIMENSION D85xH88mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1620LM±5%	CCT 3K/4K	PRICE(on/off) 3289/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



HANGING KIT

POWER
N/A

FEATURE
N/A

BODY CLR
-

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 605/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



RADIANT

POWER
10W

FEATURE
SURFACE

BODY CLR
WH+WH+WH /
BK+BK+SAND GD

DIMENSION D60xH93mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 900LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1492/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



RADIANT

POWER
15W

FEATURE
SURFACE

BODY CLR
WH+WH+WH /
BK+BK+SAND GD

DIMENSION D75xH103mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1350LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1945/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



CURVE

POWER
7W

FEATURE
SURFACE

BODY CLR
GUN BK / BRASS
GUN BK+AB
GUN BK+SS GREY

DIMENSION D63xH53mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K	PRICE(on/off) 2035/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CURVE

POWER
12W

FEATURE
SURFACE

BODY CLR
GUN BK / BRASS
GUN BK+AB
GUN BK+SS GREY

DIMENSION D84xH60mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K	PRICE(on/off) 2640/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



HANGING KIT

POWER
-

FEATURE
N/A

BODY CLR
-

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 605/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



BEAT SF

POWER
8W

FEATURE
SURFACE

BODY CLR
WH/GUN BK/BRASS

DIMENSION D58xH57mm	CUTOUT N/A	BEAM ANGLE 90°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 720LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1436/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BEAT SF

POWER
15W

FEATURE
SURFACE

BODY CLR
WH/GUN BK/BRASS

DIMENSION D72xH69mm	CUTOUT N/A	BEAM ANGLE 90°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1350LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1887/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BEAT SF

POWER
20W

FEATURE
SURFACE

BODY CLR
WH/GUN BK/BRASS

DIMENSION D85xH77mm	CUTOUT N/A	BEAM ANGLE 90°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2860/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



DRUM-R

POWER
3W

FEATURE
SURFACE

BODY CLR
WH/BK

DIMENSION D46xH57mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 270LM±5%	CCT 3K/4K/6K	PRICE(on/off) 960/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



DRUM-R

POWER
7W

FEATURE
SURFACE

BODY CLR
WH/BK

DIMENSION D55xH60mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1105/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



DRUM-R

POWER
12W

FEATURE
SURFACE

BODY CLR
WH/BK

DIMENSION D68xH68mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1685/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




DRUM-S

POWER
7W

FEATURE
SURFACE

BODY CLR
WH/BK

DIMENSION D55x55xH57mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1105/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



DRUM-S

POWER
2x7W

FEATURE
SURFACE

BODY CLR
WH/BK

DIMENSION D110x55xH57mm	CUTOUT N/A	BEAM ANGLE 2x38°
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS 1260LM±5%	CCT 3K/4K/6K	PRICE(on/off) 2205/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



DRUM-S

POWER
12W

FEATURE
SURFACE

BODY CLR
WH/BK

DIMENSION D70x70xH70mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1685/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



DRUM-S

POWER
2x12W

FEATURE
SURFACE

BODY CLR
WH/BK

DIMENSION D140x70xH70mm	CUTOUT N/A	BEAM ANGLE 2x38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 2160LM±5%	CCT 3K/4K/6K	PRICE(on/off) 3370/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



GRACE CR SF

POWER
7W

FEATURE
SURFACE

BODY CLR
WH/BK

REFLECTOR
MATT GD /CH.GD
MATT WH/COPPER(RG)
MATT BK/GUN BK

DIMENSION D60xH85mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1070/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



GRACE CR SF

POWER
12W

FEATURE
SURFACE

BODY CLR
WH/BK

REFLECTOR
MATT GD /CH.GD
MATT WH/COPPER(RG)
MATT BK/GUN BK

DIMENSION D75xH95mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1391/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



GRACE CR SF

POWER
20W

FEATURE
SURFACE

BODY CLR
WH/BK

REFLECTOR
MATT GD /CH.GD
MATT WH/COPPER(RG)
MATT BK/GUN BK

DIMENSION D86xH110mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 2000LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1920/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



GRACE CR SF

POWER
30W

FEATURE
SURFACE

BODY CLR
WH/BK

REFLECTOR
MATT GD /CH.GD
MATT WH/COPPER(RG)
MATT BK/GUN BK

DIMENSION D107xH165mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 3000LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 3375/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



GRACE DR SF

POWER
7W

FEATURE
SURFACE

BODY CLR
WH/BK

REFLECTOR
MATT WH/COPPER(RG)
MATT BK/CROME

DIMENSION D60xH85mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1505/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



GRACE DR SF

POWER
12W

FEATURE
SURFACE

BODY CLR
WH/BK

REFLECTOR
MATT WH/COPPER(RG)
MATT BK/CROME

DIMENSION D75xH95mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1815/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



GRACE DR SF

POWER
20W

FEATURE
SURFACE

BODY CLR
WH/BK

REFLECTOR
MATT WH/COPPER(RG)
MATT BK/CROME

DIMENSION D86xH110mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 2000LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2426/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CERA

POWER
9W

FEATURE
SURFACE

BODY CLR
WH/BK

DIMENSION D90xH75mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 855LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1442/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CERA

POWER
9W

FEATURE
SURFACE

BODY CLR
BRASS

DIMENSION D90xH75mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 855LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1915/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CERA

POWER
16W

FEATURE
SURFACE

BODY CLR
WH/BK

DIMENSION D120xH75mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1520LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1944/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CERA

POWER
16W

FEATURE
SURFACE

BODY CLR
BRASS

DIMENSION D120xH75mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1520LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2568/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CERA

POWER
24W

FEATURE
SURFACE

BODY CLR
WH/BK

DIMENSION D140xH75mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 2280LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2550/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CERA

POWER
24W

FEATURE
SURFACE

BODY CLR
BRASS

DIMENSION D140xH75mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 2280LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 3300/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



SPIN

POWER
7W

FEATURE
SURFACE
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION D70xH87mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1557/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



SPIN

POWER
12W

FEATURE
SURFACE
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION D85xH106mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1953/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



SPIN

POWER
18W

FEATURE
SURFACE
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION D100xH122mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K/6K	PRICE(on/off) 2816/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BAMBOO-S

POWER
7W

FEATURE
SURFACE

BODY CLR
SS GREY/AB/BROWN

DIMENSION 45xH100mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K	PRICE(on/off) 1403/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BAMBOO-S

POWER
12W

FEATURE
SURFACE

BODY CLR
SS GREY/AB/BROWN

DIMENSION 55xH120mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K	PRICE(on/off) 1914/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BAMBOO-S

POWER
18W

FEATURE
SURFACE

BODY CLR
SS GREY/AB/BROWN

DIMENSION 65xH140mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K	PRICE(on/off) 2327/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BAMBOO-W

POWER
7W

FEATURE
SURFACE
ADJUSTABLE

BODY CLR
SS GREY/AB/BROWN

DIMENSION 45xH100mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K	PRICE(on/off) 1884/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BAMBOO-W

POWER
12W

FEATURE
SURFACE
ADJUSTABLE

BODY CLR
SS GREY/AB/BROWN

DIMENSION 55xH120mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K	PRICE(on/off) 2475/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BAMBOO-W

POWER
18W

FEATURE
SURFACE
ADJUSTABLE

BODY CLR
SS GREY/AB/BROWN

DIMENSION 65xH140mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K	PRICE(on/off) 2954/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BAMBOO-T

POWER
7W

FEATURE
TRACK
ADJUSTABLE

BODY CLR
SS GREY/AB/BROWN

DIMENSION 45xH100mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 700LM±5%	CCT 3K/4K	PRICE(on/off) 2057/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BAMBOO-T

POWER
12W

FEATURE
TRACK
ADJUSTABLE

BODY CLR
SS GREY/AB/BROWN

DIMENSION 55xH120mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1200LM±5%	CCT 3K/4K	PRICE(on/off) 2475/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BAMBOO-T

POWER
18W

FEATURE
TRACK
ADJUSTABLE

BODY CLR
SS GREY/AB/BROWN

DIMENSION 65xH140mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K	PRICE(on/off) 2954/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CORE

POWER
7W

FEATURE
SURFACE
ADJUSTABLE

BODY CLR
GUN BK/ SHINING GD
COPPER

DIMENSION D55xH63mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K	PRICE(on/off) 2195/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CORE

POWER
12W

FEATURE
SURFACE
ADJUSTABLE

BODY CLR
GUN BK/ SHINING GD
COPPER

DIMENSION D65xH63mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K	PRICE(on/off) 2651/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



ROSA

POWER
8W

FEATURE
RECESSED &
SURFACE
ADJUSTABLE

BODY CLR
BRASS
SS SILVER
GUN BK

DIMENSION 45xH160mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 720LM±5%	CCT 3K/4K	PRICE(on/off) 3482/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



ROSA

POWER
15W

FEATURE
RECESSED &
SURFACE
ADJUSTABLE

BODY CLR
BRASS
SS SILVER
GUN BK

DIMENSION 45xH180mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1350LM±5%	CCT 3K/4K	PRICE(on/off) 4444/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



EVO

POWER
2x8W

FEATURE
SURFACE
ADJUSTABLE

BODY CLR
SHINING GOLD
CHAMPAGNE

DIMENSION W155xH350mm D40x163mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1600LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 6820/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



BOLT

POWER
12W

FEATURE
SURFACE
ADJUSTABLE

BODY CLR
WH / BK

DIMENSION D55xH210MM	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1020LM±5%	CCT 3K/4K	PRICE(on/off) 3495/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



IGNIS-W

POWER
6W

FEATURE
SURFACE
ADJUSTABLE

BODY CLR
MATT BK/GUN BK
BROWN

DIMENSION D35xH80MM	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 600LM±5%	CCT 3K/4K/5K	PRICE(on/off) 1620/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



IGNIS-W

POWER
10W

FEATURE
SURFACE
ADJUSTABLE

BODY CLR
MATT BK/GUN BK
BROWN

DIMENSION D45xH100MM	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1000LM±5%	CCT 3K/4K/5K	PRICE(on/off) 2165/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



IGNIS-W

POWER
15W

FEATURE
SURFACE
ADJUSTABLE

BODY CLR
MATT BK/GUN BK
BROWN

DIMENSION D55xH100MM	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 1500LM±5%	CCT 3K/4K/5K	PRICE(on/off) 3068/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature

NEW



IGNIS-R

POWER
6W

FEATURE
RECESSED
ADJUSTABLE

BODY CLR
MATT BK/GUN BK
BROWN

DIMENSION D35xH80MM	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 600LM±5%	CCT 3K/4K/5K	PRICE(on/off) 1620/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature

NEW



IGNIS-R

POWER
10W

FEATURE
RECESSED
ADJUSTABLE

BODY CLR
MATT BK/GUN BK
BROWN

DIMENSION D45xH100MM	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1000LM±5%	CCT 3K/4K/5K	PRICE(on/off) 2165/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature

NEW



IGNIS-R

POWER
15W

FEATURE
RECESSED
ADJUSTABLE

BODY CLR
MATT BK/GUN BK
BROWN

DIMENSION D55xH100MM	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 1500LM±5%	CCT 3K/4K/5K	PRICE(on/off) 3068/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature



BULLET

POWER
7W

FEATURE
SURFACE
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION D50xH75MM	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1601/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BULLET

POWER
7W

FEATURE
SURFACE
ADJUSTABLE

BODY CLR
COPPER

DIMENSION D50xH75MM	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 630LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1898/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BULLET

POWER
12W

FEATURE
SURFACE
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION D50xH90MM	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1887/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



BULLET

POWER
12W

FEATURE
SURFACE
ADJUSTABLE

BODY CLR
COPPER

DIMENSION D50xH90MM	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/6K	PRICE(on/off) 2217/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CANNON
(Ceiling & Track Base)

POWER
12W

FEATURE
CEILING & TRACK
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION D64xH115MM	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1080LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1502/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CANNON
(Ceiling & Track Base)

POWER
20W

FEATURE
CEILING & TRACK
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION D80xH135MM	CUTOUT N/A	BEAM ANGLE 45°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1936/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CANNON

(Ceiling & Track Base)

POWER
30W

FEATURE
CEILING & TRACK
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION D90xH155MM	CUTOUT N/A	BEAM ANGLE 45°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 2700LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2332/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



MAGNUM

POWER
20W

FEATURE
TRACK
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION D158x80xH110MM	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 1800LM±5%	CCT 3K/4K/6K	PRICE(on/off) 2018/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



MAGNUM

POWER
30W

FEATURE
TRACK
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION D170xH100xH140MM	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>80+	LED TYPE COB
LUMENS 2700LM±5%	CCT 3K/4K/6K	PRICE(on/off) 2700/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



APEX-T

POWER
25W

FEATURE
TRACK
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION D90xH172xH207MM	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 3125LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 3985/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature
LED LIGHTS



APEX-T

POWER
35W

FEATURE
TRACK
ADJUSTABLE

BODY CLR
WH/BK

DIMENSION D97xH172xH204MM	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 20	CRI Ra>90+	LED TYPE COB
LUMENS 4375LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 4525/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature
LED LIGHTS



TRACK PATTI
(E-CLASS & 1MTR)

POWER
N/A

FEATURE
2 WIRE
TRACK PATTI

BODY CLR
WH/BK

DIMENSION 220GM FOR 1MTR	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 420/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



TRACK PATTI
(E-CLASS & 2MTR)

POWER
N/A

FEATURE
2 WIRE
TRACK PATTI

BODY CLR
WH/BK

DIMENSION 220GM FOR 1MTR	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 840/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



TRACK PATTI
(S-CLASS & 1MTR)

POWER
N/A

FEATURE
2 WIRE
TRACK PATTI

BODY CLR
WH/BK

DIMENSION 310GM FOR 1MTR	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 663/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



TRACK PATTI
(S-CLASS & 2MTR)

POWER
N/A

FEATURE
2 WIRE
TRACK PATTI

BODY CLR
WH/BK

DIMENSION 310GM FOR 1MTR	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 1326/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



TRACK ACCESSORIES

POWER
N/A

FEATURE
L SHAPE TRACK
CONNECTOR

BODY CLR
WH/BK

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 252/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



TRACK ACCESSORIES

POWER
N/A

FEATURE
I SHAPE TRACK
CONNECTOR

BODY CLR
WH/BK

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 252/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



PRIME

POWER
12W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D85x45mm	CUTOUT Ø75mm	BEAM ANGLE 110°
IP RATING IP 20	CRI Ra>80+	LED TYPE DEEP DOWN
LUMENS 1200LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 770/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



PRIME

POWER
18W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D115x45mm	CUTOUT Ø105mm	BEAM ANGLE 110°
IP RATING IP 20	CRI Ra>80+	LED TYPE DEEP DOWN
LUMENS 1800LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1205/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



PRIME

POWER
24W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D165x46mm	CUTOUT Ø155mm	BEAM ANGLE 110°
IP RATING IP 20	CRI Ra>80+	LED TYPE DEEP DOWN
LUMENS 2400LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1674/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



JAZZ(AIR-003)

POWER
12W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D82xH43mm	CUTOUT Ø75mm	BEAM ANGLE 110°
IP RATING IP 20	CRI Ra>80+	LED TYPE DEEP DOWN
LUMENS 1200LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 795/-
NP Air (TW) 1905/-	BT-Mesh (TW) 2280/-	Zigbee (TW) 3056/-
Dali DIM(DT-6) 3145/-	Dali TW (DT-8) 4644/-	



JAZZ(AIR-003)

POWER
18W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D102xH47mm	CUTOUT Ø95mm	BEAM ANGLE 110°
IP RATING IP 20	CRI Ra>80+	LED TYPE DEEP DOWN
LUMENS 1800LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1145/-
NP Air (TW) 2382/-	BT-Mesh (TW) 2705/-	Zigbee (TW) 3515/-
Dali DIM(DT-6) 3820/-	Dali TW (DT-8) 5335/-	



JAZZ

POWER
24W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D132xH55.5mm	CUTOUT Ø125mm	BEAM ANGLE 110°
IP RATING IP 20	CRI Ra>80+	LED TYPE DEEP DOWN
LUMENS 2400LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1701/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) 4374/-	Dali TW (DT-8) N/A	



JAZZ

POWER
32W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D162xH61mm	CUTOUT Ø155mm	BEAM ANGLE 110°
IP RATING IP 20	CRI Ra>80+	LED TYPE DEEP DOWN
LUMENS 3200LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 2895/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NOBLE(AIR-005)

POWER
15W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D120xH53mm	CUTOUT Ø112mm	BEAM ANGLE 110°
IP RATING IP 20	CRI Ra>80+	LED TYPE DEEP DOWN
LUMENS 1500LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1335/-
NP Air (TW) 2565/-	BT-Mesh (TW) 2889/-	Zigbee (TW) 3699/-
Dali DIM(DT-6) 3685/-	Dali TW (DT-8) 5520/-	



NOBLE(AIR-005)

POWER
22W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION D155xH60mm	CUTOUT Ø147mm	BEAM ANGLE 110°
IP RATING IP 20	CRI Ra>80+	LED TYPE DEEP DOWN
LUMENS 2200LM±5%	CCT 3K/4K/5K/6K	PRICE(on/off) 1765/-
NP Air (TW) 3186/-	BT-Mesh (TW) 3510/-	Zigbee (TW) 4320/-
Dali DIM(DT-6) 4440/-	Dali TW (DT-8) 8140/-	



AQUA^(RD)(AIR-011)

POWER
12W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D110xH50mm	Ø102mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	DEEP DOWN
LUMENS	CCT	PRICE(on/off)
1140LM±5%	3K/4K/5K/6K	864/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
1900/-	2275/-	3050/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	4640/-	



AQUA^(RD)(AIR-011)

POWER
18W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D145xH50mm	Ø137mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	DEEP DOWN
LUMENS	CCT	PRICE(on/off)
1710LM±5%	3K/4K/5K/6K	1115/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2484/-	2808/-	3618/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	5440/-	



AQUA^(RD)(AIR-011)

POWER
24W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D168xH50mm	155mm	Ø110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	DEEP DOWN
LUMENS	CCT	PRICE(on/off)
2280LM±5%	3K/4K/5K/6K	1593/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3205/-	3526/-	4445/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	7722/-	



AQUA^(SQ)

POWER
12W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D110x110xH50mm	Ø102x102mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	DEEP DOWN
LUMENS	CCT	PRICE(on/off)
1140LM±5%	3K/4K/5K/6K	1060/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



AQUA^(SQ)

POWER
18W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D145x145xH50mm	Ø137x137mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	DEEP DOWN
LUMENS	CCT	PRICE(on/off)
1710LM±5%	3K/4K/5K/6K	1385/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



AQUA^(SQ)

POWER
24W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D168x168xH50mm	Ø155x155mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	DEEP DOWN
LUMENS	CCT	PRICE(on/off)
2280LM±5%	3K/4K/5K/6K	2079/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



CREST

POWER
12W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D115xH24mm	Ø105mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
1200LM±5%	4K/5K/6K	740/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



CREST

POWER
18W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D135xH24mm	Ø125mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
1800LM±5%	4K/5K/6K	999/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



CREST

POWER
24W

FEATURE
RECESSED

BODY CLR
WH/BK

DIMENSION	CUTOUT	BEAM ANGLE
D165xH24mm	Ø155mm	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	PANEL
LUMENS	CCT	PRICE(on/off)
2400LM±5%	4K/5K/6K	1340/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



CREST

POWER 32W **FEATURE** RECESSED

BODY CLR WH/BK

DIMENSION D215xH24mm	CUTOUT Ø205mm	BEAM ANGLE 110°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 3200LM±5%	CCT 4K/5K/6K	PRICE(on/off) 2268/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



IRIS (RD&SQ)

POWER 8W **FEATURE** RECESSED

BODY CLR WH

DIMENSION D95x95xH32mm	CUTOUT Ø89x89mm	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 720LM±5%	CCT 3K/4K/6K	PRICE(on/off) 864/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



IRIS (RD&SQ)

POWER 15W **FEATURE** RECESSED

BODY CLR WH

DIMENSION D145x145xH32mm	CUTOUT Ø139x139mm	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 1350LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1265/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



IRIS (RD&SQ)

POWER 22W **FEATURE** RECESSED

BODY CLR WH

DIMENSION D170x170xH32mm	CUTOUT Ø163x163mm	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 1980LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1695/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NEXUS (RD&SQ)

POWER 6W **FEATURE** RECESSED

BODY CLR WH

DIMENSION D105x105mm	CUTOUT Ø95x95mm	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 540LM±5%	CCT 3K/4K/6K	PRICE(on/off) 545/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NEXUS (RD&SQ)

POWER 12W **FEATURE** RECESSED

BODY CLR WH

DIMENSION D155x155mm	CUTOUT Ø130x130mm	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 1080LM±5%	CCT 3K/4K/6K	PRICE(on/off) 770/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NEXUS (RD&SQ)

POWER 18W **FEATURE** RECESSED

BODY CLR WH

DIMENSION D170x170mm	CUTOUT Ø155x155mm	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 1620LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1055/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




OPERA (RD&SQ)

POWER 8W **FEATURE** RECESSED

BODY CLR WH

DIMENSION D111x111mm	CUTOUT Ø94x94mm	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 720LM±5%	CCT 3K/4K/6K	PRICE(on/off) 535/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




OPERA (RD&SQ)

POWER 15W **FEATURE** RECESSED

BODY CLR WH

DIMENSION D140x140mm	CUTOUT Ø123x123mm	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 1350LM±5%	CCT 3K/4K/6K	PRICE(on/off) 710/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



OPERA (RD&SQ)

POWER 22W **FEATURE** RECESSED

BODY CLR WH

DIMENSION D160xH160mm	CUTOUT Ø143x143mm	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 1980LM±5%	CCT 3K/4K/6K	PRICE(on/off) 840/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NEO (RD&SQ)

POWER 6W **FEATURE** RECESSED

BODY CLR WH

DIMENSION D115xH115mm	CUTOUT Ø105x105mm	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 540LM±5%	CCT 3K/4K/6K	PRICE(on/off) 420/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NEO (RD&SQ)

POWER 12W **FEATURE** RECESSED

BODY CLR WH

DIMENSION D145xH145mm	CUTOUT Ø135x135mm	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 1080LM±5%	CCT 3K/4K/6K	PRICE(on/off) 515/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NEO (RD&SQ)

POWER 18W **FEATURE** RECESSED

BODY CLR WH

DIMENSION D165xH165mm	CUTOUT Ø155x155mm	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 1620LM±5%	CCT 3K/4K/6K	PRICE(on/off) 705/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



JOY (RD&SQ)

POWER 8W **FEATURE** RECESSED

BODY CLR WH

DIMENSION D90x90mm	CUTOUT Ø75x75mm	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 680LM±5%	CCT 3K/4K/6K	PRICE(on/off) 567/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



JOY (RD&SQ)

POWER 15W **FEATURE** RECESSED

BODY CLR WH

DIMENSION D145x145mm	CUTOUT Ø125x125mm	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 1275LM±5%	CCT 3K/4K/6K	PRICE(on/off) 905/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



JOY (RD&SQ)

POWER 22W **FEATURE** RECESSED

BODY CLR WH

DIMENSION D170x170mm	CUTOUT Ø155x155mm	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 1870LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1205/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



JOY (RD&SQ)

POWER 30W **FEATURE** RECESSED

BODY CLR WH

DIMENSION D225x225mm	CUTOUT Ø205x205mm	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 2550LM±5%	CCT 3K/4K/6K	PRICE(on/off) 2355/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NEXA (RD&SQ)

POWER 8W **FEATURE** RECESSED

BODY CLR WH

DIMENSION D120xH120mm	CUTOUT Ø100x100mm	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 680LM±5%	CCT 3K/4K/6K	PRICE(on/off) 475/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NEXA (RD&SQ)

POWER
15W

FEATURE
RECESSED

BODY CLR
WH

DIMENSION D170x170mm	CUTOUT Ø155x155mm	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 1275LM±5%	CCT 3K/4K/6K	PRICE(on/off) 770/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NEXA (RD&SQ)

POWER
22W

FEATURE
RECESSED

BODY CLR
WH

DIMENSION D225x225mm	CUTOUT Ø205x205mm	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 1870LM±5%	CCT 3K/4K/6K	PRICE(on/off) 980/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NEXA (RD&SQ)

POWER
30W

FEATURE
RECESSED

BODY CLR
WH

DIMENSION D300x300mm	CUTOUT Ø280x280mm	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 2550LM±5%	CCT 3K/4K/6K	PRICE(on/off) 2010/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NEXA 3in1 (RD & SQ)

POWER
8W

FEATURE
RECESSED

BODY CLR
WH

DIMENSION D120x120mm	CUTOUT Ø100x100mm	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 640LM±5%	CCT 3IN1	PRICE(on/off) 783/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NEXA 3in1 (RD&SQ)

POWER
15W

FEATURE
RECESSED

BODY CLR
WH

DIMENSION D170x170mm	CUTOUT Ø155x155mm	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 1200LM±5%	CCT 3IN1	PRICE(on/off) 1040/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NEXUS 2x2

POWER
48W

FEATURE
RECESSED

BODY CLR
WH

DIMENSION D595x595mm	CUTOUT Ø590x590mm	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 3840LM±5%	CCT 3K/4K/6K	PRICE(on/off) 2986/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NEXUS (SURFACE FRAME)

POWER
N/A

FEATURE
N/A

BODY CLR
-

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 864/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




2 IN 1

POWER
3W+3W

FEATURE
RECESSED

BODY CLR
WH

DIMENSION D105x105mm	CUTOUT Ø70x70mm	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS N/A	CCT WH+BL/WH+GR/WH+PK WH+WW/WH+PGB	PRICE(on/off) 434/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




2 IN 1

POWER
6W+3W

FEATURE
RECESSED

BODY CLR
WH / BK

DIMENSION D145x145mm	CUTOUT Ø105x105mm	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS N/A	CCT WH+BL/WH+GR/WH+PK WH+WW/WH+PGB	PRICE(on/off) 625/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

		
2 IN 1		
POWER 12W+4W	FEATURE RECESSED	
BODY CLR WH		
DIMENSION D195x195mm	CUTOUT Ø155x155mm	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS N/A	CCT WH+BL/WH+GR/WH+PK WH+WW/WH+PGB	PRICE(on/off) 869/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



JOY SF (RD&SQ)

POWER
8W

FEATURE
SURFACE

BODY CLR
WH

DIMENSION D90xH90mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 720LM±5%	CCT 3K/4K/6K	PRICE(on/off) 790/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



JOY SF (RD&SQ)

POWER
15W

FEATURE
SURFACE

BODY CLR
WH

DIMENSION D145xH145mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 1350LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1180/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



JOY SF (RD&SQ)

POWER
22W

FEATURE
SURFACE

BODY CLR
WH

DIMENSION D170xH170mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 1980LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1585/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



IRIS SF (RD&SQ)

POWER
8W

FEATURE
SURFACE

BODY CLR
WH / BK

DIMENSION D95x95xH32mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 720LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1015/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



IRIS SF (RD&SQ)

POWER
15W

FEATURE
SURFACE

BODY CLR
WH / BK

DIMENSION D153x153xH35mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 1350LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1585/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



IRIS SF (RD&SQ)

POWER
22W

FEATURE
SURFACE

BODY CLR
WH/BK

DIMENSION D178x178xH35mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 1980LM±5%	CCT 3K/4K/6K	PRICE(on/off) 2010/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



2 IN 1 SF (RD&SQ)

POWER
3W+3W

FEATURE
SURFACE

BODY CLR
WH

DIMENSION D105xH105mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS N/A	CCT WH+BL/WH+GR/WH+PK WH+WW/WH+PGB	PRICE(on/off) 590/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



2 IN 1 SF (RD&SQ)

POWER
6W+3W

FEATURE
SURFACE

BODY CLR
WH

DIMENSION D145x145mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS N/A	CCT WH+BL/WH+GR/WH+PK WH+WW/WH+PGB	PRICE(on/off) 853/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



2 IN 1 SF (RD&SQ)

POWER
12W+4W

FEATURE
SURFACE

BODY CLR
WH

DIMENSION D195x195mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS N/A	CCT WH+BL/WH+GR/WH+PK WH+WW/WH+PGB	PRICE(on/off) 1180/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NEXA SF^(RD&SQ)

POWER
8W

FEATURE
SURFACE

BODY CLR
WH

DIMENSION D120x120mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 720LM±5%	CCT 3K/4K/6K	PRICE(on/off) 621/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NEXA SF^(RD&SQ)

POWER
15W

FEATURE
SURFACE

BODY CLR
WH

DIMENSION D170x170mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 1350LM±5%	CCT 3K/4K/6K	PRICE(on/off) 891/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NEXA SF^(RD&SQ)

POWER
22W

FEATURE
SURFACE

BODY CLR
WH

DIMENSION D225x225mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>80+	LED TYPE PANEL
LUMENS 1980LM±5%	CCT 3K/4K/6K	PRICE(on/off) 1215/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



MICRO-05-SM(5mm)

POWER
N/A
FEATURE
SURFACE
1 MTR
TRACK
BODY CLR
MATT BK

DIMENSION 1000x12x20.7mm	LENGTH 1M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 2310/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>



MICRO-05-SM(5mm)

POWER
N/A
FEATURE
SURFACE
2MTR
TRACK
BODY CLR
MATT BK

DIMENSION 2000x12x20.7mm	LENGTH 2M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 4620/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>



MICRO-05-SM(5mm)

POWER
N/A
FEATURE
SURFACE
3 MTR
TRACK
BODY CLR
MATT BK


DIMENSION 3000x12x20.7mm	LENGTH 3M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 6930/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>



**MICRO-05-SM(5mm)
(C TO C CORNER)**

POWER
N/A
FEATURE
JOINTER FOR TRACK
BODY CLR
BK

DIMENSION 50X50mm	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 1265/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>



**MICRO-05-SM(5mm)
(W TO C CORNER)**

POWER
N/A
FEATURE
JOINTER FOR TRACK
BODY CLR
BK

DIMENSION 50x50mm	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 2090/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>



**MICRO-05-SM(5mm)
(3SIDE T JOINTER)**

POWER
N/A
FEATURE
JOINTER FOR TRACK
BODY CLR
BK

DIMENSION 50x100mm	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 2200/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>



**MICRO-05-SM(5mm)
(4SIDE + JOINTER)**

POWER
N/A
FEATURE
JOINTER FOR TRACK
BODY CLR
BK

DIMENSION 100x100mm	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 2915/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>



**MICRO-05 (5mm)
HALF ROUND 600 SM**

POWER
N/A
FEATURE
SURFACE HALF
ROUND TRACK
(C TO C)
BODY CLR
BK

DIMENSION L100xD600xL100	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 11110/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>



**MICRO-05 (5mm)
HALF ROUND 1000 SM**

POWER
N/A
FEATURE
SURFACE HALF
ROUND TRACK
(C TO C)
BODY CLR
BK

DIMENSION L100xD1000xL100	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 16390/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW

**MICRO-05 (5mm)
ARC 600-SM**

POWER
N/A

FEATURE
SURFACE
ARC TRACK
(C TO C)

BODY CLR
BK

DIMENSION L100xD600xL100	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 6600/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW

**MICRO-05 (5mm)
ARC 1000-SM**

POWER
N/A

FEATURE
SURFACE
ARC TRACK
(C TO C)

BODY CLR
BK

DIMENSION L100xD1000xL100	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 9460/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW

**MICRO-05 (5mm)
ARC 600-SM**

POWER
N/A

FEATURE
SURFACE
ARC TRACK
(W TO C)

BODY CLR
BK

DIMENSION L100xD600xL100	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 7700/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW

**MICRO-05 (5mm)
FULL CIRCLE 600-SM**

POWER
N/A

FEATURE
SURFACE ROUND
TRACK

BODY CLR
BK

DIMENSION D600XW11XH20.7mm	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 18260/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW

**MICRO-05 (5mm)
TRACK JOINTER**

POWER
N/A

FEATURE
SURFACE

BODY CLR
MATT BK

DIMENSION N/A	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 312/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW

**MICRO-05 (5mm)
HANGING KIT**

POWER
N/A

FEATURE
HANGING KIT
FOR TRACK

BODY CLR
BK

DIMENSION 2MTR	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 1375/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW

**MICRO-05 (5mm)
ONE TRACK HANGER**

POWER
N/A

FEATURE
TRACK HANGER

BODY CLR
BK

DIMENSION D33mm	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 4510/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW

**MICRO-05 (5mm)
TWO TRACK HANGER**

POWER
N/A

FEATURE
TRACK HANGER

BODY CLR
BK

DIMENSION D33mm	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 7150/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW

**MICRO-05 (5mm)
HANGER DRIVER BOX**

POWER
N/A

FEATURE
CASE FOR
HANGING
POWER
SUPPLY

BODY CLR
MATT BK

DIMENSION N/A	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 4850/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW



MICRO-05-RM_(5mm)

POWER
N/A

FEATURE
CONCEAL

BODY CLR
MATT BK

1 MTR TRACK

DIMENSION 1000x47x20.7mm	LENGTH 1M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 2530/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW



MICRO-05-RM_(5mm)

POWER
N/A

FEATURE
CONCEAL

BODY CLR
MATT BK

2 MTR TRACK

DIMENSION 2000x47x20.7mm	LENGTH 2M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 5060/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW



MICRO-05-RM_(5mm)

POWER
N/A


FEATURE
CONCEAL

BODY CLR
MATT BK

3 MTR TRACK

DIMENSION 3000x47x20.7mm	LENGTH 3M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 7590/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW



**MICRO-05-RM_(5mm)
(C TO C CORNER)**


POWER
N/A

FEATURE
C TO C CORNER FOR TRACK

BODY CLR
BK

DIMENSION 50x50mm	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 1265/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW



**MICRO-05-RM_(5mm)
(W TO C CORNER)**

POWER
N/A

FEATURE
W TO C CORNER FOR TRACK

BODY CLR
BK

DIMENSION 50x50mm	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 2090/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW



**MICRO-05_(5mm)
HALF ROUND 600 RM**

POWER
N/A

FEATURE
RECESSED HALF ROUND TRACK (C TO C)

BODY CLR
BK

DIMENSION L100xD600xL100	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 11110/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW



**MICRO-05_(5mm)
HALF ROUND 1000 RM**

POWER
N/A

FEATURE
RECESSED HALF ROUND TRACK (C TO C)

BODY CLR
BK

DIMENSION L100xD1000xL100	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 16390/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW



**MICRO-05_(5mm)
ARC 600 RM**

POWER
N/A

FEATURE
RECESSED ARC TRACK (C TO C)

BODY CLR
BK

DIMENSION L100xD600xL100	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 6600/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW



**MICRO-05_(5mm)
ARC 1000 RM**

POWER
N/A

FEATURE
RECESSED ARC TRACK (C TO C)

BODY CLR
BK

DIMENSION L100xD1000xL100	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 9460/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>


NEW

**MICRO-05^(5mm)
TRACK JOINTER**

POWER
N/A

FEATURE
RECESSED

BODY CLR
MATT BK



RECESSED

DIMENSION	LENGTH	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	312/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

Signature

NEW

**MICRO-05^(5mm)
(INPUT MODULE)**

POWER
N/A

FEATURE
INPUT MODULE FOR TRACK

BODY CLR
BK



DIMENSION	LENGTH	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	858/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

Signature

NEW

**MICRO-05^(5mm)
(STRAIGHT MODULE)**

POWER
N/A

FEATURE
STRAIGHT MODULE FOR TRACK

BODY CLR
BK



DIMENSION	LENGTH	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	825/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

Signature

NEW

**MICRO-05^(5mm)
(CORNER MODULE)**

POWER
N/A

FEATURE
CORNER MODULE FOR TRACK

BODY CLR
BK



DIMENSION	LENGTH	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	1166/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

Signature

NEW

**MICRO-05^(5mm)
((T)3 SIDE MODULE)**

POWER
N/A

FEATURE
(T)3 SIDE MODULE FOR TRACK

BODY CLR
BK



DIMENSION	LENGTH	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	1815/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

Signature

NEW

**MICRO-05^(5mm)
((+)4 SIDE MODULE)**

POWER
N/A

FEATURE
(+)4 SIDE MODULE FOR TRACK

BODY CLR
BK



DIMENSION	LENGTH	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	3493/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

Signature

NEW

**MICRO-05^(5mm)
(POWER SUPPLY)**

POWER
150W

FEATURE
POWER SUPPLY-RD FOR TRACK

BODY CLR
BK

OUTPUT
DC 48V, 3.1A



DIMENSION	CUTOUT	BEAM ANGLE
D85xH25MM	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	6380/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

Signature

NEW

MICRO-05-105^(5mm)

POWER
7W

FEATURE
LINEAR INTERNAL FOR TRACK

BODY CLR
MATT BK



DIMENSION	CUTOUT	BEAM ANGLE
L274xW4.8xH15MM	N/A	100°
IP RATING	CRI	LED TYPE
IP 20	Ra>90	N/A
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K	2517/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

Signature

NEW

MICRO-05-115^(5mm)

POWER
7W

FEATURE
GRILLE INTERNAL FOR TRACK

BODY CLR
MATT BK



DIMENSION	CUTOUT	BEAM ANGLE
L274xW4.8xH15MM	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90	N/A
LUMENS	CCT	PRICE(on/off)
630LM±5%	3K/4K	2819/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

Signature

NEW

MICRO-05-125^(5mm)

POWER 14W
FEATURE SMD
BODY CLR MATT BK
FEATURE LINEAR FOR TRACK



DIMENSION L388xW11.5xH32MM	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 20	CRI Ra>90	LED TYPE N/A
LUMENS 1260LM±5%	CCT 3K/4K	PRICE(on/off) 2517/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW

MICRO-05-135^(5mm)

POWER 14W
FEATURE COB GRILLE
BODY CLR MATT BK
FEATURE FOR TRACK



DIMENSION L388xW11.5xH32MM	LENGTH N/A	BEAM ANGLE 24°
IP RATING IP20	CRI Ra>90	LED TYPE N/A
LUMENS 1260LM±5%	CCT 3K/4K	PRICE(on/off) 3629/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW

MICRO-05-215^(5mm)

POWER 10W
FEATURE TUBE
BODY CLR WH
FEATURE FOR TRACK



DIMENSION D30xL300MM	LENGTH N/A	BEAM ANGLE 270°
IP RATING IP20	CRI Ra>90	LED TYPE N/A
LUMENS 900LM±5%	CCT 3K/4K	PRICE(on/off) 3132/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW

MICRO-05-145^(5mm)

POWER 9W
FEATURE SILICON
BODY CLR WH
FEATURE LINEAR FOR TRACK



DIMENSION L1000xW5xH15MM	LENGTH 1M	BEAM ANGLE 360°
IP RATING IP20	CRI Ra>90	LED TYPE N/A
LUMENS 810LM±5%	CCT 3K/4K	PRICE(on/off) 2646/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW

MICRO-05-145^(5mm)

POWER 18W
FEATURE SILICON
BODY CLR WH
FEATURE LINEAR FOR TRACK



DIMENSION L2000xW5xH15MM	LENGTH 2M	BEAM ANGLE 360°
IP RATING IP20	CRI Ra>90	LED TYPE N/A
LUMENS 1620LM±5%	CCT 3K/4K	PRICE(on/off) 3942/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW

MICRO-05-155^(5mm)

POWER 10W
FEATURE COB
BODY CLR MATT BK
FEATURE GRILLE FOR TRACK



DIMENSION L196xH67xW11MM	LENGTH N/A	BEAM ANGLE 24°
IP RATING IP20	CRI Ra>90	LED TYPE N/A
LUMENS 630LM±5%	CCT 3K/4K	PRICE(on/off) 4050/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW

MICRO-05-165^(5mm)

POWER 5W
FEATURE COB SPOT
BODY CLR MATT BK
FEATURE FOR TRACK



DIMENSION D30xL80MM	LENGTH N/A	BEAM ANGLE 24°
IP RATING IP20	CRI Ra>90	LED TYPE N/A
LUMENS 450LM±5%	CCT 3K/4K	PRICE(on/off) 3024/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW

MICRO-05-165^(5mm)

POWER 9W
FEATURE COB SPOT
BODY CLR MATT BK
FEATURE FOR TRACK



DIMENSION D45xL100MM	LENGTH N/A	BEAM ANGLE 24°
IP RATING IP20	CRI Ra>90	LED TYPE N/A
LUMENS 900LM±5%	CCT 3K/4K	PRICE(on/off) 4860/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW

MICRO-05-175^(5mm)

POWER 7W
FEATURE COB
BODY CLR MATT BK
FEATURE DOWNLIGHT FOR TRACK



DIMENSION D62xL38MM	LENGTH N/A	BEAM ANGLE 24°
IP RATING IP20	CRI Ra>90	LED TYPE N/A
LUMENS 630LM±5%	CCT 3K/4K	PRICE(on/off) 4806/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW



MICRO-05-185^(5mm)

POWER
8W
FEATURE
SMD DOWN
FOR TRACK
BODY CLR
BK

DIMENSION D96x30MM	LENGTH N/A	BEAM ANGLE 24°
IP RATING Ip20	CRI Ra>90	LED TYPE N/A
LUMENS 720LM±5%	CCT 3K/4K	PRICE(on/off) 3240/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW



MICRO-05-195^(5mm)

POWER
7W
FEATURE
CONE TRACK
FOR TRACK
BODY CLR
MATT BK

DIMENSION D100xH60MM	LENGTH N/A	BEAM ANGLE 24°
IP RATING Ip20	CRI Ra>90	LED TYPE N/A
LUMENS 630LM±5%	CCT 3K/4K	PRICE(on/off) 4752/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW



MICRO-05-205^(5mm)

POWER
7W
FEATURE
PENDANT
FOR TRACK
BODY CLR
BK

DIMENSION D100xH60MM	LENGTH N/A	BEAM ANGLE 24°
IP RATING Ip20	CRI Ra>90	LED TYPE N/A
LUMENS 630LM±5%	CCT 3K/4K	PRICE(on/off) 5184/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW



MICRO-05-225^(5mm)

POWER
5W
FEATURE
SPHERE
FOR TRACK
BODY CLR
WH

DIMENSION D100x173MM	LENGTH N/A	BEAM ANGLE 360°
IP RATING Ip20	CRI Ra>90	LED TYPE N/A
LUMENS 450LM±5%	CCT 3K/4K	PRICE(on/off) 6156/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

NEW



MICRO-05-235^(5mm)

POWER
5W
FEATURE
COB DOWN
LIGHT FOR
TRACK
BODY CLR
BK


DIMENSION D33x74MM	LENGTH N/A	BEAM ANGLE 24°
IP RATING Ip20	CRI Ra>90	LED TYPE N/A
LUMENS 450LM±5%	CCT 3k/4k	PRICE(on/off) 5292/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>

MICRO (10MM) SM SURFACE

POWER
N/A

FEATURE
SURFACE /
HANGING
TRACK

BODY CLR
BK

DIMENSION	LENGTH	BEAM ANGLE
17X18.4X1000mm	1M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	2145/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	


Signature

MICRO (10MM) SM SURFACE

POWER
N/A

FEATURE
SURFACE /
HANGING
TRACK

BODY CLR
BK

DIMENSION	LENGTH	BEAM ANGLE
17X18.4X2000mm	2M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	4290/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	


Signature

MICRO (10MM) SM SURFACE

POWER
N/A

FEATURE
SURFACE /
HANGING
TRACK

BODY CLR
BK

DIMENSION	LENGTH	BEAM ANGLE
17X18.4X3000mm	3M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	6435/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	


Signature

MICRO(10MM) W TO C CORNER (SURFACE)

POWER
N/A

FEATURE
SURFACE /
HANGING
TRACK

BODY CLR
BK

DIMENSION	LENGTH	BEAM ANGLE
70X70mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	1199/-	N/A


Signature

MICRO(10MM) C TO C CORNER (SURFACE)

POWER
N/A

FEATURE
SURFACE /
HANGING
TRACK

BODY CLR
BK

DIMENSION	LENGTH	BEAM ANGLE
70X70mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	1199/-	N/A


Signature

MICRO(10MM) CURVE CORNER (SURFACE)

POWER
N/A

FEATURE
SURFACE /
HANGING
TRACK

BODY CLR
BK

DIMENSION	LENGTH	BEAM ANGLE
100mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	3245/-	N/A


Signature

MICRO(10MM) CURVE CORNER (SURFACE)

POWER
N/A

FEATURE
SURFACE /
HANGING
TRACK

BODY CLR
BK

DIMENSION	LENGTH	BEAM ANGLE
300mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	6050/-	N/A

Signature

MICRO(10MM) TRACK JOINTER

POWER
N/A

FEATURE
SURFACE

BODY CLR
BK



SURFACE

DIMENSION	LENGTH	BEAM ANGLE
N/A	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	165/-	N/A

Signature

MICRO(10MM) T-CORNER SF-02

POWER
N/A

FEATURE
N/A

BODY CLR
BK



DIMENSION	LENGTH	BEAM ANGLE
N/A	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	2761/-	N/A

Signature

MICRO(10MM) T-CORNER SF-03

POWER
N/A

FEATURE
N/A

BODY CLR
BK



DIMENSION	LENGTH	BEAM ANGLE
N/A	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	3438/-	N/A

Signature

MICRO(10MM) HANGING KIT

POWER
N/A

FEATURE
N/A

BODY CLR
BK



DIMENSION	LENGTH	BEAM ANGLE
N/A	1.2MTR.	N/A
IP RATING	PRICE	NP.AIR
N/A	1348/-	N/A

Signature

**MICRO (10MM)
RM RECESSED**

POWER
N/A

FEATURE
CONCEAL
TRACK

BODY CLR
BK



DIMENSION 50X33X1000mm	LENGTH 1M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 2310/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature

**MICRO (10MM)
RM RECESSED**

POWER
N/A

FEATURE
CONCEAL
TRACK

BODY CLR
BK



DIMENSION 50X33X2000mm	LENGTH 2M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 4620/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature

**MICRO (10MM)
RM RECESSED**

POWER
N/A

FEATURE
CONCEAL
TRACK

BODY CLR
BK



DIMENSION 50X33X3000mm	LENGTH 3M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 6930/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature

**MICRO(10MM)
W TO C CORNER (RECESSED)**

POWER
N/A

BODY CLR
BK




DIMENSION 70X70mm	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	PRICE 1199/-	NP.AIR N/A

Signature

**MICRO(10MM)
C TO C CORNER (RECESSED)**

POWER
N/A

BODY CLR
BK



DIMENSION 70X70mm	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	PRICE 1199/-	NP.AIR N/A

Signature

**MICRO(10MM)
CURVE CORNER (RECESSED)**

POWER
N/A

BODY CLR
BK




DIMENSION 100mm	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	PRICE 3245/-	NP.AIR N/A

Signature

**MICRO (10MM)
CURVE CORNER (RECESSED)**

POWER
N/A

BODY CLR
BK



DIMENSION 300mm	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	PRICE 6050/-	NP.AIR N/A

Signature

**MICRO (10MM)
TRACK JOINTER (RECESSED)**

POWER
N/A

FEATURE
RECESSED

BODY CLR
BK



DIMENSION N/A	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	PRICE 165/-	NP.AIR N/A


Signature

**MICRO (10MM)
INPUT MODULE (RECESSED)**

POWER
N/A

FEATURE
N/A

BODY CLR
BK



DIMENSION 110X10.5mm	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	PRICE 638/-	NP.AIR N/A

Signature

**MICRO (10MM)
STRAIGHT MODULE (RECESSED)**

POWER
N/A

FEATURE
N/A

BODY CLR
BK



DIMENSION 80X10.5mm	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	PRICE 638/-	NP.AIR N/A

Signature

**MICRO (10MM)
CORNER MODULE (RECESSED)**

POWER
N/A

FEATURE
N/A

BODY CLR
BK



DIMENSION 200X10.5mm	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	PRICE 968/-	NP.AIR N/A


Signature

**MICRO (10MM)
CURVE MODULE (RECESSED)**

POWER
N/A

FEATURE
N/A

BODY CLR
BK



DIMENSION N/A	LENGTH N/A	BEAM ANGLE N/A
IP RATING N/A	PRICE 990/-	NP.AIR N/A

Signature



**MICRO(10MM)
POWER SUPPLY**

POWER 100W
FEATURE ROUND
BODY CLR BK

Signature

DIMENSION	LENGTH	BEAM ANGLE
100XH30mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	3025/-	N/A



**MICRO(10MM)
POWER SUPPLY**

POWER 100W
FEATURE SQUARE
BODY CLR BK

Signature

DIMENSION	LENGTH	BEAM ANGLE
195X30X63mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	3025/-	N/A




**MICRO(10MM)
POWER SUPPLY**

POWER 200W
FEATURE SQUARE
BODY CLR BK

Signature

DIMENSION	LENGTH	BEAM ANGLE
280X30X63mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	5390/-	N/A



MICRO END CAP (10MM)

POWER N/A
FEATURE N/A
BODY CLR BK

Signature

DIMENSION	LENGTH	BEAM ANGLE
33X17mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	193/-	N/A




MICRO END CAP (10MM)

POWER N/A
FEATURE N/A
BODY CLR BK

Signature

DIMENSION	LENGTH	BEAM ANGLE
18.4X17mm	N/A	N/A
IP RATING	PRICE	NP.AIR
N/A	193/-	N/A






MICRO-1001
(10MM) (AIR-MICRO 1001)

POWER 12W
FEATURE DIFFUSER
LINEAR
BODY CLR FOR TRACK
BK

DIMENSION	CUTOUT	BEAM ANGLE
L450XW10XH40mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K/5K	2268/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3780/-	N/A	4800/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	5400/-	

Signature



MICRO-1001
(10MM) (AIR-MICRO 1001)

POWER 16W
FEATURE DIFFUSER
LINEAR
BODY CLR FOR TRACK
BK

DIMENSION	CUTOUT	BEAM ANGLE
L600XW10XH40mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1440LM±5%	3K/4K/5K	2700/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4320/-	N/A	5400/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	5940/-	

Signature



MICRO-1002
(10MM) (AIR-MICRO 1002)

POWER 10W
FEATURE LINEAR
FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L196XW10XH40mm	N/A	30°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
900LM±5%	3K/4K/5K	2339/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3996/-	N/A	5100/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	5076/-	

Signature



MICRO-1003
(10MM) (AIR-MICRO 1003)

POWER 5W
FEATURE SPOT
FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
35X80mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
450LM±5%	3K/4K/5K	2754/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3618/-	N/A	4900/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	4914/-	

Signature




MICRO-1003
(10MM) (AIR-MICRO 1003)

POWER 10W
FEATURE SPOT
FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
42X100mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
900LM±5%	3K/4K/5K	3294/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4266/-	N/A	5300/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	5454/-	

Signature




MICRO-1003
(10MM) (AIR-MICRO 1003)

POWER 5W
FEATURE SPOT
FOR TRACK
BODY CLR BRASS

DIMENSION	CUTOUT	BEAM ANGLE
35X80mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
450LM±5%	3K/4K/5K	3415/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4290/-	N/A	5600/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

Signature




MICRO-1003
(10MM) (AIR-MICRO 1003)

POWER 10W
FEATURE SPOT
FOR TRACK
BODY CLR BRASS

DIMENSION	CUTOUT	BEAM ANGLE
42X100mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
900LM±5%	3K/4K/5K	3990/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
4890/-	N/A	6000/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

Signature



MICRO-1004
(10MM) (AIR-MICRO 1004)

POWER 10W
FEATURE LINEAR ADJ.
FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L196xW10xH70mm	N/A	30°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
900LM±5%	3K/4K/5K	4536/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
5487/-	N/A	6200/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	5940/-	

Signature



MICRO-1005
(10MM)

POWER 12W
FEATURE MOVABLE
FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
113mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1080LM±5%	3K/4K	4806/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	5800/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	6156/-	

Signature



MICRO-1006


(10MM)

POWER
6W
BODY CLR
BK

FEATURE
HANGING
FOR TRACK


DIMENSION 80x90mm	CUTOUT N/A	BEAM ANGLE 40°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 540LM±5%	CCT 3K/4K	PRICE(on/off) 5487/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

Signature
LIGHTS




MTS 20(20MM)

POWER
N/A
BODY CLR
BK
FEATURE
SURFACE /
HANGING
TRACK




DIMENSION	LENGTH	BEAM ANGLE
L1000xW25.5xH50mm	1M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	1650/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




MTS 20(20MM)

POWER
N/A
BODY CLR
BK
FEATURE
SURFACE /
HANGING
TRACK




DIMENSION	LENGTH	BEAM ANGLE
L2000xW25.5xH50mm	2M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	3300/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




MTS 20(20MM)

POWER
N/A
BODY CLR
BK
FEATURE
SURFACE /
HANGING
TRACK



DIMENSION	LENGTH	BEAM ANGLE
L3000xW25.5xH50mm	3M	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	4950/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



CORNER^(NL-MTS20) (C TO C SF) (20MM)

POWER
N/A
BODY CLR
BK
FEATURE
SF CORNER
FOR TRACK

DIMENSION	CUTOUT	BEAM ANGLE
L100xW100xH50mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	770/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



CORNER^(NL-MTS20) (W TO C SF) (20MM)


POWER
N/A
BODY CLR
BK
FEATURE
SF CORNER
FOR TRACK

DIMENSION	OUTPUT	BEAM ANGLE
L100xW62xH100mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	770/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



CURVE CORNER^(20MM)

WATT
N/A
BODY CLR
BK
FEATURE
SURFACE



DIMENSION	CUTOUT	BEAM ANGLE
L100xW30xH25mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	3355/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



RECESSED KIT^(20MM)

POWER
N/A
BODY CLR
BK
FEATURE
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
W14xH25xW15mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	495/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



TRACK JOINTER^(SF)

POWER
N/A
BODY CLR
BK
FEATURE
SURFACE

DIMENSION	OUTPUT	BEAM ANGLE
L70xW12mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	171/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	




HANGING KIT^(20MM)

WATT
N/A
BODY CLR
BK
FEATURE
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
L100xW62xH100mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	495/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

NEW

MT-FULL CIRCLE 600-SM (20MM)



POWER
N/A
FEATURE
SURFACE
FULL CIRCLE
TRACK
BODY CLR
BK

DIMENSION 600mm	OUTPUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 14850/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

NEW

MT-QUOTER CURVE 600-SM (20MM)



POWER
N/A
FEATURE
SURFACE
QUOTER
CURVE TRACK
BODY CLR
BK

DIMENSION 600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 7865/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	


NEW

MT-HALF ROUND 600-SM (20MM)




POWER
N/A
FEATURE
SURFACE
HALF ROUND
TRACK
BODY CLR
BK

DIMENSION 600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 8305/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




MTR 20(20MM)

POWER
N/A
FEATURE
CONCEAL
TRACK
BODY CLR
BK




DIMENSION L1000xW62xH50mm	LENGTH 1M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 1898/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




MTR 20(20MM)

POWER
N/A
FEATURE
CONCEAL
TRACK
BODY CLR
BK




DIMENSION L2000xW62xH50mm	LENGTH 2M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 3795/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




MTR 20(20MM)

POWER
N/A
FEATURE
CONCEAL
TRACK
BODY CLR
BK



DIMENSION L3000xW62xH50mm	LENGTH 3M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 5693/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CORNER^(NL-MTR20) (20MM)

POWER
N/A
FEATURE
C to C
RECESSED
BODY CLR
BK

DIMENSION L100XW100XH50mm	OUTPUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 770/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CORNER^(NL-MTR20) (20MM)


POWER
N/A
FEATURE
W to C
RECESSED
BODY CLR
BK

DIMENSION L100XW60XH100mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 770/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CURVE CORNER (20MM)

POWER
N/A
FEATURE
RECESSED
BODY CLR
BK



DIMENSION L100XW30XH25mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 3355/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

NEW



MT-FULL CIRCLE
600-RM(20MM)

POWER
N/A
FEATURE
RECESSED
FULL CIRCLE
TRACK
BODY CLR
BK

DIMENSION	CUTOUT	BEAM ANGLE
600mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	14850/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

NEW



MT-QUOTER CURVE
600-RM(20MM)

POWER
N/A
FEATURE
RECESSED
QUOTER
CURVE TRACK
BODY CLR
BK

DIMENSION	OUTPUT	BEAM ANGLE
600mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	7865/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

NEW



MT-HALF ROUND
600-RM(20MM)

POWER
N/A
FEATURE
RECESSED
HALF ROUND
TRACK
BODY CLR
BK

DIMENSION	CUTOUT	BEAM ANGLE
600mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	8305/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



INPUT MODULE
(20MM)

POWER
N/A
FEATURE
N/A
BODY CLR
BK

DIMENSION	CUTOUT	BEAM ANGLE
L500mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	440/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



STRAIGHT MODULE
(20MM)

POWER
N/A
FEATURE
N/A
BODY CLR
BK

DIMENSION	OUTPUT	BEAM ANGLE
L197XW17XH17mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	512/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



CORNER CONNECT
MODULE
(20MM)

POWER
N/A
FEATURE
N/A
BODY CLR
BK

DIMENSION	CUTOUT	BEAM ANGLE
L390mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	578/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



CURVE
CORNER MODULE
(20MM)

POWER
N/A
FEATURE
N/A
BODY CLR
BK

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	990/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



POWER SUPPLY
(20MM)

POWER
100W
FEATURE
DRIVER
BODY CLR
BK

DIMENSION	OUTPUT	BEAM ANGLE
L220XW20XH45mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	1997/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



POWER SUPPLY
(20MM)

POWER
200W
FEATURE
DRIVER
BODY CLR
BK

DIMENSION	OUTPUT	BEAM ANGLE
L300XW22XH45mm	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	3190/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



MT-CURVE
POWER SUPPLY^(20MM)
POWER 100W
FEATURE POWER SUPPLY FOR CURVE TRACK
BODY CLR BK
OUTPUT DC 48V, 2.1AMP

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	LED TYPE
N/A	N/A	N/A
LUMENS	CCT	PRICE(on/off)
N/A	N/A	6710/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



NL-MT 01^(20MM)
(AIR-MT01)
POWER 10W
FEATURE DIFFUSER
BODY CLR LINEAR FOR TRACK
BK

DIMENSION	CUTOUT	BEAM ANGLE
L300xW22xH25mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
900LM+-5%	3K/4K/5K	1404/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2808/-	3300/-	3600/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	3456/-	



NL-MT 01^(20MM)
(AIR-MT01)
POWER 20W
FEATURE DIFFUSER
BODY CLR LINEAR FOR TRACK
BK

DIMENSION	CUTOUT	BEAM ANGLE
L600xW22xH25mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1800LM+-5%	3K/4K/5K	1912/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3645/-	4300/-	4500/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	4320/-	



NL-MT 01^(20MM)
POWER 30W
FEATURE DIFFUSER
BODY CLR LINEAR FOR TRACK
BK

DIMENSION	CUTOUT	BEAM ANGLE
L900xW22xH25mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
2700LM+-5%	3K/4K/5K	3186/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



NL-MT 02^(20MM)
(AIR-MT02)
POWER 6W
FEATURE LINEAR FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L113xW22xH25mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
540LM+-5%	3K/4K/5K	940/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2258/-	2650/-	3400/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	3132/-	



NL-MT 02^(20MM)
(AIR-MT02)
POWER 12W
FEATURE LINEAR FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
L220xW22xH25mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1080LM+-5%	3K/4K/5K	1410/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
2862/-	3390/-	3900/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	3996/-	



NL-MT 03^(20MM)
(AIR-MT03)
POWER 7W
FEATURE SPOT FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
35x80mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
630LM+-5%	3K/4K/5K	1710/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3262/-	3650/-	4200/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	4428/-	



NL-MT 03^(20MM)
(AIR-MT03)
POWER 12W
FEATURE SPOT FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
45x100mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1080LM+-5%	3K/4K/5K	2047/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
3888/-	4410/-	4800/-
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	4968/-	



NL-MT 03^(20MM)
POWER 20W
FEATURE SPOT FOR TRACK
BODY CLR BK

DIMENSION	CUTOUT	BEAM ANGLE
60x120mm	N/A	24°
IP RATING	CRI	LED TYPE
IP 20	Ra>90+	N/A
LUMENS	CCT	PRICE(on/off)
1800LM+-5%	3K/4K/5K	3219/-
NP Air (TW)	BT-Mesh (TW)	Zigbee (TW)
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	



NL-MT 04^(20MM) (AIR-MT04)

POWER
6W
BODY CLR
BK

FEATURE
ADJUSTABLE
LINEAR FOR
TRACK

DIMENSION L113xW24xH108mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 540LM+-5%	CCT 3K/4K/5K	PRICE(on/off) 2096/-
NP Air (TW) 3726/-	BT-Mesh (TW) 4150/-	Zigbee (TW) 4450/-
Dali DIM(DT-6) N/A	Dali TW (DT-8) 4212/-	



NL-MT 04^(20MM) (AIR-MT04)

POWER
12W
BODY CLR
BK

FEATURE
ADJUSTABLE
LINEAR FOR
TRACK

DIMENSION L221xW24xH125mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90	LED TYPE N/A
LUMENS 1080LM+-5%	CCT 3K/4K/5K	PRICE(on/off) 2935/-
NP Air (TW) 4968/-	BT-Mesh (TW) 5500/-	Zigbee (TW) 5900/-
Dali DIM(DT-6) N/A	Dali TW (DT-8) 5940/-	



NL-MT 05^(20MM)

POWER
7W
BODY CLR
BK

FEATURE
HANGING
FOR TRACK

DIMENSION 40xL300mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 630LM+-5%	CCT 3K/4K	PRICE(on/off) 3154/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-MT 06^(20MM)

POWER
12W
BODY CLR
BK

FEATURE
MOVABLE
FOR TRACK

DIMENSION 90x90xH35mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 1080LM+-5%	CCT 3K/4K	PRICE(on/off) 3888/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-MT 07^(20MM)

POWER
7W
BODY CLR
BK

FEATURE
HANGING
FOR TRACK

DIMENSION 70xL50mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 630LM+-5%	CCT 3K/4K	PRICE(on/off) 3240/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-MT-CURVE-02^(20MM)

POWER
12W
BODY CLR
BK

FEATURE
GRILLE LIGHT
FOR CURVE
TRACK

DIMENSION W22xH25xL360mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP20	CRI Ra>90+	LED TYPE N/A
LUMENS 1080LM+-5%	CCT 3K/4K	PRICE(on/off) 4590/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NL-MT-CURVE-03^(20MM)

POWER
12W
BODY CLR
BK

FEATURE
SPOT LIGHT
FOR CURVE
TRACK

DIMENSION D50xH140mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP20	CRI Ra>90+	LED TYPE N/A
LUMENS 1080LM+-5%	CCT 3K/4K	PRICE(on/off) 3618/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NL-USM30 (30MM)


POWER
N/A

FEATURE
Ultra Slim
(Scale Track)

BODY CLR
BK



DIMENSION W30x1000mm	LENGTH 1M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 935/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NL-USM30 (30MM)


POWER
N/A

FEATURE
Ultra Slim
(Scale Track)

BODY CLR
BK



DIMENSION W30x2000mm	LENGTH 2M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 1870/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NL-USM30 (30MM)

POWER
N/A

FEATURE
Ultra Slim
(Scale Track)

BODY CLR
BK



DIMENSION W30x3000mm	LENGTH 3M	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 2805/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




STRAIGHT MODULE
(30MM)

POWER
N/A

FEATURE
N/A

BODY CLR
BK

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 522/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



CORNER MODULE
(30MM) (C TO C)

POWER
N/A

FEATURE
L-CONNECT

BODY CLR
BK

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 622/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



T TYPE MODULE
(30MM)

POWER
N/A

FEATURE
T-CONNECT

BODY CLR
BK

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE 869/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



W CORNER MODULE
(30MM) (W TO C)

POWER
N/A

FEATURE
IN&OUT
CONNECT

BODY CLR
BK

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 704/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



POWER SUPPLY
(30MM)

POWER
100W

FEATURE
N/A

BODY CLR
BK

DIMENSION L150XW30XH35mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 2695/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



POWER SUPPLY
(30MM)

POWER
200W

FEATURE
N/A

BODY CLR
BK

AVAILABLE
AIR SMART

DIMENSION L300XW30XH35mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 4037/-
NP Air (TW) 6281/-	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



USM 01 (30MM)

POWER
8W

FEATURE
DIFFUSER
LINEAR
FOR TRACK

BODY CLR
BK



DIMENSION L150XW30XH25mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 680LM+-5%	CCT [3K/4K/6K/ AIR SMART] 4in1	PRICE(on/off) 1404/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



USM 01 (30MM)

POWER
16W

FEATURE
DIFFUSER
LINEAR
FOR TRACK

BODY CLR
BK



DIMENSION L290XW30XH25mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 1360LM+-5%	CCT [3K/4K/6K/ AIR SMART] 4in1	PRICE(on/off) 2204/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



USM 02 (30MM)

POWER
6W

FEATURE
LINEAR
FOR TRACK

BODY CLR
BK



DIMENSION L150XW30XH25mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 510LM+-5%	CCT [3K/4K/6K/ AIR SMART] 4in1	PRICE(on/off) 1480/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



USM 02 (30MM)

POWER
12W

FEATURE
LINEAR
FOR TRACK

BODY CLR
BK



DIMENSION L290XW30XH25mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 1020LM+-5%	CCT [3K/4K/6K/ AIR SMART] 4in1	PRICE(on/off) 2258/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



USM 03 (30MM)

POWER
7W

FEATURE
SPOT LIGHT
FOR TRACK

BODY CLR
BK



DIMENSION D35X80mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 595LM+-5%	CCT [3K/4K/6K/ AIR SMART] 4in1	PRICE(on/off) 1974/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




USM 03 (30MM)

POWER
12W

FEATURE
SPOT LIGHT
FOR TRACK

BODY CLR
BK



DIMENSION D42X100mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 1020LM+-5%	CCT [3K/4K/6K/ AIR SMART] 4in1	PRICE(on/off) 2430/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




USM 03 (30MM)

POWER
18W

FEATURE
SPOT LIGHT
FOR TRACK

BODY CLR
BK



DIMENSION D55X115mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 1530LM+-5%	CCT [3K/4K/6K/ AIR SMART] 4in1	PRICE(on/off) 2906/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




USM 04 (30MM)

POWER
12W

FEATURE
ADJUSTABLE
LINEAR
FOR TRACK

BODY CLR
BK



DIMENSION L90XW30XH50mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 1020LM+-5%	CCT [3K/4K/6K/ AIR SMART] 4in1	PRICE(on/off) 2441/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




USM 05 (30MM)

POWER
12W

FEATURE
HANGING
FOR TRACK

BODY CLR
BK



DIMENSION D40XL300mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 1020LM+-5%	CCT [3K/4K/6K/ AIR SMART] 4in1	PRICE(on/off) 4131/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



FTS-TRACK

POWER
N/A
FEATURE
4 WIRE
BODY CLR
BK
BENDABLE
FLEXIBLE
SOFT TRACK

DIMENSION W4XH14mm	LENGTH 10 MTR	BEAM ANGLE N/A
IP RATING IP 20	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 15950/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



FTS-CELLING PART

POWER
N/A
FEATURE
TRACK
CEILING FIX
PARTS PC
BODY CLR
BK

DIMENSION D40XH90mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 935/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



FTS-TRACK CONNECTOR

POWER
N/A
FEATURE
TRACK
CONNECTOR
BODY CLR
BK


DIMENSION D40XH90mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 1265/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



FTS INPUT MODULE

POWER
N/A
FEATURE
INPUT
MODULE
FOR TRACK
BODY CLR
BK


DIMENSION D40XH90mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 1375/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



FTS POWER SUPPLY

POWER
150W
FEATURE
POWER
SUPPLY FTS
48V
BODY CLR
BK

DIMENSION D100X30mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 8415/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




FTS HANGING ROAD

POWER
N/A
FEATURE
ADJUSTABLE
HEIGHT
HANGING
ROD
BODY CLR
BK

* Height can Adjustable

LENGTH 150/300/600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 2550/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




FTS HANGING MODULE

POWER
N/A
FEATURE
ADJUSTABLE
HEIGHT
HANGING
ROD WITH
MODULE
BODY CLR
BK

* Height can Adjustable

LENGTH 150/300/600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 2800/-
NP Air (TW) N/A	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




FTS-01

POWER
12W
FEATURE
LINEAR
FOR TRACK
BODY CLR
BK



DIMENSION W35XH28XL365mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS N/A	CCT 2700K-6500K (Tunable)	PRICE(on/off) N/A
NP Air (TW) 4698/-	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



FTS-02

POWER
12W
FEATURE
DIFFUSER
LINEAR
FOR TRACK
BODY CLR
BK



DIMENSION W35XH28XL365mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS N/A	CCT 2700K-6500K (Tunable)	PRICE(on/off) N/A
NP Air (TW) 4158/-	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

FTS-03

POWER
7W

FEATURE
SPHERE
FOR TRACK

BODY CLR
BK




DIMENSION D100mm	CUTOUT N/A	BEAM ANGLE 270°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS N/A	CCT 2700K-6500K (Tunable)	PRICE(on/off) N/A
NP Air (TW) 5886/-	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

FTS-04

POWER
7W

FEATURE
SPHERE
PENDANT
FOR TRACK

BODY CLR
BK




DIMENSION D100mm	CUTOUT N/A	BEAM ANGLE 270°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS N/A	CCT 2700K-6500K (Tunable)	PRICE(on/off) N/A
NP Air (TW) 6210/-	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

FTS-05

POWER
7W

FEATURE
CONE
FOR TRACK

BODY CLR
BK




DIMENSION D100XH60mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS N/A	CCT 2700K-6500K (Tunable)	PRICE(on/off) N/A
NP Air (TW) 3435/-	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

FTS-06

POWER
7W

FEATURE
CONE
PENDANT
FOR TRACK

BODY CLR
BK




DIMENSION D100XH60mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS N/A	CCT 2700K-6500K (Tunable)	PRICE(on/off) N/A
NP Air (TW) 3780/-	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

FTS-07

POWER
10W

FEATURE
TUBE
FOR TRACK

BODY CLR
BK




DIMENSION D30XL300mm	CUTOUT N/A	BEAM ANGLE 160°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS N/A	CCT 2700K-6500K (Tunable)	PRICE(on/off) N/A
NP Air (TW) 2808/-	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

FTS-07

POWER
20W

FEATURE
TUBE
FOR TRACK

BODY CLR
BK




DIMENSION D30XL600mm	CUTOUT N/A	BEAM ANGLE 160°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS N/A	CCT 2700K-6500K (Tunable)	PRICE(on/off) N/A
NP Air (TW) 3996/-	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

FTS-08

POWER
10W

FEATURE
SPHERE
FOR TRACK

BODY CLR
BK




DIMENSION D100mm	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS N/A	CCT 2700K-6500K (Tunable)	PRICE(on/off) N/A
NP Air (TW) 5778/-	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

FTS-09

POWER
20W

FEATURE
SILICONE
LINEAR
FOR TRACK

BODY CLR
BK




DIMENSION D22XL1000mm	CUTOUT N/A	BEAM ANGLE 360°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS N/A	CCT 2700K-6500K (Tunable)	PRICE(on/off) N/A
NP Air (TW) 6146/-	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

FTS-09

POWER
40W

FEATURE
SILICONE
LINEAR
FOR TRACK

BODY CLR
BK




DIMENSION D22XL2000mm	CUTOUT N/A	BEAM ANGLE 360°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS N/A	CCT 2700K-6500K (Tunable)	PRICE(on/off) 10152/-
NP Air (TW) 10152/-	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



FTS-10

POWER
9W
BODY CLR
BK
FEATURE
MOVABLE
LIGHT FOR
TRACK



DIMENSION D90XH35mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS N/A	CCT 2700K-6500K (Tunable)	PRICE(on/off) N/A
NP Air (TW) 4914/-	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



FTS-11

POWER
7W
BODY CLR
BK
FEATURE
SPOT FOR
TRACK




DIMENSION 35X90mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS N/A	CCT 2700K-6500K (Tunable)	PRICE(on/off) N/A
NP Air (TW) 3240/-	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



FTS-11

POWER
10W
BODY CLR
BK
FEATURE
SPOT FOR
TRACK



DIMENSION 45X100mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS N/A	CCT 2700K-6500K (Tunable)	PRICE(on/off) N/A
NP Air (TW) 3672/-	BT-Mesh (TW) N/A	Zigbee (TW) N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



DISC 72

POWER
40W

FEATURE
N/A

BODY CLR
GUN BK / BRASS

DIMENSION 600x40x150mm	CUTOUT N/A	BEAM ANGLE 90°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 3200LM+5%	CCT 	PRICE(on/off) 27830/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>




DISC 72

POWER
60W

FEATURE
N/A

BODY CLR
GUN BK / BRASS

DIMENSION 800x40x180mm	CUTOUT N/A	BEAM ANGLE 90°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 4800LM+5%	CCT 	PRICE(on/off) 36960/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>




DISC 74

POWER
30W

FEATURE
N/A

BODY CLR
GUN BK / BRASS

DIMENSION 600x35x150mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 2400LM+5%	CCT 	PRICE(on/off) 25300/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>




DISC 74

POWER
40W

FEATURE
N/A

BODY CLR
GUN BK / BRASS

DIMENSION 800x35x150mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 3200LM+5%	CCT 	PRICE(on/off) 36960/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>



DISC 74

POWER
60W

FEATURE
N/A

BODY CLR
GUN BK / BRASS

DIMENSION 1000x35x180mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 20	CRI Ra>90+	LED TYPE N/A
LUMENS 4800LM+5%	CCT 	PRICE(on/off) 48400/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	<i>Signature</i>



NL-HX01

POWER
20W

FEATURE
N/A

BODY CLR
BK

DIMENSION 400x100x70mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS NA	CCT 	PRICE(on/off) 5239/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NL-HX01

POWER
40W

FEATURE
N/A

BODY CLR
BK

DIMENSION 600x100x70mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 	PRICE(on/off) 6201/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NL-HX02

POWER
25W

FEATURE
N/A

BODY CLR
BK

DIMENSION 400x100x70mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 	PRICE(on/off) 5203/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-HX02

POWER
35W

FEATURE
N/A

BODY CLR
BK

DIMENSION 600x100x70mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 	PRICE(on/off) 6149/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-RD03

POWER
25W

FEATURE
N/A

BODY CLR
BK

DIMENSION 400x100x70mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 	PRICE(on/off) 5247/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-RD03

POWER
40W

FEATURE
N/A

BODY CLR
BK

DIMENSION 600x100x70mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 	PRICE(on/off) 6457/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-RD03

POWER
60W

FEATURE
N/A

BODY CLR
BK

DIMENSION 900x100x70mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 	PRICE(on/off) 17303/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-RD04

POWER
25W

FEATURE
N/A

BODY CLR
BK

DIMENSION 400x100x70mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 	PRICE(on/off) 5200/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-RD04

POWER
35W

FEATURE
N/A

BODY CLR
BK

DIMENSION 600x100x70mm	CUTOUT NA	BEAM ANGLE NA
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 	PRICE(on/off) 6215/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-RD04

POWER
60W

FEATURE
N/A

BODY CLR
BK

DIMENSION 900x100x70mm	CUTOUT NA	BEAM ANGLE NA
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS NA	CCT 	PRICE(on/off) 17303/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-RD-901

POWER
30W

FEATURE
SURFACE &
HANGING

BODY CLR
BK / WH

DIMENSION 460x60mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 	PRICE(on/off) 10285/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-RD-901

POWER
40W

FEATURE
SURFACE &
HANGING

BODY CLR
BK / WH

DIMENSION 600x60mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 	PRICE(on/off) 13750/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-RD-902

POWER
30W

FEATURE
SURFACE &
HANGING

BODY CLR
BK+WOOD

DIMENSION 480x80mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 	PRICE(on/off) 13420/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

NEW



NL-RD-902

POWER
35W

FEATURE
SURFACE &
HANGING

BODY CLR
BK + WOOD

DIMENSION 580x80mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 	PRICE(on/off) 16940/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

NEW



NL-RD-903

POWER
30W

FEATURE
SURFACE &
HANGING

BODY CLR
BK / WH

DIMENSION 500x50mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 	PRICE(on/off) 14630/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

NEW



NL-RD-903

POWER
40W

FEATURE
SURFACE &
HANGING

BODY CLR
BK / WH

DIMENSION 600x50mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 	PRICE(on/off) 17105/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

NEW



NL-RD-904

POWER
30W

FEATURE
SURFACE &
HANGING

BODY CLR
BK / WH

DIMENSION 450x140mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 	PRICE(on/off) 16665/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

NEW



NL-RD-904


POWER
35W

FEATURE
SURFACE &
HANGING

BODY CLR
BK / WH

DIMENSION 550x140mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 	PRICE(on/off) 18590/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

NEW



NL-LL037

POWER
36W

FEATURE
N/A

BODY CLR
BK

DIMENSION 1184x27.5x65mm	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 3K/4K/6K	PRICE(on/off) 5390/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-LL050

POWER
24W

FEATURE
N/A

BODY CLR
BK / WH

DIMENSION 600x50x75mm	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 3K/4K/6K	PRICE(on/off) 4070/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-LL050

POWER
50W

FEATURE
N/A

BODY CLR
BK / WH

DIMENSION 1200x50x75mm	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 3K/4K/6K	PRICE(on/off) 4884/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	



NL-LL050

POWER
100W

FEATURE
N/A

BODY CLR
BK / WH

DIMENSION 2400x50x75mm	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 20	CRI Ra>80+	LED TYPE N/A
LUMENS N/A	CCT 3K/4K/6K	PRICE(on/off) 10450/-
NP Air(CODE) N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

NL-LL57

POWER 45W **FEATURE** N/A

BODY CLR BK / WH

DIMENSION	CUTOUT	BEAM ANGLE
1183x33x56mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
N/A	3K 4K 6K	4356/-
NP Air(CODE)	BT-Mesh	Zigbee
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

NL-LL68

POWER 42W **FEATURE** N/A

BODY CLR BK / WH

DIMENSION	CUTOUT	BEAM ANGLE
L1183xW33xH56mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
N/A	3K 4K 6K	5260/-
NP Air(CODE)	BT-Mesh	Zigbee
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

NL-LL84

POWER 48W **FEATURE** N/A

BODY CLR BK / WH

DIMENSION	CUTOUT	BEAM ANGLE
1195x75x50mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
N/A	3K 4K 6K	5077/-
NP Air(CODE)	BT-Mesh	Zigbee
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

NL-LL46

POWER 40W **FEATURE** N/A

BODY CLR BK+GUN BK / WH+RGD

DIMENSION	CUTOUT	BEAM ANGLE
L1150xW32xH45mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
N/A	3K 4K 6K	3526/-
NP Air(CODE)	BT-Mesh	Zigbee
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

NL-LL56

POWER 40W **FEATURE** N/A

BODY CLR BK+GUN BK / WH+RGD

DIMENSION	CUTOUT	BEAM ANGLE
L1150xW32xH45mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
N/A	3K 4K 6K	4378/-
NP Air(CODE)	BT-Mesh	Zigbee
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

NL-LL76

POWER 40W **FEATURE** N/A

BODY CLR BK+GUN BK / WH+RGD

DIMENSION	CUTOUT	BEAM ANGLE
L1180xW40xH40mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
N/A	3K 4K 6K	3696/-
NP Air(CODE)	BT-Mesh	Zigbee
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

NL-LL77



POWER 40W **FEATURE** N/A

BODY CLR BK+GUN BK / WH+RGD

DIMENSION	CUTOUT	BEAM ANGLE
L1180xW40xH40mm	N/A	110°
IP RATING	CRI	LED TYPE
IP 20	Ra>80+	N/A
LUMENS	CCT	PRICE(on/off)
N/A	3K 4K 6K	3872/-
NP Air(CODE)	BT-Mesh	Zigbee
N/A	N/A	N/A
Dali DIM(DT-6)	Dali TW (DT-8)	
N/A	N/A	

NL-APL-001



BODY CLR SILVER+WH **FEATURE** 17MM SURFACE (2MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 165/-

NL-APL-001



BODY CLR SILVER+WH **FEATURE** 17MM SURFACE (3MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 184/-

NL-APL-001



BODY CLR BK+WH **FEATURE** 17MM SURFACE (2MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 212/-

NL-APL-001


BODY CLR BK+WH **FEATURE** 17MM SURFACE (3MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 236/-

NL-APL-002


BODY CLR SILVER+WH **FEATURE** 17MM CONCEAL (2MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 165/-

NL-APL-002



BODY CLR SILVER+WH **FEATURE** 17MM CONCEAL (3MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 184/-

NL-APL-002


BODY CLR BK+WH **FEATURE** 17MM CONCEAL (2MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 212/-

NL-APL-002


BODY CLR BK+WH **FEATURE** 17MM CONCEAL (3MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 236/-

NL-APL-003



BODY CLR SILVER+WH **FEATURE** 16MM CORNER (2MTR.)




DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 190/-

NL-APL-003



BODY CLR BK+WH **FEATURE** 16MM CORNER (2MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 283/-

NL-APL-004




BODY CLR SILVER+WH **FEATURE** 1714 DEEP CONCEAL (3MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 283/-

NL-APL-004




BODY CLR BK+WH **FEATURE** 1714 DEEP CONCEAL (3MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 396/-

NL-APL-005




BODY CLR SILVER+WH **FEATURE** 1714 DEEP SURFACE (3MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 283/-

NL-APL-005




BODY CLR BK+WH **FEATURE** 1714 DEEP SURFACE (3MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 396/-

NL-APL-006




BODY CLR SILVER+WH **FEATURE** 2310(25mm) CONCEAL (2MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 260/-

NL-APL-006




BODY CLR BK+WH **FEATURE** 2310(25mm) CONCEAL (2MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 373/-

NL-APL-007




BODY CLR SILVER+WH **FEATURE** 2310(25mm) SURFACE (2MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 260/-

NL-APL-007


BODY CLR BK+WH **FEATURE** 2310(25mm) SURFACE (2MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 373/-

NL-APL-008



BODY CLR SILVER+WH **FEATURE** 1207 CONCEAL (2MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 170/-

NL-APL-008


BODY CLR BK+WH **FEATURE** 1207 CONCEAL (2MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 232/-

NL-APL-009



BODY CLR SILVER+WH **FEATURE** 1207 SURFACE (2MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 170/-

NL-APL-009



BODY CLR BK+WH **FEATURE** 1207 SURFACE (2MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 232/-

NL-APL-010



BODY CLR SILVER+WH **FEATURE** 18MM BENDABLE (2MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 179/-

NL-APL-010



BODY CLR BK+WH **FEATURE** 18MM BENDABLE (2MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 266/-

NL-APL-012



BODY CLR SILVER+WH **FEATURE** 3512 CONCEAL (3MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 407/-

NL-APL-012


BODY CLR BK+WH **FEATURE** 3512 CONCEAL (3MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 622/-

NL-APL-013


BODY CLR SILVER+WH **FEATURE** 3512 SURFACE (3MTR.)





DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 407/-

NL-APL-013

BODY CLR BK+WH **FEATURE** 3512 SURFACE (3MTR.)








DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	622/-

NL-APL-014




BODY CLR SILVER+WH **FEATURE** 5012 CONCEAL (3MTR.)

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	633/-

NL-APL-014




BODY CLR BK+WH **FEATURE** 5012 CONCEAL (3MTR.)

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	904/-

NL-APL-015




BODY CLR SILVER+WH **FEATURE** 5012 SURFACE (3MTR.)

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	633/-

NL-APL-015



BODY CLR BK+WH **FEATURE** 5012 SURFACE (3MTR.)

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	904/-

NL-APL-016



BODY CLR GREY+ SILICONE **FEATURE** UPDOWN SURFACE FURNITURE & CABINET PROFILE (2MTR.)

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	464/-

NL-APL-017



BODY CLR GREY + SILICONE **FEATURE** FURNITURE 4MM SLIM PROFILE (2MTR.)

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	288/-

NL-APL-018



BODY CLR GREY + SILICONE **FEATURE** 12MM 45° CORNER SF PROFILE (2MTR.)

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	390/-

NL-APL-019

BODY CLR GREY+WH **FEATURE** ASYMMETRIC FURNITURE PROFILE (3MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	469/-

NEW

NL-APL-020

BODY CLR GREY+WH **FEATURE** WARDROBE HANGER PROFILE (2MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	1119/-

NEW

NL-APL-021

BODY CLR GREY+WH **FEATURE** 8MM GLASS SHELF PROFILE (2MTR.)








DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	362/-

NEW

NL-APL-022

BODY CLR SILVER+WH **FEATURE** 0708 CON (2MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	134/-

NEW

NL-APL-022

BODY CLR BK+WH **FEATURE** 0708 CON (2MTR.)








DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	215/-

NEW

NL-APL-023

BODY CLR SILVER+WH **FEATURE** 0708 SF (2MTR.)








DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	134/-

NEW

NL-APL-023

BODY CLR BK+WH **FEATURE** 0708 SF (2MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	215/-

NEW

NL-APL-024

BODY CLR SILVER+WH **FEATURE** 1010 CON (2MTR.)








DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	150/-

NEW

NL-APL-024

BODY CLR BK+WH **FEATURE** 1010 CON (2MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	232/-

NEW

NL-APL-025

BODY CLR SILVER+WH **FEATURE** 1010 SF (2MTR.)







DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	150/-

NEW

NL-APL-025

BODY CLR BK+WH **FEATURE** 1010 SF (2MTR.)







DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 232/-

NEW

NL-APL-026

BODY CLR SILVER+WH **FEATURE** 3535 CON (3MTR.)







DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 896/-

NEW

NL-APL-026

BODY CLR BK+WH **FEATURE** 3535 CON (3MTR.)







DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 1288/-

NEW

NL-APL-027

BODY CLR SILVER+WH **FEATURE** 3535 SF (3MTR.)







DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 896/-

NEW

NL-APL-027

BODY CLR BK+WH **FEATURE** 3535 SF (3MTR.)


DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 1288/-

NEW

NL-APL-028

BODY CLR SILVER+WH **FEATURE** SURFACE SKIRTING WALL MOUNTED PROFILE (3MTR.)








DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 2090/-

NEW

NL-APL-028

BODY CLR BK+WH **FEATURE** SURFACE SKIRTING WALL MOUNTED PROFILE (3MTR.)


DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 2543/-

NEW

NL-APL-029

BODY CLR SILVER+WH **FEATURE** WALL RECESSED SKIRTING PROFILE (3MTR.)







DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 876/-

NEW

NL-APL-029

BODY CLR BK+WH **FEATURE** WALL RECESSED SKIRTING PROFILE (3MTR.)







DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 1062/-

NEW




NL-APL-030

BODY CLR WH+WH
FEATURE TOP CORNER DOUBLE SIDE PROFILE (3MTR.)



DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 1950/-

NEW



NL-APL-031

BODY CLR BK+WH
FEATURE 40MM CORNER PROFILE (3MTR.)



DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 740/-

NEW




NL-APL-032

BODY CLR GREY+WH
FEATURE LENS PROFILE WITH ADJ BEAM ANGLE WITH TRAY (2MTR.)





DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 1068/-

NL-APL-032





NEW



NL-APL-033

BODY CLR WH+WH
FEATURE TRIMLESS CEILING COVE (3MTR.)



DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 2238/-

NEW



NL-APL-034

BODY CLR WH+WH
FEATURE TRIMLESS WALL WASHER (3MTR.)



DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 1356/-

NEW



NL-APL-035

BODY CLR WH+WH
FEATURE UPWARD WALL WASHER PROFILE (3MTR.)

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	PRICE(1 MTR) 729/-



NEW



NL-APL-036

BODY CLR
GREY+WH

FEATURE
ASYMMETRIC
FURNITURE
PROFILE
(3MTR.)

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	418/-



NEW



NL-APL-037

BODY CLR
BK+WH

FEATURE
SHADOW
GAP
PROFILE
(3MTR.)

DIMENSION	CUTOUT	BEAM ANGLE
N/A	N/A	N/A
IP RATING	CRI	PRICE(1 MTR)
N/A	N/A	910/-

NEW



SKYLINE (SET OF 5 MTR)

POWER
N/A

FEATURE
N/A

BODY CLR
BK



DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 8025/-
NP Air N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

NEW



SKYLINE (ACCESSORIES)

POWER
N/A

FEATURE
N/A

BODY CLR
BK

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 6206/-
NP Air N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	

NEW




SKYLINE (STILL BELT ONLY)

POWER
N/A

FEATURE
N/A

BODY CLR
BK

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING N/A	CRI N/A	LED TYPE N/A
LUMENS N/A	CCT N/A	PRICE(on/off) 589/- (1 MTR PRICE)
NP Air N/A	BT-Mesh N/A	Zigbee N/A
Dali DIM(DT-6) N/A	Dali TW (DT-8) N/A	




NL-SL2835 1212

TOP VIEW

POWER
10W
(PER MTR)

FEATURE
SILICON
NEON TOP
VIEW

BODY CLR
WH



DIMENSION	CRI	IP RATING
N/A	Ra>80+	Ip65
LENGTH 50MTR. ROLL	CCT 1800K	PRICE(1 MTR) 641/-
LUMENS N/A	CCT 2700/ 4000K/6500K	PRICE(1 MTR) 583/-
END CAP 42/-	MOUNTING CLIP 25/-	CORD WIRE 84/-
JOINTER 105/-		




NL-SL2835 1616

TOP VIEW


POWER
10W
(PER MTR)

FEATURE
SILICON
NEON TOP
VIEW

BODY CLR
WH



DIMENSION	CRI	IP RATING
N/A	Ra>80+	Ip65
LENGTH 50MTR. ROLL	CCT 1800K	PRICE(1 MTR) 735/-
LUMENS N/A	CCT 2700/ 4000K/6500K	PRICE(1 MTR) 693/-
END CAP 53/-	MOUNTING CLIP 32/-	CORD WIRE 95/-
JOINTER 105/-		




NL-SL2835 1010

SIDE VIEW


POWER
10W
(PER MTR)

FEATURE
SILICON
NEON SIDE
VIEW

BODY CLR
WH



DIMENSION	CRI	IP RATING
N/A	Ra>80+	Ip65
LENGTH 50MTR. ROLL	CCT 1800K	PRICE(1 MTR) 667/-
LUMENS N/A	CCT 2700/ 4000K/6500K	PRICE(1 MTR) 614/-
END CAP 42/-	MOUNTING CLIP 25/-	CORD WIRE 95/-
JOINTER 105/-		




NL-SL2835 0612

SIDE VIEW


POWER
10W
(PER MTR)

FEATURE
SILICON
NEON SIDE
VIEW

BODY CLR
WH



DIMENSION	CRI	IP RATING
N/A	Ra>80+	Ip65
LENGTH 50MTR. ROLL	CCT 1800K	PRICE(1 MTR) 604/-
LUMENS N/A	CCT 2700/ 4000K/6500K	PRICE(1 MTR) 551/-
END CAP 42/-	MOUNTING CLIP 25/-	CORD WIRE 95/-
JOINTER 105/-		




NL-SL1010

POWER
N/A

FEATURE
EMPTY
SILICON
PROFILE

BODY CLR
N/A



DIMENSION 5MM PCB	CRI N/A	IP RATING N/A
LENGTH 100MTR. ROLL	CCT N/A	PRICE(1 MTR) 146/-
LUMENS N/A	CCT N/A	PRICE N/A


END CAP
62/-



MOUNTING CLIP
30/-



FLEXIBLE CLIP
656/-



NL-SL2014

POWER
N/A

FEATURE
EMPTY
SILICON
PROFILE

BODY CLR
N/A



DIMENSION 10MM PCB	CRI N/A	IP RATING N/A
LUMENS N/A	CCT N/A	PRICE(1 MTR) 375/-
LENGTH 100MTR. ROLL	CCT N/A	PRICE N/A


END CAP
82/-



MOUNTING CLIP
54/-



FLEXIBLE CLIP
788/-




NL-SL1616F

POWER
N/A

FEATURE
EMPTY
SILICON
PROFILE

BODY CLR
N/A



DIMENSION 8MM PCB	CRI N/A	IP RATING N/A
LUMENS N/A	CCT N/A	PRICE(1 MTR) 278/-
LENGTH 100MTR. ROLL	CCT N/A	PRICE N/A

END CAP
87/-



MOUNTING CLIP
56/-



CORD WIRE
N/A




NL-SL3020F

POWER
N/A

FEATURE
EMPTY
SILICON
PROFILE

BODY CLR
N/A



DIMENSION 10/2MM PCB	CRI N/A	IP RATING N/A
LUMENS N/A	CCT N/A	PRICE(1 MTR) 586/-
LENGTH 100MTR. ROLL	CCT N/A	PRICE N/A

END CAP
141/-



MOUNTING CLIP
70/-



CORD WIRE
N/A





2835-120D-12V

POWER
10W

FEATURE
LED STRIP

OUTPUT
12V-DC
(120LED PER MTR)

LENGTH	CRI	IP RATING
5 MTR. ROLL	Ra>80+	Ip20

8MM-120LED-12V

CCT	PRICE(1 MTR)	CCT	PRICE(1 MTR)
3K/4K/6K	114/-	BLUE/GREEN/RED PINK/CICE BLUE	150/-

CCT	PRICE(1 MTR)
5K	168/-

5MM-120LED-12V

CCT	PRICE(1 MTR)	CCT	PRICE(1 MTR)
3K/4K/6K	140/-	5K	157/-



2835-180D-12V

POWER
15W

FEATURE
LED STRIP

OUTPUT
12V-DC
(180LED PER MTR)

LENGTH	CRI	IP RATING
5 MTR. ROLL	Ra>80+	Ip20

10MM-180LED-12V

CCT	PRICE(1 MTR)	CCT	PRICE(1 MTR)
3K/4K/6K	222/-	5K	307/-

5MM-180LED-12V

CCT	PRICE(1 MTR)	CCT	PRICE(1 MTR)
3K/4K/6K	251/-	5K	274/-



2835-240D-12V

POWER
20W

FEATURE
LED STRIP

OUTPUT
12V-DC
(240LED PER MTR)

LENGTH	CRI	IP RATING
5 MTR. ROLL	Ra>80+	Ip20

10MM-240LED-12V

CCT	PRICE(1 MTR)	CCT	PRICE(1 MTR)
3K/4K/6K	280/-	5K	370/-



2835-120D-24V

POWER
10W

FEATURE
LED STRIP

OUTPUT
24V-DC
(120LED PER MTR)

LENGTH	CRI	IP RATING
5 MTR. ROLL	Ra>80+	Ip20

8MM-120LED-24V

CCT	PRICE(1 MTR)	CCT	PRICE(1 MTR)
3K/4K/6K	139/-	5K	174/-

5MM-120LED-24V

CCT	PRICE(1 MTR)	CCT	PRICE(1 MTR)
3K/4K/6K	157/-	5K	174/-



2835-180D-24V

POWER
15W

FEATURE
LED STRIP

OUTPUT
24V-DC
(180LED PER MTR)

LENGTH	CRI	IP RATING
5 MTR. ROLL	Ra>80+	Ip20

10MM-180LED-24V

CCT	PRICE(1 MTR)	CCT	PRICE(1 MTR)
3K/4K/6K	260/-	5K	347/-

5MM-180LED-24V

CCT	PRICE(1 MTR)	CCT	PRICE(1 MTR)
3K/4K/6K	271/-	5K	308/-



2835-240D-24V

POWER
20W

FEATURE
LED STRIP

OUTPUT
24V-DC
(240LED PER MTR)

LENGTH	CRI	IP RATING
5 MTR. ROLL	Ra>80+	Ip20

10MM-240LED-24V

CCT	PRICE(1 MTR)	CCT	PRICE(1 MTR)
3K/4K/6K	308/-	5K	420/-



2835-216CCT-24V

POWER
20W

FEATURE
CCT(3IN1)
LED STRIP

OUTPUT
24V-DC
(216LED PER MTR)

LENGTH	CRI	IP RATING
5 MTR. ROLL	Ra>80+	Ip20

10MM-216LED-24V

CCT	PRICE(1 MTR)
WH+WW(3IN1)	382/-



5050-60D-12V

POWER
N/A

FEATURE
LED STRIP

OUTPUT
12V-DC
(60LED PER MTR)

LENGTH	CRI	IP RATING
5 MTR. ROLL	Ra>80+	IP20

8MM-60LED-12V

CCT	PRICE(1 MTR)	CCT	PRICE(1 MTR)
6K/BLUE	104/-	GREEN / RED / PINK	124/-

CCT	PRICE(1 MTR)
RGB	174/-



5050-60D-24V

POWER
N/A

FEATURE
RGB STRIP
LIGHT


OUTPUT
24V-DC
(60LED PER MTR)

LENGTH	CRI	IP RATING
5 MTR. ROLL	Ra>80+	IP20

10MM-60LED-24V

CCT	PRICE(1 MTR)
4IN1(RGB+WW)	521/-

CCT	PRICE(1 MTR)
5IN1(RGB+WW+CW)	869/-



COB STRIP-480D-24V

POWER
14W

FEATURE
COB STRIP

OUTPUT
24V-DC
(480LED PER MTR)

LENGTH 5 MTR. ROLL	CRI Ra>80+	IP RATING IP20
------------------------------	-------------------------	--------------------------

5MM-480LED-24V

CCT 3K/4K	PRICE(1 MTR) 320/-
---------------------	------------------------------

8MM-480LED-24V

CCT 3K/4K	PRICE(1 MTR) 290/-
---------------------	------------------------------



NL-90-2835-120D-24V

POWER
12W

FEATURE
LED STRIP

OUTPUT
24V-DC
(120LED PER MTR)

DIMENSION 8MM PCB	CRI Ra>90+	IP RATING IP20
LENGTH 10 MTR. ROLL	CCT 3K/4K/6K	PRICE(1 MTR) 263/-
LUMENS N/A	CCT 2700/ 3500K/5000K	PRICE(1 MTR) 291/-
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



NL-90-2835-240D-24V

POWER
24W

FEATURE
LED STRIP

OUTPUT
24V-DC
(240LED PER MTR)

DIMENSION 10MM PCB	CRI Ra>90+	IP RATING IP20
LENGTH 10 MTR. ROLL	CCT 3K/4K/6K	PRICE(1 MTR) 431/-
LUMENS N/A	CCT 2700K 3500K / 5000K	PRICE(1 MTR) 482/-
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



NL-90-2835-168D-24V

POWER
16W

FEATURE
LED STRIP

OUTPUT
24V-DC
(168LED PER MTR)

DIMENSION 5MM PCB	CRI Ra>90+	IP RATING IP20
LENGTH 10 MTR. ROLL	CCT 3K/4K/6K	PRICE(1 MTR) 302/-
LUMENS N/A	CCT N/A	PRICE N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



**NL-IP2835 120
WATERPROOF**

POWER
10W

FEATURE
WATERPROOF
LED STRIP

OUTPUT
24V-DC
(120LED PER MTR)

DIMENSION 8MM/10x3.8MM PCB	CRI Ra>80+	IP RATING IP68
LENGTH 10 MTR. ROLL	CCT 1800K	PRICE(1 MTR) 585/-
LUMENS N/A	CCT 2700K/ 4000K	PRICE(1 MTR) 504/-
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



**NL-IP2835 204
WATERPROOF**


POWER
14W

FEATURE
WATERPROOF
LED STRIP

OUTPUT
24V-DC
(204LED PER MTR)

DIMENSION 10MM/12x4MM PCB	CRI Ra>80+	IP RATING IP68
LENGTH 10 MTR. ROLL	CCT 1800K	PRICE(1 MTR) 785/-
LUMENS N/A	CCT 2700K/ 4000K	PRICE 678/-
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

NEW



NL-GZL-2210
24V-DC, 42LED

POWER
24W/MTR.

FEATURE
GRAZER
LED STRIP

OUTPUT
24V-DC
(42 LED PER MTR)

SINGLE LED CUT

DIMENSION 22mm PCB	CRI Ra>90+	IP RATING Ip68
BEAMANGLE 30°	CCT 2000K	PRICE(1 MTR) 1960/-
LENGTH 5 MTR. ROLL	CCT 3000K	PRICE(1 MTR) 1960/-
LUMENS N/A	CCT 4000K	PRICE(1 MTR) 1960/-

NEW



NL-GZL-1610
24V-DC, 48LED

POWER
14W/MTR.

FEATURE
GRAZER
LED STRIP

OUTPUT
24V-DC
(48 LED PER MTR)

SINGLE LED CUT

DIMENSION 16mm PCB	CRI Ra>90+	IP RATING Ip68
BEAMANGLE 30°	CCT 2000K	PRICE(1 MTR) 1478/-
LENGTH 5 MTR. ROLL	CCT 3000K	PRICE(1 MTR) 1478/-
LUMENS N/A	CCT 4000K	PRICE(1 MTR) 1478/-

NEW



STRAIGHT CONNECTOR

(FOR LED STRIP)

POWER
N/A

FEATURE
N/A

BODY CLR
N/A

DIMENSION	CRI	IP RATING
N/A	N/A	N/A
LUMENS	CCT	PRICE
N/A	N/A	40/-
LUMENS	CCT	PRICE
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

NEW



L - CONNECTOR

(FOR LED STRIP)


POWER
N/A

FEATURE
N/A

BODY CLR
N/A

DIMENSION	CRI	IP RATING
N/A	N/A	Ip20
LUMENS	CCT	PRICE
N/A	N/A	85/-
LUMENS	CCT	PRICE
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

NEW



WIRE CONNECTOR

(FOR LED STRIP)

POWER
N/A

FEATURE
N/A

BODY CLR
N/A

DIMENSION	CRI	IP RATING
N/A	N/A	Ip20
LUMENS	CCT	PRICE
N/A	N/A	50/-
LUMENS	CCT	PRICE
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

NEW



**COB ROPE LIGHT-288D
220V-DC**

POWER 8W / MTR. **FEATURE** N/A

OUTPUT 220V
(288LED PER MTR)

DIMENSION	CRI	IP RATING
N/A	N/A	IP65

LENGTH	CCT	PRICE(1 MTR)
50 MTR. ROLL	3000/4000K 6000K	184/-

LUMENS	CCT	PRICE
N/A	N/A	N/A

END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	130/-




2835-ROPE -220V

POWER 8W **FEATURE** ROPE LIGHT

OUTPUT 220V
(120LED PER MTR)
WW/NW/WH/BLUE

DIMENSION	CRI	IP RATING
N/A	Ra>80+	Ip20

LENGTH	CCT	PRICE(1 MTR)
50 MTR. ROLL	WW/NW/WH /BLUE	140/-

LUMENS	CCT	PRICE
N/A	N/A	N/A

END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	91/-




2835-ROPE -220V

POWER 8W **FEATURE** ROPE LIGHT

OUTPUT 220V
(120LED PER MTR)
RED/GREEN/PINK/
ICEBLUE/AMBER

DIMENSION	CRI	IP RATING
N/A	Ra>80+	Ip20

LENGTH	CCT	PRICE(1 MTR)
50 MTR. ROLL	RED/GREEN/PINK/ ICEBLUE/AMBER	184/-

LUMENS	CCT	PRICE
N/A	N/A	N/A

END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	91/-




2835-NEON-220V

POWER 8W **FEATURE** ROPE LIGHT

OUTPUT 220V
(120LED PER MTR)
WW/NW/WH/BLUE

DIMENSION	CRI	IP RATING
N/A	N/A	Ip20

LENGTH	CCT	PRICE(1 MTR)
50 MTR. ROLL	WW/NW/WH/ BLUE	252/-

LUMENS	CCT	PRICE
N/A	N/A	N/A

END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	127/-




2835-NEON-220V

POWER 8W **FEATURE** ROPE LIGHT


OUTPUT 220V
(120LED PER MTR)
RED/GREEN/PINK/
ICEBLUE/AMBER

DIMENSION	CRI	IP RATING
N/A	N/A	Ip20

LENGTH	CCT	PRICE(1 MTR)
50 MTR. ROLL	RED/GREEN/PINK/ ICEBLUE/AMBER	285/-

LUMENS	CCT	PRICE
N/A	N/A	N/A

END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	127/-

3014-ROPE-220V

POWER 7W **FEATURE** ROPE LIGHT


OUTPUT 220V
(120LED PER MTR)
WW/WH/BLUE

DIMENSION	CRI	IP RATING
N/A	Ra>80+	Ip20

LENGTH	CCT	PRICE(1 MTR)
100 MTR. ROLL	WW/WH/BLUE	78/-

LUMENS	CCT	PRICE
N/A	N/A	N/A

END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	68/-

3014-ROPE-220V

POWER 7W **FEATURE** ROPE LIGHT


OUTPUT 220V
(120LED PER MTR)
RED/GREEN

DIMENSION	CRI	IP RATING
N/A	Ra>80+	Ip20

LENGTH	CCT	PRICE(1 MTR)
100 MTR. ROLL	RED/GREEN	84/-

LUMENS	CCT	PRICE
N/A	N/A	N/A

END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	68/-

3014-ROPE-220V

POWER 7W **FEATURE** ROPE LIGHT

OUTPUT 220V
(120LED PER MTR)

DIMENSION	CRI	IP RATING
N/A	Ra>80+	Ip20

LENGTH	CCT	PRICE(1 MTR)
100 MTR. ROLL	PINK/RGB	90/-

LUMENS	CCT	PRICE
N/A	N/A	N/A

END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	68/-




5730-ROPE-220V

POWER 8W **FEATURE** ROPE LIGHT

OUTPUT 220V
(120LED PER MTR)

DIMENSION	CRI	IP RATING
N/A	N/A	Ip20

LENGTH	CCT	PRICE(1 MTR)
100 MTR. ROLL	WW/WH/BLUE	102/-

LUMENS	CCT	PRICE(1 MTR)
N/A	RED/GREEN	109/-

END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	84/-





5730-ROPE-220V

POWER
8W

FEATURE
ROPE LIGHT

OUTPUT
220V
(120LED PER MTR)

DIMENSION N/A	CRI N/A	IP RATING Ip20
LENGTH 100 MTR. ROLL	CCT PINK	PRICE(1 MTR) 115/-
LUMENS N/A	CCT N/A	PRICE N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE 84/-






SLIM-60W

POWER
60W

FEATURE
POWER
SUPPLY

OUTPUT
12V, 5AMP

DIMENSION N/A	CRI N/A	IP RATING IP20
12V-5AMP	CCT N/A	PRICE(on/off) 647/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A




ULTRA SLIM-24W

POWER
24W

FEATURE
POWER
SUPPLY

OUTPUT
12V, 2AMP

DIMENSION N/A	CRI N/A	IP RATING IP20
12V-2AMP	CCT N/A	PRICE(on/off) 428/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A




ULTRA SLIM-36W

POWER
36W

FEATURE
POWER
SUPPLY

OUTPUT
12V, 3AMP

DIMENSION N/A	CRI N/A	IP RATING IP20
12V-3AMP	CCT N/A	PRICE(on/off) 635/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



ULTRA SLIM-60W

POWER
60W

FEATURE
POWER
SUPPLY

OUTPUT
12V, 5MP

DIMENSION N/A	CRI N/A	IP RATING IP20
12V-5AMP	CCT N/A	PRICE(on/off) 770/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



CABINET PS-60W

POWER
60W

FEATURE
CABINET AND
FURNITURE
POWER
SUPPLY

OUTPUT
12V, 5AMP
24V, 2.5AMP } PRE SELECT
BY SWITCH

DIMENSION N/A	CRI N/A	IP RATING IP20
12V/24V	CCT N/A	PRICE(on/off) 1407/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



CABINET PS-100W

POWER
100W

FEATURE
CABINET AND
FURNITURE
POWER
SUPPLY

OUTPUT
12V, 8.33AMP
24V, 4.16AMP } PRE SELECT
BY SWITCH

DIMENSION N/A	CRI N/A	IP RATING IP20
12V/24V	CCT N/A	PRICE(on/off) 1835/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



THIN PRO-60W

POWER
60W

FEATURE
POWER
SUPPLY

OUTPUT
12V, 5AMP
24V, 2.5AMP

DIMENSION L115xW25xH50MM	CRI N/A	IP RATING IP20
12V-5AMP	CCT N/A	PRICE(on/off) 738/-
24V-2.5AMP	CCT N/A	PRICE(on/off) 738/-
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



THIN PRO-120W

POWER
120W

FEATURE
POWER
SUPPLY

OUTPUT
12V, 10AMP
24V, 5AMP

DIMENSION L138xW25xH50MM	CRI N/A	IP RATING IP20
12V-10AMP	CCT N/A	PRICE(on/off) 1054/-
24V-5AMP	CCT N/A	PRICE(on/off) 1054/-
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



THIN PRO-200W

POWER
200W

FEATURE
POWER
SUPPLY

OUTPUT
12V, 16.6AMP
24V, 8.3AMP

DIMENSION L205xW25xH50MM	CRI N/A	IP RATING IP20
12V-16.6AMP	CCT N/A	PRICE(on/off) 1605/-
24V-8.3AMP	CCT N/A	PRICE(on/off) 1605/-
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



THIN PRO-300W

POWER
300W

FEATURE
POWER
SUPPLY

OUTPUT
12V, 25AMP
24V, 12.5AMP

DIMENSION	CRI	IP RATING
L240xW25xH50MM	N/A	IP20
12V-25AMP	CCT N/A	PRICE(on/off) 2489/-
24V-12.5AMP	CCT N/A	PRICE(on/off) 2489/-
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



THIN PRO-400W

POWER
400W

FEATURE
POWER
SUPPLY

OUTPUT
12V, 33.33AMP
24V, 16.66AMP

DIMENSION	CRI	IP RATING
L226xW28xH60MM	N/A	IP20
12V-33.33AMP	CCT N/A	PRICE(on/off) 2889/-
24V-16.66AMP	CCT N/A	PRICE(on/off) 2889/-
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



SPARK-60W

POWER
60W

FEATURE
POWER
SUPPLY

OUTPUT
12V, 5AMP
24V, 2.5AMP

DIMENSION	CRI	IP RATING
L147xH23xW32MM	N/A	IP20
12V-5AMP	CCT N/A	PRICE(on/off) 980/-
24V-2.5AMP	CCT N/A	PRICE(on/off) 980/-



SPARK-100W

POWER
100W

FEATURE
POWER
SUPPLY

OUTPUT
12V, 8.33AMP
24V, 4.16AMP
48V, 2.1AMP

DIMENSION	CRI	IP RATING
L177xH23xW32MM	N/A	IP20
12V-8.33AMP	CCT N/A	PRICE(on/off) 1386/-
24V-4.16AMP	CCT N/A	PRICE(on/off) 1386/-
48V-2.1AMP	CCT N/A	PRICE(on/off) 1386/-



SPARK-200W

POWER
200W

FEATURE
POWER
SUPPLY

OUTPUT
12V, 16.66AMP
24V, 8.33AMP
48V, 4.2AMP

DIMENSION	CRI	IP RATING
L217xH23xW32MM	N/A	IP20
12V-16.66AMP	CCT N/A	PRICE(on/off) 1776/-
24V-8.33AMP	CCT N/A	PRICE(on/off) 1776/-
48V-4.2AMP	CCT N/A	PRICE(on/off) 1776/-

NEW



SPARK-300W

POWER
300W

FEATURE
POWER
SUPPLY

OUTPUT
12V, 25AMP
24V, 12.5AMP

DIMENSION	CRI	IP RATING
L257xH23xW32MM	N/A	IP20
12V-25AMP	CCT N/A	PRICE(on/off) 2889/-
24V-12.5AMP	CCT N/A	PRICE(on/off) 2889/-



IP67-60W

POWER
60W

FEATURE
POWER
SUPPLY

OUTPUT
12V, 5AMP
24V, 2.5AMP

DIMENSION	CRI	IP RATING
L180xW26xH70MM	N/A	IP67
12V-5AMP	CCT N/A	PRICE(on/off) 1910/-
24V-2.5AMP	CCT N/A	PRICE(on/off) 1910/-



IP67-100W

POWER
100W

FEATURE
POWER
SUPPLY

OUTPUT
12V, 8.33AMP
24V, 4.16AMP

DIMENSION	CRI	IP RATING
L230xW26xH70MM	N/A	IP67
12V-8.33AMP	CCT N/A	PRICE(on/off) 2408/-
24V-4.16AMP	CCT N/A	PRICE(on/off) 2408/-



IP67-200W

POWER
200W

FEATURE
POWER
SUPPLY

OUTPUT
12V, 16.66AMP
24V, 8.33AMP

DIMENSION	CRI	IP RATING
L280xW26xH70MM	N/A	IP67
12V-16.66AMP	CCT N/A	PRICE(on/off) 3991/-
24V-8.33AMP	CCT N/A	PRICE(on/off) 3991/-



IP67-300W

POWER
300W

FEATURE
POWER
SUPPLY

OUTPUT
12V, 25AMP
24V, 12.5AMP

DIMENSION	CRI	IP RATING
L280xW32xH95MM	N/A	IP67
12V-25AMP	CCT N/A	PRICE(on/off) 5227/-
24V-12.5AMP	CCT N/A	PRICE(on/off) 5227/-



ZIGBEE-24V-100W

POWER
100W

FEATURE
POWER
SUPPLY

OUTPUT
24V, 4.16AMP

DIMENSION	CRI	IP RATING
L138xW25xH50MM	N/A	IP20
24V-4.16AMP	CCT N/A	PRICE(on/off) 4850/-



ZIGBEE-24V-200W

POWER
200W

FEATURE
POWER
SUPPLY

OUTPUT
24V, 8.33AMP

DIMENSION	CRI	IP RATING
L178xW25xH50MM	N/A	IP20
24V-8.33AMP	CCT N/A	PRICE(on/off) 5900/-



DALI-DT6

POWER
8W

FEATURE
DALI
DRIVER

OUTPUT
100-200MA

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	2279/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



DALI-DT6

POWER
15W

FEATURE
DALI
DRIVER

OUTPUT
250-350MA

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	2445/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



DALI-DT6

POWER
30W

FEATURE
DALI
DRIVER

OUTPUT
400-750MA

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	2729/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



DALI-DT8

POWER
12W

FEATURE
DALI
DRIVER

OUTPUT
100-300MA

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	4034/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



DALI-DT8

POWER
20W

FEATURE
DALI
DRIVER

OUTPUT
300-500MA

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	4558/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



DALI-DT8

POWER
30W

FEATURE
DALI
DRIVER

OUTPUT
400-750MA

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	6613/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



DALI-DT8CV

POWER
75W

FEATURE
CONSTANT
VOLTAGE
DALI DRIVER

OUTPUT
0-3.125

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	6800/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



DALI-DT8CV

POWER
150W

FEATURE
CONSTANT
VOLTAGE
DALI DRIVER

OUTPUT
0-6.250

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)(1 MTR)
N/A	N/A	10507/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



AIR SMART CONTROLLER FOR LED STRIP

POWER
120W

FEATURE
AIR SMART
CONTROLLER
FOR LED
STRIP

BODY CLR
N/A

NOTE :
Separate Power Supply Needed

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	1926/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



AIR REMOTE

POWER
N/A

FEATURE
REMOTE
CONTROL FOR
NP AIR

BODY CLR
N/A

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	2354/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



AIR DRIVER

POWER
6-12W

FEATURE
NP AIR
DRIVER

OUTPUT
36VA

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	1100/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

WATTAGE NEED TO PRE SELECT BY DIP SWITCH

6W 8W 10W 12W

- [] +



AIR DRIVER

POWER
14-20W

FEATURE
NP AIR
DRIVER

OUTPUT
36VA

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	1650/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

WATTAGE NEED TO PRE SELECT BY DIP SWITCH

14W 16W 18W 20W

- [] +



AIR DRIVER

POWER
22-30W

FEATURE
NP AIR
DRIVER

OUTPUT
36VA

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	2400/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

WATTAGE NEED TO PRE SELECT BY DIP SWITCH

22W 25W 28W 30W

- [] +



BT-MESH TUYA-SMART LIFE

POWER
6-12W

FEATURE
BT-MESH
DRIVER

OUTPUT
36VA

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	1450/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

WATTAGE NEED TO PRE SELECT BY DIP SWITCH

6W 8W 10W 12W

- [] +



BT-MESH TUYA-SMART LIFE

POWER
14-20W

FEATURE
BT-MESH
DRIVER

OUTPUT
36VA

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	1650/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

WATTAGE NEED TO PRE SELECT BY DIP SWITCH

14W 16W 18W 20W

- [] +



BT-MESH TUYA-SMART LIFE

POWER
22-30W

FEATURE
BT-MESH
DRIVER

OUTPUT
36VA

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	2600/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

WATTAGE NEED TO PRE SELECT BY DIP SWITCH

22W 25W 28W 30W

- [] +



ZIGBEE

POWER
6-12W

FEATURE
ZIGBEE
DRIVER

OUTPUT
36VA

DIMENSION	CRI	IP RATING
N/A	N/A	IP20
LUMENS	CCT	PRICE(on/off)
N/A	N/A	2200/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

WATTAGE NEED TO PRE SELECT BY DIP SWITCH

6W 8W 10W 12W

- [] +



ZIGBEE

POWER
14-20W

FEATURE
ZIGBEE
DRIVER

OUTPUT
36VA

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 2450/-

WATTAGE NEED TO PRE SELECT BY DIP SWITCH

14W 16W 18W 20W





**CCT LED
CONTROLLER**

POWER
130/260W

FEATURE
CONTROLLER
CCT STRIP
(WH+WW)

OUTPUT
12V/24V

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 2274/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



**RGB+WW
CONTROLLER**
(4IN1STRIP-5050)

POWER
N/A

FEATURE
CONTROLLER
4IN1 RGB W
(5050)

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 1646/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



**RGB+WW+CW
CONTROLLER**
(5IN1STRIP-5050)

POWER
N/A

FEATURE
CONTROLLER
5IN1 RGB WW
(5050)

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 1846/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



**RF REMOTE
CONTROLLER**

POWER
N/A

FEATURE
CONTROLLER
FOR RGB STRIP
(5050)

BODY CLR
N/A

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 433/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



**WARDROBE
SENSOR**

POWER
N/A

FEATURE
SINGLE DOOR

BODY CLR
N/A

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 735/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



**WARDROBE
SENSOR**

POWER
N/A

FEATURE
DOUBLE DOOR

BODY CLR
N/A

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 1145/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



**MOTION
SENSOR**

POWER
N/A

FEATURE
MICROWAVE

BODY CLR
N/A

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 578/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



**MOTION SENSOR
RECESSED**

POWER
N/A

FEATURE
MICROWAVE
RECESSED

BODY CLR
N/A

DIMENSION N/A	CRI N/A	IP RATING IP20
LUMENS N/A	CCT N/A	PRICE(on/off) 1523/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



SWIVEL-11

POWER
9W

FEATURE
MIRROR
LIGHT

BODY CLR
WH/BK

DIMENSION	CRI	IP RATING
L330xW42xH55MM	Ra>80+	IP20
LUMENS N/A	CCT 3IN1	PRICE(on/off) 1399/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



SWIVEL-11

POWER
12W

FEATURE
MIRROR
LIGHT

BODY CLR
WH/BK

DIMENSION	CRI	IP RATING
L417xW42xH55MM	Ra>80+	IP20
LUMENS N/A	CCT 3IN1	PRICE(on/off) 1676/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A




SWIVEL-11

POWER
18W

FEATURE
MIRROR
LIGHT

BODY CLR
WH/BK

DIMENSION	CRI	IP RATING
L533xW42xH55MM	Ra>80+	IP20
LUMENS N/A	CCT 3IN1	PRICE(on/off) 1935/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



SWIVEL-16

POWER
12W

FEATURE
MIRROR
LIGHT

BODY CLR
WH+RGD / BK+RGD

DIMENSION	CRI	IP RATING
L420xW43x100mm	Ra>80+	IP20
LUMENS N/A	CCT 3IN1	PRICE(on/off) 1782/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



SWIVEL-16

POWER
18W

FEATURE
MIRROR
LIGHT

BODY CLR
WH+RGD / BK+RGD

DIMENSION	CRI	IP RATING
L550xW43x100mm	Ra>80+	IP20
LUMENS N/A	CCT 3IN1	PRICE(on/off) 2004/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



SWIVEL-17

POWER
12W

FEATURE
MIRROR
LIGHT

BODY CLR
WH+RGD / BK+RGD

DIMENSION	CRI	IP RATING
L420xW43x100mm	Ra>80+	IP20
LUMENS N/A	CCT 3IN1	PRICE(on/off) 1867/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



SWIVEL-17

POWER
18W

FEATURE
MIRROR
LIGHT

BODY CLR
WH+RGD / BK+RGD

DIMENSION	CRI	IP RATING
D550xW43x100mm	Ra>80+	IP20
LUMENS N/A	CCT 3IN1	PRICE(on/off) 2117/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



SWIVEL-18

POWER
12W

FEATURE
MIRROR
LIGHT

BODY CLR
BK

DIMENSION	CRI	IP RATING
420mm	Ra>80+	IP20
LUMENS N/A	CCT 3IN1	PRICE(on/off) 1895/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



SWIVEL-18

POWER
18W

FEATURE
MIRROR
LIGHT

BODY CLR
BK

DIMENSION	CRI	IP RATING
530mm	Ra>80+	IP20
LUMENS N/A	CCT 3IN1	PRICE(on/off) 2079/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

NEW

SWIVEL-19



POWER
12W

FEATURE
MIRROR
LIGHT

BODY CLR
BK

(Rotating Lamp Head)

(Adjustable Arm)

DIMENSION	CRI	IP RATING
418mm	Ra>80+	Ip20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	1895/-

NEW

SWIVEL-19



POWER
18W

FEATURE
MIRROR
LIGHT

BODY CLR
BK

(Rotating Lamp Head)

(Adjustable Arm)

DIMENSION	CRI	IP RATING
528mm	Ra>80+	Ip20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	2052/-

NEW

SWIVEL-22



POWER
9W

FEATURE
MIRROR
LIGHT

BODY CLR
WH

DIMENSION	CRI	IP RATING
L336xW38xH93MM	Ra>80+	Ip20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	1555/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

NEW

SWIVEL-22



POWER
12W

FEATURE
MIRROR
LIGHT

BODY CLR
WH

DIMENSION	CRI	IP RATING
L436xW38xH93MM	Ra>80+	Ip20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	1868/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

NEW

SWIVEL-22



POWER
18W

FEATURE
MIRROR
LIGHT

BODY CLR
WH

DIMENSION	CRI	IP RATING
L546xW38xH93MM	Ra>80+	Ip20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	2246/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

SWIVEL-44



POWER
9W

FEATURE
MIRROR
LIGHT

BODY CLR
SILVER

DIMENSION	CRI	IP RATING
L305xW83xH46MM	Ra>80+	Ip20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	1620/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

SWIVEL-44



POWER
12W

FEATURE
MIRROR
LIGHT

BODY CLR
SILVER

DIMENSION	CRI	IP RATING
L455xW83xH46MM	Ra>80+	Ip20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	2072/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

SWIVEL-44



POWER
18W

FEATURE
MIRROR
LIGHT

BODY CLR
SILVER

DIMENSION	CRI	IP RATING
L605xW83xH46MM	Ra>80+	Ip20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	2484/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

SWIVEL-77



POWER
9W

FEATURE
MIRROR
LIGHT

BODY CLR
SILVER

DIMENSION	CRI	IP RATING
L305xW83xH46MM	Ra>80+	Ip20
LUMENS	CCT	PRICE(on/off)
N/A	3IN1	1382/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A

SWIVEL-77



POWER
12W

FEATURE
MIRROR
LIGHT

BODY CLR
SILVER

DIMENSION	CRI	IP RATING
L455xW83xH46MM	Ra>80+	Ip20
LUMENS N/A	CCT 3IN1	PRICE(on/off) 1680/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

SWIVEL-77



POWER
18W

FEATURE
MIRROR
LIGHT

BODY CLR
SILVER

DIMENSION	CRI	IP RATING
L605xW83xH46MM	Ra>80+	Ip20
LUMENS N/A	CCT 3IN1	PRICE(on/off) 2004/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

SWIVEL-88



POWER
9W

FEATURE
MIRROR
LIGHT

BODY CLR
SILVER

DIMENSION	CRI	IP RATING
L316xW76xH35MM	Ra>80+	Ip20
LUMENS N/A	CCT 3IN1	PRICE(on/off) 1604/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

SWIVEL-88



POWER
12W

FEATURE
MIRROR
LIGHT

BODY CLR
SILVER

DIMENSION	CRI	IP RATING
L450xW76xH35MM	Ra>80+	Ip20
LUMENS N/A	CCT 3IN1	PRICE(on/off) 1971/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

SWIVEL-88



POWER
18W

FEATURE
MIRROR
LIGHT

BODY CLR
SILVER

DIMENSION	CRI	IP RATING
L552xW76xH35MM	Ra>80+	Ip20
LUMENS N/A	CCT 3K	PRICE(on/off) 2414/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

NL-BL91



POWER
3W

FEATURE
BED SIDE
LAMP

BODY CLR
WH/BK

DIMENSION	CRI	IP RATING
30x300x69MM	Ra>80+	Ip20
BEAM ANGLE 60°	CCT 3K	PRICE(on/off) 1448/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

NL-BL92



POWER
3W

FEATURE
BED SIDE
LAMP

BODY CLR
WH/BK

DIMENSION	CRI	IP RATING
60x300x67MM	Ra>80+	Ip20
BEAM ANGLE 60°	CCT 3K	PRICE(on/off) 1448/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A

NL-BL95




POWER
3W+5W+1W

FEATURE
BED SIDE
LAMP

BODY CLR
WH/BK

DIMENSION	CRI	IP RATING
H590x83MM	Ra>80+	Ip20
BEAM ANGLE 60°	CCT 3K	PRICE(on/off) 5005/-
LUMENS N/A	CCT N/A	PRICE(on/off) N/A
END CAP N/A	MOUNTING CLIP N/A	CORD WIRE N/A



NL-FL551

POWER
3W

FEATURE
FOOT LIGHT
(WITH MODUL BOX)

BODY CLR
WH/BK

DIMENSION	CRI	IP RATING
L42xW35xH26MM	Ra>80+	Ip20
LUMENS	CCT	PRICE(on/off)
N/A	3K	594/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



NL-FL552

POWER
3W

FEATURE
FOOT LIGHT
(WITH MODUL BOX)

BODY CLR
WH/BK

DIMENSION	CRI	IP RATING
L42xW35xH26MM	Ra>80+	IP20
LUMENS	CCT	PRICE(on/off)
N/A	3K	594/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A




NL-FL553

POWER
3W

FEATURE
FOOT LIGHT
(WITH MODUL BOX)

BODY CLR
WH/BK

DIMENSION	CRI	IP RATING
L42xW35xH26MM	Ra>80+	Ip20
LUMENS	CCT	PRICE(on/off)
N/A	3K	594/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



NL-FL554

POWER
3W

FEATURE
FOOT LIGHT
(WITH MODUL BOX)

BODY CLR
WH/BK

DIMENSION	CRI	IP RATING
L42xW35xH26MM	Ra>80+	Ip20
LUMENS	CCT	PRICE(on/off)
N/A	3K	594/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



MODULAR BOX

POWER
N/A

FEATURE
N/A

BODY CLR
BK

DIMENSION	CRI	IP RATING
60x39MM	Ra>80+	Ip20
LUMENS	CCT	PRICE(on/off)
N/A	3K	76/-
LUMENS	CCT	PRICE(on/off)
N/A	N/A	N/A
END CAP	MOUNTING CLIP	CORD WIRE
N/A	N/A	N/A



CL-35A-CLEAR

POWER
4W

FEATURE
LED BULB

HOLDER TYPE
E14/E27

DIMENSION N/A	CRI Ra>80	IP RATING IP20
LUMENS N/A	CCT 2200K/2700K 4000K	PRICE(on/off) 178/-



CL-35A-AMBER

POWER
4W

FEATURE
LED BULB

HOLDER TYPE
E14/E27

DIMENSION N/A	CRI Ra>80	IP RATING IP20
LUMENS N/A	CCT 2700K	PRICE(on/off) 211/-



CL-35A(DIMMABLE)

POWER
4W

FEATURE
LED BULB

HOLDER TYPE
E14/E27

DIMENSION N/A	CRI Ra>80	IP RATING IP20
LUMENS N/A	CCT 2700K	PRICE(on/off) 356/-



CL-35T-CLEAR

POWER
4W

FEATURE
LED BULB

HOLDER TYPE
E14/E27

DIMENSION N/A	CRI Ra>80	IP RATING IP20
LUMENS N/A	CCT 2200K/2700K	PRICE(on/off) 178/-



CL-64M-CLEAR

POWER
4W

FEATURE
LED BULB

HOLDER TYPE
E27

DIMENSION N/A	CRI Ra>80	IP RATING IP20
LUMENS N/A	CCT 2200K/2700K 4000K	PRICE(on/off) 248/-



CL-64M-AMBER

POWER
4W

FEATURE
LED BULB

HOLDER TYPE
E27

DIMENSION N/A	CRI Ra>80	IP RATING IP20
LUMENS N/A	CCT 2700K	PRICE(on/off) 356/-



CL-64M-CLEAR

POWER
8W

FEATURE
LED BULB

HOLDER TYPE
E27

DIMENSION N/A	CRI Ra>80	IP RATING IP20
LUMENS N/A	CCT 2700K	PRICE(on/off) 616/-



CL-64M-AMBER

POWER
8W

FEATURE
LED BULB

HOLDER TYPE
E27

DIMENSION N/A	CRI Ra>80	IP RATING IP20
LUMENS N/A	CCT 2700K	PRICE(on/off) 788/-



CL-64M(DIMMABLE)

POWER
4W

FEATURE
LED BULB

HOLDER TYPE
E27

DIMENSION N/A	CRI Ra>80	IP RATING IP20
LUMENS N/A	CCT 2700K	PRICE(on/off) 616/-



CL-45G-CLEAR

POWER
4W

FEATURE
LED BULB

HOLDER TYPE
E14/E27

DIMENSION N/A	CRI Ra>80	IP RATING IP20
LUMENS N/A	CCT 2200K/2700K 4000K	PRICE(on/off) 192/-



CL-45G-AMBER

POWER
4W

FEATURE
LED BULB

HOLDER TYPE
E14/E27

DIMENSION N/A	CRI Ra>80	IP RATING IP 20
LUMENS N/A	CCT 2700K	PRICE(on/off) 227/-



CL-45G (DIMMABLE)

POWER
4W

FEATURE
LED BULB

HOLDER TYPE
E14/E27

DIMENSION N/A	CRI Ra>80	IP RATING IP 20
LUMENS N/A	CCT 2700K	PRICE(on/off) 386/-



CL-45G-SILVER

POWER
4W

FEATURE
LED BULB

HOLDER TYPE
E27

DIMENSION	CRI	IP RATING
N/A	Ra>80	IP 20
LUMENS	CCT	PRICE(on/off)
N/A	2700K	373/-



CL-80G-CLEAR

POWER
4W

FEATURE
LED BULB

HOLDER TYPE
E27

DIMENSION	CRI	IP RATING
N/A	Ra>80	IP 20
LUMENS	CCT	PRICE(on/off)
N/A	2200K/2700K	281/-



CL-80G-CLEAR

POWER
8W

FEATURE
LED BULB

HOLDER TYPE
E27

DIMENSION	CRI	IP RATING
N/A	Ra>80	IP 20
LUMENS	CCT	PRICE(on/off)
N/A	2200K/2700K	603/-



CL-80G-SILVER

POWER
4W

FEATURE
LED BULB

HOLDER TYPE
E27

DIMENSION	CRI	IP RATING
N/A	Ra>80	IP 20
LUMENS	CCT	PRICE(on/off)
N/A	2700K	486/-



CL-95G-CLEAR

POWER
4W

FEATURE
LED BULB

HOLDER TYPE
E27

DIMENSION	CRI	IP RATING
N/A	Ra>80	IP 20
LUMENS	CCT	PRICE(on/off)
N/A	2700K	435/-



CL-95G-CLEAR

POWER
8W

FEATURE
LED BULB

HOLDER TYPE
E27

DIMENSION	CRI	IP RATING
N/A	Ra>80	IP 20
LUMENS	CCT	PRICE(on/off)
N/A	2700K	972/-



CL-125G-CLEAR

POWER
4W

FEATURE
LED BULB

HOLDER TYPE
E27

DIMENSION	CRI	IP RATING
N/A	Ra>80	IP 20
LUMENS	CCT	PRICE(on/off)
N/A	2700K	905/-



CL-125G-CLEAR

POWER
8W

FEATURE
LED BULB

HOLDER TYPE
E27

DIMENSION	CRI	IP RATING
N/A	Ra>80	IP 20
LUMENS	CCT	PRICE(on/off)
N/A	2700K	1810/-



NL-4009SNS

POWER
16W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT


Motion Sensor

DIMENSION D170xH40mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 1502/-	NP Air (TW) N/A



NL-4009SNS

POWER
24W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT


Motion Sensor

DIMENSION D225xH40mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 2134/-	NP Air (TW) N/A



NL-4098SNS


POWER
10W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT


Motion Sensor

DIMENSION D132xH36mm	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/5K/6K	PRICE(on/off) 1525/-	NP Air (TW) N/A



NL-4098SNS

POWER
16W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT


Motion Sensor

DIMENSION D155xH36mm	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/5K/6K	PRICE(on/off) 1725/-	NP Air (TW) N/A



NL-4008(RD)

POWER
8W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT

DIMENSION D90x46mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 1595/-	NP Air (TW) N/A



NL-4008(SQ)

POWER
8W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT

DIMENSION D90x90x46mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 1595/-	NP Air (TW) N/A



NL-4008(RD)

POWER
15W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT

DIMENSION D140xH46mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 2585/-	NP Air (TW) N/A



NL-4008(SQ)

POWER
15W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE CEILING LIGHT

DIMENSION D140x140xH46mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 2585/-	NP Air (TW) N/A



NL-3030

POWER
5W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION D68xH30mm	CUTOUT N/A	BEAM ANGLE 45°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 1265/-	NP Air (TW) N/A




NL-2525

POWER
3W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE

DIMENSION D60x15mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 468/-	NP Air (TW) N/A



NL-2626

POWER
5W

BODY CLR
WOOD/GUN BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION D60xH14.5mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K	PRICE(on/off) 495/-	NP Air (TW) N/A



NL-3535

POWER
10W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION D70xH95mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 1980/-	NP Air (TW) N/A



NL-3535

POWER
15W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION D75xH110mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 2563/-	NP Air (TW) N/A



NL-3545

POWER
7W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION 60x64mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 1859/-	NP Air (TW) N/A



NL-3545

POWER
12W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION 75x77mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 2310/-	NP Air (TW) N/A



NL-3545

POWER
18W

BODY CLR
BK

FEATURES / DESCRIPTION
SURFACE

DIMENSION 90x92mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT 3K/4K/6K	PRICE(on/off) 3080/-	NP Air (TW) N/A



NL-6565

POWER
10W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
62x76mm	N/A	36°

IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A

CCT	PRICE(on/off)	NP Air (TW)
3K/4K	1562/-	N/A



NL-6565

POWER
18W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
83x88mm	N/A	36°

IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A

CCT	PRICE(on/off)	NP Air (TW)
3K/4K	2101/-	N/A



NL-6565

POWER
24W

BODY CLR
BK/WH

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
105x105mm	N/A	36°

IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A

CCT	PRICE(on/off)	NP Air (TW)
3K/4K	3014/-	N/A



NL-6575

POWER
7W

BODY CLR
WH+WH / BK+GB

FEATURES / DESCRIPTION
RECESSED

DIMENSION	CUTOUT	BEAM ANGLE
62x58mm	Ø55mm	36°

IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A

CCT	PRICE(on/off)	NP Air (TW)
3K/4K/5K	1243/-	N/A



NL-6575

POWER
12W

BODY CLR
WH+WH / BK+GB

FEATURES / DESCRIPTION
RECESSED

DIMENSION	CUTOUT	BEAM ANGLE
83x62mm	Ø75mm	36°

IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A

CCT	PRICE(on/off)	NP Air (TW)
3K/4K/5K	1645/-	N/A



NL-6575

POWER
18W

BODY CLR
WH+WH / BK+GB

FEATURES / DESCRIPTION
RECESSED

DIMENSION	CUTOUT	BEAM ANGLE
105x75mm	Ø95mm	36°

IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A

CCT	PRICE(on/off)	NP Air (TW)
3K/4K/5K	2525/-	N/A



SHEEN (IP54)

POWER **FEATURE**
8W RECESSED

BODY CLR
BK / WH

DIMENSION	CUTOUT	BEAM ANGLE
D71xH63mm	Ø63mm	38°

IP RATING	CRI	LED TYPE
IP 54	Ra>90+	COB

LUMENS	CCT	PRICE(on/off)
720LM±5%	3K/4K/5K	2500/-

Signature



SHEEN (IP54)

POWER **FEATURE**
15W RECESSED

BODY CLR
BK / WH

DIMENSION	CUTOUT	BEAM ANGLE
D88xH80mm	Ø83mm	38°

IP RATING	CRI	LED TYPE
IP 54	Ra>90+	COB

LUMENS	CCT	PRICE(on/off)
1350LM±5%	3K/4K/5K	3275/-

Signature



SHEEN (IP54)

POWER **FEATURE**
8W RECESSED

BODY CLR
GUN BK /
BRASS

DIMENSION	CUTOUT	BEAM ANGLE
D71xH63mm	Ø63mm	38°

IP RATING	CRI	LED TYPE
IP 54	Ra>90+	COB

LUMENS	CCT	PRICE(on/off)
720LM±5%	3K/4K/5K	2731/-

Signature



SHEEN (IP54)

POWER
15W

FEATURE
RECESSED

BODY CLR
GUN BK /
BRASS

DIMENSION	CUTOUT	BEAM ANGLE
D88xH80mm	Ø83mm	38°
IP RATING	CRI	LED TYPE
IP 54	Ra>90+	COB
LUMENS	CCT	PRICE(on/off)
1350LM±5%	3K/4K/5K	3528/-

Signature




NL-ZENITH-S (IP54)

POWER
12W

BODY CLR
BK+MATT BK / WH+WH

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
D102x42xH57mm	N/A	50°
IP RATING	CRI	LUMENS
IP 54	Ra>90+	960LM±5%
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/5K	3450/-	N/A



NL-ZENITH-S (IP54)

POWER
18W

BODY CLR
BK+MATT BK / WH+WH

FEATURES / DESCRIPTION
SURFACE

DIMENSION	CUTOUT	BEAM ANGLE
D152x42xH57mm	N/A	50°
IP RATING	CRI	LUMENS
IP 54	Ra>90+	1440LM±5%
CCT	PRICE(on/off)	NP Air (TW)
3K/4K/5K	4950/-	N/A



NEW



NL-PR301
POWER
8W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 315x110mm	CUTOUT N/A	BEAM ANGLE 35°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT ADJ SWITCH 2.7K/3K/4K	PRICE(on/off) 5269/-	NP Air (TW) N/A

NEW



NL-PR301
POWER
15W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 315x110mm	CUTOUT N/A	BEAM ANGLE 35°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT ADJ SWITCH 2.7K/3K/4K	PRICE(on/off) 6336/-	NP Air (TW) N/A

NEW



**Extension Pipe
(NL-PR301)**
BODY CLR
GREY
FEATURES / DESCRIPTION
EXTENSION BOLLARD

DIMENSION 300mm	CUTOUT N/A	PRICE(on/off) 1232/-
DIMENSION 600mm	CUTOUT N/A	PRICE(on/off) 2063/-

NEW



NL-PR302 HL
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
HANGING

DIMENSION 1200x90mm	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7810/-	NP Air (TW) N/A

NEW



NL-PR302 B
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 600x65mm	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 8608/-	NP Air (TW) N/A

NEW



NL-PR302 WL
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 190x135mm	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7007/-	NP Air (TW) N/A

NEW



**Extension Pipe
(NL-PR302-B)**

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
EXTENSION BOLLARD

DIMENSION	CUTOUT	PRICE(on/off)
300mm	N/A	1232/-
DIMENSION	CUTOUT	PRICE(on/off)
600mm	N/A	2063/-

NEW



NL-PR303

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
65x290x106mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K	6897/-	N/A

NEW



NL-PR303 B

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
65x600mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K	8096/-	N/A

NEW



NL-PR303 B


POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
65x900mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K	9477/-	N/A

NEW



NL-PR304


POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
265x120x60mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	6182/-	N/A

NEW



NL-PR304

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
450x120x60mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	8487/-	N/A

NEW



NL-PR305 WL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
120x225x135mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K	7123/-	N/A

NEW



NL-PR305 B

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
120x65x600mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K	8817/-	N/A

NEW



NL-PR305 B

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
120x65x900mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K	10027/-	N/A

NEW



NL-PR306


POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
75x130mm	N/A	130°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K/4K	5325/-	N/A

NEW



NL-PR306

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
75x130mm	N/A	130°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT	PRICE(on/off)	NP Air (TW)
ADJ SWITCH 2.7K/3K/4K	6232/-	N/A


NEW



NL-PR307
POWER
8W
BODY CLR
DARK GREY
FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 240x95x70mm	CUTOUT N/A	BEAM ANGLE 260°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5654/-	NP Air (TW) N/A

NEW



NL-PR307
POWER
8W
BODY CLR
DARK GREY
FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 360x95x70mm	CUTOUT N/A	BEAM ANGLE 260°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6446/-	NP Air (TW) N/A

NEW



NL-PR307
POWER
8W
BODY CLR
DARK GREY
FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 460x95x70mm	CUTOUT N/A	BEAM ANGLE 260°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7227/-	NP Air (TW) N/A

NEW



NL-PR308
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 365x95x70mm	CUTOUT N/A	BEAM ANGLE 260°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 8443/-	NP Air (TW) N/A

NEW



NL-PR309
POWER
8W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 450x30x44x70mm	CUTOUT N/A	BEAM ANGLE 130°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5830/-	NP Air (TW) N/A


NEW



NL-PR309
POWER
8W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 590x30x44x70mm	CUTOUT N/A	BEAM ANGLE 130°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6342/-	NP Air (TW) N/A


NEW



NL-PR310
POWER
6W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL & CEILING LIGHT

DIMENSION 100x70mm	CUTOUT N/A	BEAM ANGLE 130°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT ADJ SWITCH 2.7K/3K/4K	PRICE(on/off) 5830/-	NP Air (TW) N/A


NEW



NL-PR310
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL & CEILING LIGHT

DIMENSION 150x90mm	CUTOUT N/A	BEAM ANGLE 130°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT ADJ SWITCH 2.7K/3K/4K	PRICE(on/off) 7535/-	NP Air (TW) N/A

NEW



NL-PR311
POWER
8W
BODY CLR
SAND GREY
FEATURES / DESCRIPTION
WALL & GARDEN LIGHT

DIMENSION 200x60x235mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6567/-	NP Air (TW) N/A

NEW



NL-PR312 S
POWER
4W
BODY CLR
SAND GREY
FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 115x81x30mm	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2651/-	NP Air (TW) N/A

NEW



NL-PR312 L
POWER
8W
BODY CLR
SAND GREY
FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 150x103x30mm	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3201/-	NP Air (TW) N/A

NEW



NL-PR313
POWER
8W
BODY CLR
SAND GREY/GLASS:SMOKE
FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 120x165xH145mm	CUTOUT N/A	BEAM ANGLE 220°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6732/-	NP Air (TW) N/A

NEW



NL-PR314-1

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
650x200x200mm	N/A	260°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	10450/-	N/A

NEW



NL-PR314-2

POWER
15W

BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
750x200x200mm	N/A	260°
IP RATING	CRI	LED TYPE
IP 65	Ra>90+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	18150/-	N/A



NL-PR451

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
103x103x63mm	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	9790/-	N/A



NL-PR451

POWER
20W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
148x148x56mm	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	16610/-	N/A



NL-PR452

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
102x102x56mm	N/A	30°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	9020/-	N/A



NL-PR452

POWER
24W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
148x148x56mm	N/A	30°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	13200/-	N/A



NL-PR453

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
95x65x100mm	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	6930/-	N/A



NL-PR453

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
150x90x90mm	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	10725/-	N/A



NL-PR453

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
95x65x100mm	N/A	25°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	6930/-	N/A



NL-PR453

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
150x90x90mm	N/A	25°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	10725/-	N/A



NL-PR453 RGB

POWER
24W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
150x90x90mm	N/A	25°
IP RATING	CRI	LED TYPE
IP 65	Ra>80	N/A
CCT	PRICE(on/off)	NP Air (TW)
RGB	12000/-	N/A



NL-PR453 RGBW DMX

POWER
30W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
150x90x90mm	N/A	25°
IP RATING	CRI	LED TYPE
IP 65	Ra>80	N/A
CCT	PRICE(on/off)	NP Air (TW)
RGBW	13700/-	N/A



NL-PR454

POWER
24W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
193x140x65mm	N/A	30°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	12650/-	N/A



NL-PR454

POWER
36W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
272x140x65mm	N/A	30°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	14850/-	N/A

NEW



NL-PR455 5D
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
65x95x65mm	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	5445/-	N/A

NEW



NL-PR455 25D
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
220V

DIMENSION	CUTOUT	BEAM ANGLE
65x95x65mm	N/A	25°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	5445/-	N/A

NEW



NL-PR455 RGB
POWER
18W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
24V

DIMENSION	CUTOUT	BEAM ANGLE
95x65x100mm	N/A	25°
IP RATING	CRI	LED TYPE
IP 65	Ra>80	N/A
CCT	PRICE(on/off)	NP Air (TW)
RGB	8200/-	N/A

NEW



**NL-PR455
RGBW DMX**
POWER
20W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER
OUTPUT
24V

DIMENSION	CUTOUT	BEAM ANGLE
95x65x100mm	N/A	25°
IP RATING	CRI	LED TYPE
IP 65	Ra>80	N/A
CCT	PRICE(on/off)	NP Air (TW)
RGBW	9700/-	N/A

NEW


NL-PR471

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
220V



DIMENSION 295x35x45mm	CUTOUT N/A	BEAM ANGLE 5°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 8300/-	NP Air (TW) N/A

NEW


NL-PR471

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
220V



DIMENSION 495x35x45mm	CUTOUT N/A	BEAM ANGLE 5°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 14000/-	NP Air (TW) N/A

NEW


NL-PR471

POWER
36W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
220V



DIMENSION 990x35x45mm	CUTOUT N/A	BEAM ANGLE 5°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 26000/-	NP Air (TW) N/A

NEW


NL-PR472-220V

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
220V



DIMENSION D495x35x45mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
LUMENSE 1800LM±5%	CCT 3K	PRICE(on/off) 5300/-

NEW


NL-PR472-220V

POWER
36W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
220V



DIMENSION D990x35x45mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
LUMENSE 3600LM±5%	CCT 3K	PRICE(on/off) 7950/-

NEW


NL-PR472-24V

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
24V



DIMENSION D495x35x45mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
LUMENSE 1800LM±5%	CCT 3K	PRICE(on/off) 4350/-

NEW


NL-PR472-24V

POWER
36W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
24V



DIMENSION D990x35x45mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
LUMENSE 3600LM±5%	CCT 3K	PRICE(on/off) 7450/-

NEW


**NL-PR472
RGB-24V**

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
24V



DIMENSION 495x35x45mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 65	CRI Ra>80	LED TYPE N/A
CCT RGB	PRICE(on/off) 5900/-	NP Air (TW) N/A

NEW


**NL-PR472
RGB-24V**

POWER
36W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
24V



DIMENSION 990x35x45mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 65	CRI Ra>80	LED TYPE N/A
CCT RGB	PRICE(on/off) 9100/-	NP Air (TW) N/A

NEW


**NL-PR472
RGBW DMX-24V**

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
24V



DIMENSION 495x35x45mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 65	CRI Ra>80	LED TYPE N/A
CCT RGBW	PRICE(on/off) 6800/-	NP Air (TW) N/A

NEW


**NL-PR472
RGBW DMX-24V**

POWER
36W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER & HIGHLIGHTER

OUTPUT
24V



DIMENSION 990x35x45mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 65	CRI Ra>80	LED TYPE N/A
CCT RGBW	PRICE(on/off) 11000/-	NP Air (TW) N/A



NL-FL03

POWER
3W

BODY CLR
GREY/WH/BK

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION D54x54mm	CUTOUT Ø45x45mm	BEAM ANGLE 50°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 825/-	NP Air (TW) N/A



NL-FL05

POWER
5W

BODY CLR
GREY/WH/BK

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION D84x84mm	CUTOUT 70x70mm	BEAM ANGLE 50°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1078/-	NP Air (TW) N/A



NL-FL06

POWER
1W

BODY CLR
GREY/WH/BK

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION 45x78	CUTOUT 42mm	BEAM ANGLE 360°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1650/-	NP Air (TW) N/A



NL-FL07

POWER
3W

BODY CLR
GREY/WH/BK

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION 50x90mm	CUTOUT 45mm	BEAM ANGLE 15°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1650/-	NP Air (TW) N/A




NL-FL19(RD)

POWER
1W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION 45mm	CUTOUT Ø40mm	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1144/-	NP Air (TW) N/A




NL-FL19(SQ)

POWER
1W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION 45x45mm	CUTOUT Ø40mm	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1144/-	NP Air (TW) N/A




NL-FL29(RD)

POWER
1W

BODY CLR
GREY,

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION 45mm	CUTOUT Ø40mm	BEAM ANGLE 15°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1144/-	NP Air (TW) N/A



NL-FL29(SQ)

POWER
1W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION 45x45mm	CUTOUT Ø40mm	BEAM ANGLE 15°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1144/-	NP Air (TW) N/A



NL-FL1204 S

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION 75x75x62mm	CUTOUT Ø70x70mm	BEAM ANGLE 160°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1595/-	NP Air (TW) N/A



NL-FL1204 M

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION 92x70x52mm	CUTOUT Ø85x65mm	BEAM ANGLE 160°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1595/-	NP Air (TW) N/A



NL-FL1204 L

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION 150x70x54mm	CUTOUT Ø145x65mm	BEAM ANGLE 160°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2283/-	NP Air (TW) N/A



NL-2009M

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION D160x100mm	CUTOUT Ø125x75mm	BEAM ANGLE 45°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1705/-	NP Air (TW) N/A



NL-2009S

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D145X70mm	Ø105X50mm	45°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1595/-	N/A



NL-2013

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D210X60X55mm	Ø205X55X50mm	100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1650/-	N/A



NL-2802

POWER
2W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D114x114x65	110x90x60mm	60°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2035/-	N/A



NL-2802

POWER
4W

BODY CLR
GREY,

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D170x114x65	165x90x60mm	60°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2805/-	N/A



NL-2802

POWER
6W

BODY CLR
GREY,

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D226x114x65	205x90x60mm	60°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3960/-	N/A



NL-2008

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D104x60x53mm	99x54x48mm	45°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	913/-	N/A




NL-2010

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D104x59x53mm	99x54x48mm	45°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	913/-	N/A



NL-2005

POWER
3W

BODY CLR
GREY,

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D103x58x55mm	98x53x50mm	45°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1320/-	N/A




NL-0206

POWER
2x3W

BODY CLR
GREY,

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D130x60mm	N/A	60°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2118/-	N/A



NL-2104

POWER
4W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D93x71x45mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	941/-	N/A



NL-2108

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
FOOT LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D150x71x45mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1133/-	N/A



NL-2202

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
148x35	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2778/-	N/A



NL-2203

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
148x35x148mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3025/-	N/A



NL-3202

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D102xH35mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1650/-	N/A



NL-3203

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
102x102x35mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1650/-	N/A



NL-2204

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
200x35x90mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3273/-	N/A



NL-2204

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
250x100x40mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4235/-	N/A




NL-1204

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D92x70xH32mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1375/-	N/A




NL-1204

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D150x70xH32mm	N/A	160°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1898/-	N/A




NL-5085

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
220x80x110mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3410/-	N/A



NL-5086

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
220x80x110mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3410/-	N/A



NL-5087

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
111x111x105mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2970/-	N/A



NL-5089

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
111x111x105mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2970/-	N/A



NL-4070(SQ)

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION D108x82mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2035/-	NP Air (TW) N/A



NL-4070(RD)

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION D108x80mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2035/-	NP Air (TW) N/A



NL-5040

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 180x115x60mm	CUTOUT N/A	BEAM ANGLE 90°
IP RATING IP 65	CRI Ra>90+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2959/-	NP Air (TW) N/A



NL-5060

POWER
9W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION D165x35mm	CUTOUT N/A	BEAM ANGLE 90°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2409/-	NP Air (TW) N/A



NL-5065

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 220x135mm	CUTOUT N/A	BEAM ANGLE 90°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2885/-	NP Air (TW) N/A



NL-5065

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 280x135mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4477/-	NP Air (TW) N/A

NEW



NL-5075

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 150x30x135mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3487/-	NP Air (TW) N/A

NEW



NL-5075

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 200x30x135mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3740/-	NP Air (TW) N/A

NEW



NL-5075

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 250x30x135mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4538/-	NP Air (TW) N/A

NEW



NL-3037

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT



DIMENSION 121x63x60mm	CUTOUT N/A	BEAM ANGLE 90°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3410/-	NP Air (TW) N/A

NEW




NL-3038

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT



DIMENSION 121x75x75mm	CUTOUT N/A	BEAM ANGLE 90°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3410/-	NP Air (TW) N/A



NL-8109

POWER
9W

BODY CLR
GREY/WH

FEATURES / DESCRIPTION
WALL WASHER LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D125x92xH39mm	N/A	3*115°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
2700K	2904/-	N/A



NL-8509

POWER
9W

BODY CLR
GREY/WH

FEATURES / DESCRIPTION
WALL WASHER LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D85x85xH68	N/A	3*115°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
2700K	2904/-	N/A

NEW




NL-8209

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL WASHER LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D140x130xH60	N/A	3*115°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3823/-	N/A




NL-2007

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D25x25xH75	CUTOUT N/A	BEAM ANGLE 5°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1485/-	NP Air (TW) N/A



NL-2007

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D60x40xH120mm	CUTOUT N/A	BEAM ANGLE 5+5°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1804/-	NP Air (TW) N/A



NL-3303

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION 74x50x109mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1419/-	NP Air (TW) N/A



NL-3303

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION 50x74x142mm	CUTOUT N/A	BEAM ANGLE 60+60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2255/-	NP Air (TW) N/A



NL-3304

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION 74x50x109	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1419/-	NP Air (TW) N/A




NL-3304

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 50x74x142mm	CUTOUT N/A	BEAM ANGLE 60+60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2255/-	NP Air (TW) N/A



NL-5005

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D68x80xH100mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1733/-	NP Air (TW) N/A



NL-5010

POWER
2x5W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D68x80xH160mm	CUTOUT N/A	BEAM ANGLE 38+38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2448/-	NP Air (TW) N/A



NL-6005

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D68x80xH100mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1733/-	NP Air (TW) N/A



NL-6010

POWER
2x5W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D68x80xH160mm	CUTOUT N/A	BEAM ANGLE 38+38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2448/-	NP Air (TW) N/A



NL-2503

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D75x80x63mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 869/-	NP Air (TW) N/A



NL-2506

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D142x80x63mm	CUTOUT N/A	BEAM ANGLE 36+36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1051/-	NP Air (TW) N/A



NL-1506

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D200x95x55mm	CUTOUT N/A	BEAM ANGLE 10+60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2008/-	NP Air (TW) N/A



NL-3019

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D85x65xH100mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1716/-	NP Air (TW) N/A



NL-3019

POWER
2x5W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D85x65xH130mm	CUTOUT N/A	BEAM ANGLE 38+38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2134/-	NP Air (TW) N/A



NL-3019

POWER
9W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D90x120xH130mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3190/-	NP Air (TW) N/A



NL-3019

POWER
2X9W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D90x120xH130mm	CUTOUT N/A	BEAM ANGLE 38+38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4015/-	NP Air (TW) N/A



NL-3001

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D65x95xH100mm	CUTOUT N/A	BEAM ANGLE 40°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1936/-	NP Air (TW) N/A



NL-3001

POWER
2x5W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D65x100xH110mm	CUTOUT N/A	BEAM ANGLE 40+40°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2514/-	NP Air (TW) N/A



NL-3001

POWER
9W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D90x120xH138mm	CUTOUT N/A	BEAM ANGLE 40°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3190/-	NP Air (TW) N/A



NL-3001

POWER
2X9W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D90x120xH155mm	CUTOUT N/A	BEAM ANGLE 40+40°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4102/-	NP Air (TW) N/A



NL-5017

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D54x66x56mm	CUTOUT N/A	BEAM ANGLE 40°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1155/-	NP Air (TW) N/A



NL-5017

POWER
2x5W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D54x100x56mm	CUTOUT N/A	BEAM ANGLE 40+40°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1716/-	NP Air (TW) N/A



NL-6019

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D54x66x56mm	CUTOUT N/A	BEAM ANGLE 40°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1155/-	NP Air (TW) N/A



NL-6019

POWER
2x5W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D54x100x56mm	CUTOUT N/A	BEAM ANGLE 40+40°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1716/-	NP Air (TW) N/A



NL-3503

POWER
1x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D53x42xH80mm	CUTOUT N/A	BEAM ANGLE 90°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1034/-	NP Air (TW) N/A



NL-3503

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D53x42xH135mm	CUTOUT N/A	BEAM ANGLE 90+90°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1540/-	NP Air (TW) N/A



NL-252

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D55x89x161mm	CUTOUT N/A	BEAM ANGLE 38+38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1733/-	NP Air (TW) N/A



NL-3007

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D100x75.6xH160mm	CUTOUT N/A	BEAM ANGLE 30+30°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2475/-	NP Air (TW) N/A



NL-202

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION 80x60x35mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1254/-	NP Air (TW) N/A



NL-202

POWER
2x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 80x60x35mm	CUTOUT N/A	BEAM ANGLE 60+60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1628/-	NP Air (TW) N/A



NL-204

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D85x56xH90mm	CUTOUT N/A	BEAM ANGLE 60+60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1782/-	NP Air (TW) N/A



NL-2068

POWER
1x3W

BODY CLR
WH/GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION D45x12xH50mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1067/-	NP Air (TW) N/A



NL-2068

POWER
2x3W

BODY CLR
WH/GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D45x12xH50mm	CUTOUT N/A	BEAM ANGLE 60+60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1155/-	NP Air (TW) N/A



NL-4032

POWER
1W

BODY CLR
WH/GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION 50x35mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1212/-	NP Air (TW) N/A



NL-4032

POWER
2W

BODY CLR
WH/GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 50x35mm	CUTOUT N/A	BEAM ANGLE 60+60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1392/-	NP Air (TW) N/A



NL-1616
POWER
16W
BODY CLR
GREY
FEATURES / DESCRIPTION
360°LIGHT DISTRIBUTION
16 SIDE

DIMENSION D134x43mm	CUTOUT N/A	BEAM ANGLE 360°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3603/-	NP Air (TW) N/A



NL-4030
POWER
2x3W
BODY CLR
GREY
FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 85x82x70mm	CUTOUT N/A	BEAM ANGLE 60+60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2178/-	NP Air (TW) N/A



NL-4004
POWER
1x2W
BODY CLR
GREY
FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 70x70x51	CUTOUT N/A	BEAM ANGLE 45+45°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 941/-	NP Air (TW) N/A



NL-4004
POWER
1x4W
BODY CLR
GREY
FEATURES / DESCRIPTION
4 SIDE

DIMENSION 70x70x51	CUTOUT N/A	BEAM ANGLE 4*45°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1045/-	NP Air (TW) N/A



NL-6006
POWER
1x6W
BODY CLR
GREY
FEATURES / DESCRIPTION
6 SIDE

DIMENSION D120xH50mm	CUTOUT N/A	BEAM ANGLE 6*15°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2090/-	NP Air (TW) N/A



NL-8012
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
360°LIGHT DISTRIBUTION
12 SIDE

DIMENSION 120x56MM	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2706/-	NP Air (TW) N/A



NL-2012SQ
POWER
4x3W
BODY CLR
GREY
FEATURES / DESCRIPTION
4 SIDE

DIMENSION D100x100xH51mm	CUTOUT N/A	BEAM ANGLE 4*10°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2640/-	NP Air (TW) N/A



NL-7007
POWER
1x4+3W
BODY CLR
GREY
FEATURES / DESCRIPTION
4 SIDE

DIMENSION D100x100xH65mm	CUTOUT N/A	BEAM ANGLE 4*8°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2607/-	NP Air (TW) N/A



NL-4012
POWER
4x3W
BODY CLR
GREY
FEATURES / DESCRIPTION
4 SIDE

DIMENSION D100x90mm	CUTOUT N/A	BEAM ANGLE 4*60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2475/-	NP Air (TW) N/A




NL-4014
POWER
5x1W
BODY CLR
GREY
FEATURES / DESCRIPTION
5 SIDE

DIMENSION D95x85mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1980/-	NP Air (TW) N/A




NL-4094
POWER
4W
BODY CLR
WH/GREY
FEATURES / DESCRIPTION
4 SIDE

DIMENSION 45x45mm	CUTOUT N/A	BEAM ANGLE 4*60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1760/-	NP Air (TW) N/A



NL-6106
POWER
3x1W
BODY CLR
GREY
FEATURES / DESCRIPTION
3 SIDE

DIMENSION D50xH30mm	CUTOUT N/A	BEAM ANGLE 3*60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1540/-	NP Air (TW) N/A



NL-6106

POWER
6x1W

BODY CLR
GREY

FEATURES / DESCRIPTION
6 SIDE

DIMENSION D83xH30mm	CUTOUT N/A	BEAM ANGLE 6°60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2530/-	NP Air (TW) N/A




NL-1004

POWER
1x4W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D115x38xH78mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1265/-	NP Air (TW) N/A



NL-1004

POWER
1x6W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D168x45xH78mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1595/-	NP Air (TW) N/A



NL-1044

POWER
4x1W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 35x20x96mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1678/-	NP Air (TW) N/A



NL-1044

POWER
8x1W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 35x20x203mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2723/-	NP Air (TW) N/A



NL-1044

POWER
12x1W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 35x20x290mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3465/-	NP Air (TW) N/A



NL-6020

POWER
2x6W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 114x28x90mm	CUTOUT N/A	BEAM ANGLE 100+100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1898/-	NP Air (TW) N/A



NL-6020

POWER
2x8W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 174x28x90mm	CUTOUT N/A	BEAM ANGLE 100+100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2277/-	NP Air (TW) N/A



NL-4504

POWER
1x2W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 80x38x70mm	CUTOUT N/A	BEAM ANGLE 45+45°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1210/-	NP Air (TW) N/A



NL-4504

POWER
1x4W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 115x38x78mm	CUTOUT N/A	BEAM ANGLE 45+45°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1925/-	NP Air (TW) N/A



NL-4504

POWER
1x6W

BODY CLR
WH/GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 168x38x58mm	CUTOUT N/A	BEAM ANGLE 45+45°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2574/-	NP Air (TW) N/A



NL-4022

POWER
1x1W

BODY CLR
WH/BK

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION 33x45x35mm	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1210/-	NP Air (TW) N/A



NL-4022

POWER
2x1W

BODY CLR
WH/BK

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 33x45x35mm	CUTOUT N/A	BEAM ANGLE 60+60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1320/-	NP Air (TW) N/A



NL-999

POWER
2x3W

BODY CLR
WH/BK GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D100x100xH100mm	CUTOUT N/A	BEAM ANGLE ADJ BEAM ANGLE
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2288/-	NP Air (TW) N/A




NL-8003

POWER
1x3W

BODY CLR
GREY

FEATURES / DESCRIPTION
3 SIDE

DIMENSION D160x50mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1969/-	NP Air (TW) N/A




NL-6021

POWER
6W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION 25x25xH145mm	CUTOUT N/A	BEAM ANGLE 180°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1678/-	NP Air (TW) N/A




NL-6021

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION 25x25xH205mm	CUTOUT N/A	BEAM ANGLE 180°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2382/-	NP Air (TW) N/A



NL-6021

POWER
15W

BODY CLR
GREY

FEATURES / DESCRIPTION
ONE SIDE

DIMENSION 25x25xH300mm	CUTOUT N/A	BEAM ANGLE 180°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3432/-	NP Air (TW) N/A



NL-4060(SQ)

POWER
2x6W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION D90x80x110mm	CUTOUT N/A	BEAM ANGLE 100+100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2530/-	NP Air (TW) N/A




NL-4060(RD)

POWER
2x6W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 83x110mm	CUTOUT N/A	BEAM ANGLE 100+100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2530/-	NP Air (TW) N/A



NL-4050(SQ)

POWER
2x6W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 90x69x110MM	CUTOUT N/A	BEAM ANGLE 100+100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3218/-	NP Air (TW) N/A



NL-4050(RD)

POWER
2x6W

BODY CLR
GREY

FEATURES / DESCRIPTION
TWO SIDE

DIMENSION 69x110MM	CUTOUT N/A	BEAM ANGLE 100+100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3218/-	NP Air (TW) N/A



NL-6003

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION D65x230mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2585/-	NP Air (TW) N/A



NL-6303

POWER
15W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 170x100x192mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4345/-	NP Air (TW) N/A



NL-6018

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 160x156x220mm	CUTOUT N/A	BEAM ANGLE 90°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4840/-	NP Air (TW) N/A



NL-7003

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 121x152x465mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3245/-	NP Air (TW) N/A



NL-7003(S)

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT (WITH SENSOR)

DIMENSION 121x152x465mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3960/-	NP Air (TW) N/A




NL-9003

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 168x150x124mm	CUTOUT N/A	BEAM ANGLE 160°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3465/-	NP Air (TW) N/A



NL-6001

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 195x75x170mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4389/-	NP Air (TW) N/A



NL-6001

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 170x75x170mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4389/-	NP Air (TW) N/A



NL-3912WL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 180x81mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4147/-	NP Air (TW) N/A



NL-3912AL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 230x185mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5335/-	NP Air (TW) N/A



NL-3712WL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 180x111mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4125/-	NP Air (TW) N/A




NL-3712AL

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 230x212mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5308/-	NP Air (TW) N/A




NL-36WL(SQ)

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150x150xH45mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3355/-	N/A



NL-36WL(RD)

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
150xH45mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3355/-	N/A



NL-7788

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION 100x45xH160mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1551/-	NP Air (TW) N/A



NL-7788

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION 100x66xH160mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2079/-	NP Air (TW) N/A



NL-7788

POWER
14W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION 100x66xH160mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2778/-	NP Air (TW) N/A



NL-7788 B

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
WITH BASE

DIMENSION 100x45xH160mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1980/-	NP Air (TW) N/A



NL-7788 B

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
WITH BASE

DIMENSION 100x66xH160mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2453/-	NP Air (TW) N/A



NL-7788 B

POWER
14W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
WITH BASE

DIMENSION 100x66xH160mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3152/-	NP Air (TW) N/A



NL-7788 X

POWER
8W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE WITH HOOD

DIMENSION 100x66xH160mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2156/-	NP Air (TW) N/A



NL-7788 X

POWER
14W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE WITH HOOD

DIMENSION 100x66xH160mm	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2805/-	NP Air (TW) N/A



SPIKE

POWER
3W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION 42xH72mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT WW/WH	PRICE(on/off) 974/-	NP Air (TW) N/A



SPIKE

POWER
3W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION 42xH72mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT BL/RD/GR/PK/AR	PRICE(on/off) 1183/-	NP Air (TW) N/A



SPIKE

POWER
7W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION 50xH78mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT WW/WH	PRICE(on/off) 1402/-	NP Air (TW) N/A



SPIKE

POWER
7W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION 50xH78mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT BL/RD/GR/PK/AR	PRICE(on/off) 1623/-	NP Air (TW) N/A



SPIKE

POWER
12W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION 63xH83mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT WW/WH	PRICE(on/off) 1942/-	NP Air (TW) N/A



NL-SPIKE

POWER
12W

BODY CLR
BK

FEATURES / DESCRIPTION
SPIKE

DIMENSION 63xH83mm	CUTOUT N/A	BEAM ANGLE 38°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT BL/RD/GR/PK/AR	PRICE(on/off) 2283/-	NP Air (TW) N/A



NL-5088

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION 45x88x75mm	CUTOUT N/A	BEAM ANGLE 15°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1881/-	NP Air (TW) N/A



NL-5088

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION 57x105x88.5mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2563/-	NP Air (TW) N/A



NL-5088

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION 57x115x88.5mm	CUTOUT N/A	BEAM ANGLE 24°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3190/-	NP Air (TW) N/A



NL-9988

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION 70x106MM	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1661/-	NP Air (TW) N/A



NL-9988

POWER
7W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION 70x106MM	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2228/-	NP Air (TW) N/A



NL-9988

POWER
12W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION 91.5X115MM	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3630/-	NP Air (TW) N/A



NL-9988

POWER
18W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION 91.5X115MM	CUTOUT N/A	BEAM ANGLE 36°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4345/-	NP Air (TW) N/A



NL-1166 SPIKE

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION 37x105x262MM	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 1947/-	NP Air (TW) N/A



NL-1166 SPIKE

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION 52x142x277MM	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2750/-	NP Air (TW) N/A



NL-1166 SURFACE

POWER
5W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION 37x105x155x60MM	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2255/-	NP Air (TW) N/A



NL-1166 SURFACE

POWER
10W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE
SURFACE MOUNTED

DIMENSION	CUTOUT	BEAM ANGLE
54X142X175X80MM	N/A	30°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3135/-	N/A



NL-7744

POWER
3W

BODY CLR
GREY

FEATURES / DESCRIPTION
PILLAR HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
D42xH105MM	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1474/-	N/A



NL-7744

POWER
15W

BODY CLR
GREY

FEATURES / DESCRIPTION
PILLAR HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
D79xH153MM	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2728/-	N/A



NL-7744

POWER
20W

BODY CLR
GREY

FEATURES / DESCRIPTION
PILLAR HIGHLIGHTER

DIMENSION	CUTOUT	BEAM ANGLE
D80xH190MM	N/A	5°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3443/-	N/A



NL-7744(X)

POWER
24W

BODY CLR
GREY

FEATURES / DESCRIPTION
SPIKE

DIMENSION	CUTOUT	BEAM ANGLE
110x140x380mm	N/A	40°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4142/-	N/A



NL-GB221

POWER
12W

BODY CLR
SS

FEATURES / DESCRIPTION
IN-GROUND LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D110xH112mm	Ø105x115mm	38°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3471/-	N/A



NL-GB222

POWER
1*2W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(1 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
105x130mm	Ø95x100mm	1*90°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3168/-	N/A



NL-GB222

POWER
2*2W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(2 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
105x130mm	Ø95x100mm	2*90°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3366/-	N/A



NL-GB222

POWER
3*2W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(3 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
105x130mm	Ø95x100mm	3*90°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3575/-	N/A



NL-GB222

POWER
4*2W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(4 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
105x130mm	Ø95x100mm	4*90°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3795/-	N/A



NL-GB223/1

POWER
0.5W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(1 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
65x70mm	N/A	1*90°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1925/-	N/A



NL-GB223/2

POWER
1W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(2 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
65x70mm	N/A	2*90°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1953/-	N/A



NL-GB223/3

POWER
1.5W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(3 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
65x70mm	N/A	3*90°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2035/-	N/A



NL-GB223/4

POWER
2W

BODY CLR
GREY

FEATURES / DESCRIPTION
IN-GROUND LIGHT
(4 WAY)

DIMENSION	CUTOUT	BEAM ANGLE
65x70mm	N/A	4*90°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2079/-	N/A



NL-GB225

POWER
5W

BODY CLR
GREY

REFLECTOR
IN-GROUND LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D65xH78mm	Ø60mm	36°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1584/-	N/A



NL-GB225

POWER
10W

BODY CLR
GREY

REFLECTOR
IN-GROUND LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D105xH80mm	Ø100mm	36°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2211/-	N/A

NEW



NL-GB226

POWER
3W

BODY CLR
SS

REFLECTOR
IN-GROUND LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
65x78mm	N/A	36°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1485/-	N/A



NL-GB226

POWER
7W

BODY CLR
SS

REFLECTOR
IN-GROUND LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
105x80mm	N/A	36°
IP RATING	CRI	LED TYPE
IP 65	RA>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2145/-	N/A



NL-4082

POWER
12W
BODY CLR
BLACK

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 210x130x270mm	CUTOUT N/A	BEAM ANGLE 160°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5665/-	NP Air (TW) N/A



NL-9912

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION 150x290mm	CUTOUT N/A	BEAM ANGLE 160°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5555/-	NP Air (TW) N/A



NL-9067

POWER
8W
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION 170x230x193mm	CUTOUT N/A	BEAM ANGLE 160°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4015/-	NP Air (TW) N/A



NL-9067WL

POWER
8W
BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 170x297mm	CUTOUT N/A	BEAM ANGLE 160°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4015/-	NP Air (TW) N/A



NL-9007

POWER
8W
BODY CLR
BLACK

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION 150x290mm	CUTOUT N/A	BEAM ANGLE 160°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4043/-	NP Air (TW) N/A



NL-9007WL

POWER
8W
BODY CLR
BLACK

FEATURES / DESCRIPTION
WALL LIGHT

DIMENSION 150xH230mm	CUTOUT N/A	BEAM ANGLE 160°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4043/-	NP Air (TW) N/A



NL-16002

POWER
B22
BODY CLR
BK/ANTIQUE GOLD

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION 210xH375mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT N/A	PRICE(on/off) 3949/-	NP Air (TW) N/A



NL-16004

POWER
B22
BODY CLR
BK/ANTIQUE GOLD

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION 210xH375mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT N/A	PRICE(on/off) 3949/-	NP Air (TW) N/A




NL-16006

POWER
B22
BODY CLR
BK/ANTIQUE GOLD

FEATURES / DESCRIPTION
GATE LAMP

DIMENSION 210xH375mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 54	CRI Ra>80+	LED TYPE N/A
CCT N/A	PRICE(on/off) 3949/-	NP Air (TW) N/A



NL-4090_(SQ)

POWER
6W
BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP & GATE LIGHT

DIMENSION D105x105xH108mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2008/-	NP Air (TW) N/A



NL-4090_(RD)

POWER
6W
BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP & GATE LIGHT

DIMENSION D108x105mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2008/-	NP Air (TW) N/A



NL-4080_(SQ)

POWER
10W
BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP & GATE LIGHT

DIMENSION D160x160xH100mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4125/-	NP Air (TW) N/A



NL-4080 (RD)

POWER
10W
BODY CLR
GREY

FEATURES / DESCRIPTION
WALL LAMP & GATE LIGHT

DIMENSION D160xH100mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4125/-	NP Air (TW) N/A



NL-1064

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 224x225mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6600/-	NP Air (TW) N/A



NL-9009

POWER
10W
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 250x250x215mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7233/-	NP Air (TW) N/A



NL-2408

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 150x175mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3091/-	NP Air (TW) N/A



NL-2408

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 225X225mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5379/-	NP Air (TW) N/A



NL-1062

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 150x160mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3203/-	NP Air (TW) N/A



NL-1062

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 200x250mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5377/-	NP Air (TW) N/A



NL-1062

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 250x265mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6518/-	NP Air (TW) N/A



NL-1190

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION D225x225xH250mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6501/-	NP Air (TW) N/A



NL-4250

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 150xH230mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3955/-	NP Air (TW) N/A



NL-15140

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 150xH250mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4483/-	NP Air (TW) N/A



NL-8203

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 150xH213mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4576/-	NP Air (TW) N/A



NL-6430

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 150xH250mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5775/-	NP Air (TW) N/A



NL-7021

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 225x230mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5500/-	NP Air (TW) N/A



NL-1116

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 150x213mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3548/-	NP Air (TW) N/A




NL-1113

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION D150xH213mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3548/-	NP Air (TW) N/A




NL-3506

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 175x225mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 8470/-	NP Air (TW) N/A



NL-5031

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 250x225mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 9955/-	NP Air (TW) N/A



NL-15370

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GATE LIGHT

DIMENSION 150x150mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4631/-	NP Air (TW) N/A



NL-1066

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150xH225mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3603/-	NP Air (TW) N/A



NL-0064

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 300mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6350/-	NP Air (TW) N/A



NL-1082

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 225x200MM	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2816/-	NP Air (TW) N/A

NEW



NL-7906 WL
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LAMP

DIMENSION 72x140x180	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2591/-	NP Air (TW) N/A

NEW



NL-7906
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION L72xW105xH500	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3768/-	NP Air (TW) N/A

NEW



NL-7906
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION L72xW105xH1000	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4241/-	NP Air (TW) N/A

NEW



NL-7906
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION L72xW105xH1500	CUTOUT N/A	BEAM ANGLE 60°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4829/-	NP Air (TW) N/A



NL-7035
POWER
18W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LAMP

DIMENSION 170x340x212mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 11715/-	NP Air (TW) N/A



NL-7035
POWER
18W
BODY CLR
GREY
FEATURES / DESCRIPTION
GATE LAMP

DIMENSION 170x300mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 11825/-	NP Air (TW) N/A



NL-7035
POWER
18W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 800x170mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 16500/-	NP Air (TW) N/A



NL-7037
POWER
16W
BODY CLR
GREY
FEATURES / DESCRIPTION
GATE LAMP

DIMENSION 170x300mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 10175/-	NP Air (TW) N/A



NL-7037
POWER
16W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LAMP

DIMENSION 220x190x170mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 9570/-	NP Air (TW) N/A



NL-7037
POWER
16W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 170x1000mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 12760/-	NP Air (TW) N/A



NL-7038
POWER
24W
BODY CLR
GREY
FEATURES / DESCRIPTION
WALL LAMP

DIMENSION 260x340x220mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 12650/-	NP Air (TW) N/A



NL-7038
POWER
24W
BODY CLR
GREY
FEATURES / DESCRIPTION
GATE LAMP

DIMENSION 350x220mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 12650/-	NP Air (TW) N/A



NL-7038
POWER
24W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 220x1000mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 15950/-	NP Air (TW) N/A



NL-8164
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 88xH200mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2321/-	NP Air (TW) N/A



NL-8164
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 88xH600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4081/-	NP Air (TW) N/A



NL-8164
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150xH225mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4191/-	NP Air (TW) N/A



NL-2038
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION H300mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2338/-	NP Air (TW) N/A



NL-2038
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION H600MM	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3548/-	NP Air (TW) N/A



NL-2038
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION H750mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4389/-	NP Air (TW) N/A



NL-1028
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION D200xH200mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2517/-	NP Air (TW) N/A



NL-1028
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION D200xH600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3592/-	NP Air (TW) N/A



NL-1028
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION D200xH750mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4637/-	NP Air (TW) N/A



NL-1404
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION D88xH200mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 2519/-	NP Air (TW) N/A



NL-1404
POWER
E27(Base)
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION D88xH600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 3548/-	NP Air (TW) N/A



NL-1036

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150x275mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2459/-	N/A



NL-1036

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150x600mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3890/-	N/A



NL-1036

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150x750mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4400/-	N/A



NL-1038

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
225x200mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2805/-	N/A



NL-1038

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
275x250mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4235/-	N/A



NL-1038

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
225x600mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4400/-	N/A



NL-1038

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
225x750mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	5489/-	N/A



NL-8204

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150xH350mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	7667/-	N/A



NL-8204

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
150xH650mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	13321/-	N/A



NL-4031

POWER
24W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
250xH260mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	7123/-	N/A



NL-4031

POWER
24W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
250xH600mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	8789/-	N/A



NL-5210

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
123xH300mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	3207/-	N/A



NL-5210

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
123xH600mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	5775/-	N/A



NL-5210

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
123xH800mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	6985/-	N/A



NL-1456

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
165x200mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	1716/-	N/A



NL-1456

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
165x600mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4664/-	N/A



NL-1270

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
175xH240mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	2349/-	N/A



NL-1270

POWER
E27(Base)
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
175xH600mm	N/A	N/A
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	4862/-	N/A



NL-71990

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
80xH600mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	5775/-	N/A



NL-3712

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
180x300mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	6820/-	N/A



NL-3712

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
180x600mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	9020/-	N/A



NL-3712

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
180x800mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	10340/-	N/A



NL-3912

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
180x300mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	6985/-	N/A



NL-3912

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
180x600mm	N/A	100°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	9268/-	N/A



NL-3912

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 180x800mm	CUTOUT N/A	BEAM ANGLE 100°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 10835/-	NP Air (TW) N/A



NL-10818

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 100xH500mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 9350/-	NP Air (TW) N/A



NL-25

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 165x300mm	CUTOUT N/A	BEAM ANGLE 320°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5225/-	NP Air (TW) N/A




NL-25

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 165x600mm	CUTOUT N/A	BEAM ANGLE 320°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6380/-	NP Air (TW) N/A



NL-7050

POWER
2x12w
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 160x85xH600mm	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7260/-	NP Air (TW) N/A



NL-36B(SQ)

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x150xH200mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4125/-	NP Air (TW) N/A



NL-36B(SQ)

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x150xH600mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5610/-	NP Air (TW) N/A



NL-36B(SQ)

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x150xH800mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7150/-	NP Air (TW) N/A



NL-36B(RD)

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150xH200mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4125/-	NP Air (TW) N/A



NL-36B(RD)

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150xH600mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5610/-	NP Air (TW) N/A



NL-36B(RD)

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150xH800mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7150/-	NP Air (TW) N/A



NL-17(RD)

POWER
7W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 108xH200mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4620/-	NP Air (TW) N/A



NL-17(RD)
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 108xH600mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6600/-	NP Air (TW) N/A



NL-17(SQ)
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 108x108xH200mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4620/-	NP Air (TW) N/A



NL-17(SQ)
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 108x108xH600mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6600/-	NP Air (TW) N/A



NL-1100
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x300mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7590/-	NP Air (TW) N/A



NL-1100
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x600mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 9020/-	NP Air (TW) N/A



NL-15
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x150xH200mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 4895/-	NP Air (TW) N/A



NL-15
POWER
7W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x150xH600mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6930/-	NP Air (TW) N/A



NL-1114
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x300mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7068/-	NP Air (TW) N/A



NL-1114
POWER
12W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 150x600mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 8470/-	NP Air (TW) N/A



NL-32
POWER
10W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 108x200mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5940/-	NP Air (TW) N/A



NL-32
POWER
10W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 108x600mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 8745/-	NP Air (TW) N/A



NL-4721
POWER
10W
BODY CLR
GREY
FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION 80x120x600mm	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 11660/-	NP Air (TW) N/A



NL-4721

POWER
10W
BODY CLR
GREY

FEATURES / DESCRIPTION
GARDEN BOLLARD

DIMENSION	CUTOUT	BEAM ANGLE
80x120x800mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	13090/-	N/A



NL-1220

POWER
50W
BODY CLR
GREY

FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
400x250MM	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	13970/-	N/A



NL-1030

POWER
12W
BODY CLR
GREY

FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D150x150xH230mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	5544/-	N/A



NL-1030

POWER
50W
BODY CLR
GREY

FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
425xH525mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	15290/-	N/A



NL-5180

POWER
50w
BODY CLR
GREY

FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
D325xH460mm	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	7040/-	N/A



NL-9020

POWER
20W
BODY CLR
GREY

FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION	CUTOUT	BEAM ANGLE
250x350x265	N/A	120°
IP RATING	CRI	LED TYPE
IP 65	Ra>80+	N/A
CCT	PRICE(on/off)	NP Air (TW)
3K	12320/-	N/A

NEW



FLUXO (S)
POWER
20W
BODY CLR
—
FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION 245x90x53MM	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 1230/-	NP Air (TW) N/A

NEW



FLUXO (S)
POWER
30W
BODY CLR
—
FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION 295x95x53MM	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 1445/-	NP Air (TW) N/A

NEW



FLUXO (S)
POWER
50W
BODY CLR
—
FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION 380x105x73MM	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 1870/-	NP Air (TW) N/A

NEW



FLUXO (S)
POWER
100W
BODY CLR
—
FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION 435x125x73	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 2880/-	NP Air (TW) N/A



VITARA
POWER
24W
BODY CLR
—
FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 1400/-	NP Air (TW) N/A



VITARA
POWER
36W
BODY CLR
—
FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 1680/-	NP Air (TW) N/A



VITARA
POWER
50W
BODY CLR
—
FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 2675/-	NP Air (TW) N/A



VITARA
POWER
72W
BODY CLR
—
FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 3700/-	NP Air (TW) N/A



VITARA
POWER
100W
BODY CLR
—
FEATURES / DESCRIPTION
STREET LIGHT

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 6100/-	NP Air (TW) N/A

		
NL-PL7001 POWER 60W BODY CLR GREY FEATURES / DESCRIPTION POLE		
DIMENSION 465x422x2500mm (2.5MTR)	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 75000/-	NP Air (TW) N/A

		
NL-PL7002 POWER 60W BODY CLR GREY FEATURES / DESCRIPTION POLE		
DIMENSION 492x452x2500mm (2.5MTR)	CUTOUT N/A	BEAM ANGLE 120°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 75000/-	NP Air (TW) N/A



XETA

POWER
15W
BODY CLR

FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 1150/-	NP Air (TW) N/A



XETA

POWER
30W
BODY CLR

FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 1650/-	NP Air (TW) N/A



XETA

POWER
60W
BODY CLR

FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 2250/-	NP Air (TW) N/A



XETA

POWER
100W
BODY CLR

FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 3850/-	NP Air (TW) N/A



XETA

POWER
150W
BODY CLR

FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 6000/-	NP Air (TW) N/A



XETA

POWER
200W
BODY CLR

FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 8000/-	NP Air (TW) N/A

NEW



FLUXO-F

POWER
50W
BODY CLR

FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION 176x135x25MM	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 1225/-	NP Air (TW) N/A

NEW



FLUXO-F

POWER
100W
BODY CLR

FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION 241x185x25mm	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 2100/-	NP Air (TW) N/A

NEW



FLUXO-F

POWER
200W
BODY CLR

FEATURES / DESCRIPTION
FLOOD LIGHT

DIMENSION 350x225x25mm	CUTOUT N/A	BEAM ANGLE 110°
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT 3K/6K	PRICE(on/off) 4525/-	NP Air (TW) N/A



NL-UW01
POWER
6W(DC-24V)
BODY CLR
SS
FEATURES / DESCRIPTION
UNDER WATER

DIMENSION 180x45mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 6600/-	NP Air (TW) N/A



NL-UW01
POWER
6W(AC-12V)
BODY CLR
SS
FEATURES / DESCRIPTION
UNDER WATER

DIMENSION 180x45mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT RGB	PRICE(on/off) 7260/-	NP Air (TW) N/A



NL-UW01
POWER
12W(DC-24V)
BODY CLR
SS
FEATURES / DESCRIPTION
UNDER WATER

DIMENSION 230x55mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7260/-	NP Air (TW) N/A



NL-UW01
POWER
12W(AC-12V)
BODY CLR
SS
FEATURES / DESCRIPTION
UNDER WATER

DIMENSION 230x55mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT RGB	PRICE(on/off) 7920/-	NP Air (TW) N/A



NL-UW01
POWER
18W(DC-24V)
BODY CLR
SS
FEATURES / DESCRIPTION
UNDER WATER

DIMENSION 295x80mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 10065/-	NP Air (TW) N/A



NL-UW01
POWER
18W(AC-12V)
BODY CLR
SS
FEATURES / DESCRIPTION
UNDER WATER

DIMENSION 295x80mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT RGB	PRICE(on/off) 11770/-	NP Air (TW) N/A



NL-UW02
POWER
7W(DC 24V)
BODY CLR
SS
FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D120xH105mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5775/-	NP Air (TW) N/A



NL-UW02
POWER
12W(DC 24V)
BODY CLR
SS
FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D150xH105mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7810/-	NP Air (TW) N/A



NL-UW02
POWER
18W(DC 24V)
BODY CLR
SS
FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D170xH123mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 9075/-	NP Air (TW) N/A



NL-UW02
POWER
24W(DC 24V)
BODY CLR
SS
FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D180xH123mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 11825/-	NP Air (TW) N/A



NL-UW02
POWER
12W(AC 12V)
BODY CLR
SS
FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D150xH105mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT RGB	PRICE(on/off) 10439/-	NP Air (TW) N/A



NL-UW02
POWER
18W(AC 12V)
BODY CLR
SS
FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D170xH123mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT RGB	PRICE(on/off) 12650/-	NP Air (TW) N/A



NL-UW03

POWER
7W(DC 24V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D120xH118mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 5115/-	NP Air (TW) N/A



NL-UW03

POWER
12W(DC 24V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D145xH122mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 7590/-	NP Air (TW) N/A



NL-UW03

POWER
18W(DC 24V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D170xH123mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 10461/-	NP Air (TW) N/A



NL-UW03

POWER
24W(DC 24V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D190xH123mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 10510/-	NP Air (TW) N/A



NL-UW03

POWER
12W(AC 12V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D145xH122mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT RGB	PRICE(on/off) 10175/-	NP Air (TW) N/A



NL-UW03

POWER
18W(AC 12V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D170xH123mm	CUTOUT N/A	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT RGB	PRICE(on/off) 14025/-	NP Air (TW) N/A



NL-UW04

POWER
6W(DC 24V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D130xH71mm	NOZZLE SIZE Ø25mm	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 8500/-	NP Air (TW) N/A



NL-UW04

POWER
12W(DC 12V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D170xH80mm	CUTOUT Ø35mm	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT 3K	PRICE(on/off) 10650/-	NP Air (TW) N/A



NL-UW04

POWER
6W(AC 24V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D130xH71mm	NOZZLE SIZE Ø25mm	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT RGB(AUTO)	PRICE(on/off) 9500/-	NP Air (TW) N/A



NL-UW04

POWER
12W(AC 12V)
BODY CLR
SS

FEATURES / DESCRIPTION
UNDER WATER

DIMENSION D170xH80mm	CUTOUT Ø35mm	BEAM ANGLE 30°
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT RGB(AUTO)	PRICE(on/off) 11650/-	NP Air (TW) N/A

WATERPROOF JOINTER



POWER
N/A
BODY CLR
-

FEATURES / DESCRIPTION
-

DIMENSION N/A	CUTOUT N/A	BEAM ANGLE N/A
IP RATING IP 68	CRI Ra>80+	LED TYPE N/A
CCT N/A	PRICE(on/off) 396/-	NP Air (TW) N/A

NL-TRANSFORMER

(Power Supply AC-12v)

220v-AC



POWER
60VA
BODY CLR
-

FEATURES / DESCRIPTION
-

INPUT N/A	OUTPUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT N/A	PRICE(on/off) 4180/-	NP Air (TW) N/A

NL-TRANSFORMER
(Power Supply AC-12v) 220v-AC



POWER
80VA
BODY CLR
—
FEATURES / DESCRIPTION
—

INPUT N/A	OUTPUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT N/A	PRICE(on/off) 4521/-	NP Air (TW) N/A

NL-TRANSFORMER
(Power Supply AC-12v) 220v-AC



POWER
150VA
BODY CLR
—
FEATURES / DESCRIPTION
—

INPUT N/A	OUTPUT N/A	BEAM ANGLE N/A
IP RATING IP 65	CRI Ra>80+	LED TYPE N/A
CCT N/A	PRICE(on/off) 5775/-	NP Air (TW) N/A



WWW.NEPTUNELIGHTSINDIA.COM