



RUSTIC LIGHTING



MODEL NO – RS 001

TECHNICAL SPECIFICATION

APPLICATION – ARTISTIC > INDIRECTLIGHT.

HOUSING MATERIAL – M.S/ACRYLIC.

WATTAGE – 38WATT.

COLOR-TEMP(K) – 3000K/4500K/6500K.

SIZE – 731L*250H*55W.



MODEL NO – RS 002

TECHNICAL SPECIFICATION

APPLICATION – ARTISTIC > INDIRECTLIGHT.

HOUSING MATERIAL – M.S/ACRYLIC.

WATTAGE – 38WATT.

COLOR-TEMP(K) – 3000K/4500K/6500K.

SIZE – 740L*345H*55W.



MODEL NO – RS 003

TECHNICAL SPECIFICATION

APPLICATION – ARTISTIC > INDIRECTLIGHT.

HOUSING MATERIAL – M.S/ACRYLIC.

WATTAGE – 12WATT.

COLOR-TEMP(K) – 3000K/4500K/6500K.

SIZE – 300L*205H*55W.



MODEL NO – RS 004

TECHNICAL SPECIFICATION

APPLICATION – ARTISTIC > INDIRECTLIGHT.

HOUSING MATERIAL – M.S/ACRYLIC.

WATTAGE – 12WATT.

COLOR-TEMP(K) – 3000K/4500K/6500K.

SIZE –300L*350H*55W.



MODEL NO – RS 005

TECHNICAL SPECIFICATION


APPLICATION – ARTISTIC > INDIRECTLIGHT.

HOUSING MATERIAL – M.S/ACRYLIC.

WATTAGE – 12WATT.

COLOR-TEMP(K) – 3000K/4500K/6500K.

SIZE – 300L*220H*55W.



MODEL NO – RS 006

TECHNICAL SPECIFICATION


APPLICATION – ARTISTIC > INDIRECTLIGHT.

HOUSING MATERIAL – M.S/ACRYLIC.

WATTAGE – 12WATT.

COLOR-TEMP(K) – 3000K/4500K/6500K.

SIZE – 319L*197H*55W.



MODEL NO – RS 007
TECHNICAL SPECIFICATION
APPLICATION – ARTISTIC > INDIRECTLIGHT.
HOUSING MATERIAL – M.S/ACRYLIC.
WATTAGE – 24WATT.
COLOR-TEMP(K) – 3000K/4500K/6500K.
SIZE – 465L*250H*55W.



MODEL NO – RS 008
TECHNICAL SPECIFICATION
APPLICATION – ARTISTIC > INDIRECTLIGHT.
HOUSING MATERIAL – M.S/ACRYLIC.
WATTAGE – 12WATT.
COLOR-TEMP(K) – 3000K/4500K/6500K.
SIZE – 300L*276H*55W.



MODEL NO – RS 009

TECHNICAL SPECIFICATION


APPLICATION – ARTISTIC > INDIRECTLIGHT.

HOUSING MATERIAL – M.S/ACRYLIC.

WATTAGE – 24WATT.

COLOR-TEMP(K) – 3000K/4500K/6500K.

SIZE – 473L*196H*55W.



MODEL NO – RS 010

TECHNICAL SPECIFICATION

APPLICATION – ARTISTIC > INDIRECTLIGHT.

HOUSING MATERIAL – M.S/ACRYLIC.

WATTAGE – 24WATT.

COLOR-TEMP(K) – 3000K/4500K/6500K.

SIZE – 461L*177H*55W.



MODEL NO – RS 011
TECHNICAL SPECIFICATION
APPLICATION – ARTISTIC > INDIRECTLIGHT.
HOUSING MATERIAL – M.S/ACRYLIC.
WATTAGE – 24WATT.
COLOR-TEMP(K) – 3000K/4500K/6500K.
SIZE – 465L*265H*55W.



MODEL NO – RS 012
TECHNICAL SPECIFICATION
APPLICATION – ARTISTIC > INDIRECTLIGHT.
HOUSING MATERIAL – M.S/ACRYLIC.
WATTAGE – 24WATT.
COLOR-TEMP(K) – 3000K/4500K/6500K.
SIZE – 461L*255H*55W.



MODEL NO – RS 013
TECHNICAL SPECIFICATION
APPLICATION – ARTISTIC > INDIRECTLIGHT.
HOUSING MATERIAL – M.S/ACRYLIC.
WATTAGE – 38WATT.
COLOR-TEMP(K) – 3000K/4500K/6500K.
SIZE – 735L*320H*55W.




MODEL NO – RS 014
TECHNICAL SPECIFICATION
APPLICATION – ARTISTIC > INDIRECTLIGHT.
HOUSING MATERIAL – M.S/ACRYLIC.
WATTAGE – 38WATT.
COLOR-TEMP(K) – 3000K/4500K/6500K.
SIZE – 745L*387H*55W.



MODEL NO – RS 015
TECHNICAL SPECIFICATION
APPLICATION – ARTISTIC > INDIRECTLIGHT.
HOUSING MATERIAL – M.S/ACRYLIC.
WATTAGE – 24WATT.
COLOR-TEMP(K) – 3000K/4500K/6500K.
SIZE – 465L*390H*55W.



MODEL NO – RS 016
TECHNICAL SPECIFICATION
APPLICATION – ARTISTIC > INDIRECTLIGHT.
HOUSING MATERIAL – M.S/ACRYLIC.
WATTAGE – 24WATT.
COLOR-TEMP(K) – 3000K/4500K/6500K.
SIZE – 471L*405H*55W.




MODEL NO – RS 017
TECHNICAL SPECIFICATION
APPLICATION – ARTISTIC > INDIRECTLIGHT.
HOUSING MATERIAL – M.S/ACRYLIC.
WATTAGE – 12WATT.
COLOR-TEMP(K) – 3000K/4500K/6500K.
SIZE – 308L*210H*55W.




MODEL NO – RS 018
TECHNICAL SPECIFICATION
APPLICATION – ARTISTIC > INDIRECTLIGHT.
HOUSING MATERIAL – M.S/ACRYLIC.
WATTAGE – 12WATT.
COLOR-TEMP(K) – 3000K/4500K/6500K.
SIZE – 305L*295H*55W.




MODEL NO – RS 019
TECHNICAL SPECIFICATION
APPLICATION – ARTISTIC > INDIRECTLIGHT.
HOUSING MATERIAL – M.S/ACRYLIC.
WATTAGE – 12WATT.
COLOR-TEMP(K) – 3000K/4500K/6500K.
SIZE – 309L*444H*55W.




MODEL NO – RS 020
TECHNICAL SPECIFICATION
APPLICATION – ARTISTIC > INDIRECTLIGHT.
HOUSING MATERIAL – M.S/ACRYLIC.
WATTAGE – 12WATT.
COLOR-TEMP(K) – 3000K/4500K/6500K.
SIZE – 310L*280H*55W.



MODEL NO – RS 021
TECHNICAL SPECIFICATION
APPLICATION – ARTISTIC > INDIRECTLIGHT.
HOUSING MATERIAL – M.S/ACRYLIC.
WATTAGE – 12WATT.
COLOR-TEMP(K) – 3000K/4500K/6500K.
SIZE – 308L*240H*55W.



MODEL NO – RS 022
TECHNICAL SPECIFICATION
APPLICATION – ARTISTIC > INDIRECTLIGHT.
HOUSING MATERIAL – M.S/ACRYLIC.
WATTAGE – 12WATT.
COLOR-TEMP(K) – 3000K/4500K/6500K.
SIZE – 308L*240H*55W.



MODEL NO – RS 023

TECHNICAL SPECIFICATION

APPLICATION – ARTISTIC > INDIRECTLIGHT.

HOUSING MATERIAL – M.S/ACRYLIC.

WATTAGE – 24WATT.

COLOR-TEMP(K) – 3000K/4500K/6500K.

SIZE – 464L*365H*55W.



MODEL NO – RS 024

TECHNICAL SPECIFICATION


APPLICATION – ARTISTIC > INDIRECTLIGHT.

HOUSING MATERIAL – M.S/ACRYLIC.


WATTAGE – 24WATT.

COLOR-TEMP(K) – 3000K/4500K/6500K.

SIZE – 450L*410H*55W.



MODEL NO – RS 025
TECHNICAL SPECIFICATION
APPLICATION – ARTISTIC > INDIRECTLIGHT.
HOUSING MATERIAL – M.S/ACRYLIC.
WATTAGE – 12WATT.
COLOR-TEMP(K) – 3000K/4500K/6500K.
SIZE – 305L*310H*55W.



MODEL NO – RS 026
TECHNICAL SPECIFICATION
APPLICATION – ARTISTIC > INDIRECTLIGHT.
HOUSING MATERIAL – M.S/ACRYLIC.
WATTAGE – 24WATT.
COLOR-TEMP(K) – 3000K/4500K/6500K.
SIZE – 454L*355H*55W.



MODEL NO – RS 027

TECHNICAL SPECIFICATION

APPLICATION – ARTISTIC > INDIRECTLIGHT.

HOUSING MATERIAL – M.S/ACRYLIC.

WATTAGE – 24WATT.

COLOR-TEMP(K) – 3000K/4500K/6500K.

SIZE – 456L*265H*55W.



MODEL NO – RS 028

TECHNICAL SPECIFICATION

APPLICATION – ARTISTIC > INDIRECTLIGHT.

HOUSING MATERIAL – M.S/ACRYLIC.

WATTAGE – 12WATT.

COLOR-TEMP(K) – 3000K/4500K/6500K.

SIZE – 305L*250H*55W.



MODEL NO – RS 029

TECHNICAL SPECIFICATION

APPLICATION – ARTISTIC > INDIRECTLIGHT.

HOUSING MATERIAL – M.S/ACRYLIC.

WATTAGE – 24WATT.

COLOR-TEMP(K) – 3000K/4500K/6500K.

SIZE – 455L*330H*55W.



MODEL NO – RS 030

TECHNICAL SPECIFICATION

APPLICATION – ARTISTIC > INDIRECTLIGHT.

HOUSING MATERIAL – M.S/ACRYLIC.

WATTAGE – 12WATT.

COLOR-TEMP(K) – 3000K/4500K/6500K.

SIZE – 333L*305H*55W.



MODEL NO – RS 031

TECHNICAL SPECIFICATION

APPLICATION – ARTISTIC > INDIRECTLIGHT.

HOUSING MATERIAL – M.S/ACRYLIC.

WATTAGE – 12WATT.

COLOR-TEMP(K) – 3000K/4500K/6500K.

SIZE – 485L*610H*55W.



MODEL NO – RS 032

TECHNICAL SPECIFICATION

APPLICATION – ARTISTIC > INDIRECTLIGHT.

HOUSING MATERIAL – M.S/ACRYLIC.

WATTAGE – 38WATT.

COLOR-TEMP(K) – 3000K/4500K/6500K.

SIZE – 737L*380H*55W.



MODEL NO – RS 033

TECHNICAL SPECIFICATION


APPLICATION – ARTISTIC > INDIRECTLIGHT.

HOUSING MATERIAL – M.S/ACRYLIC.

WATTAGE – 12WATT.

COLOR-TEMP(K) – 3000K/4500K/6500K.

SIZE – 308L*280H*55W.



MODEL NO – RS 034

TECHNICAL SPECIFICATION


APPLICATION – ARTISTIC > INDIRECTLIGHT.

HOUSING MATERIAL – M.S/ACRYLIC.

WATTAGE – 24WATT.

COLOR-TEMP(K) – 3000K/4500K/6500K.


SIZE – 462L*450H*55W.



MODEL NO – RS 035
TECHNICAL SPECIFICATION
APPLICATION – ARTISTIC > INDIRECTLIGHT.
HOUSING MATERIAL – M.S/ACRYLIC.
WATTAGE – 24WATT.
COLOR-TEMP(K) – 3000K/4500K/6500K.
SIZE – 455L*193H*55W.




MODEL NO – RS 036
TECHNICAL SPECIFICATION
APPLICATION – ARTISTIC > INDIRECTLIGHT.
HOUSING MATERIAL – M.S/ACRYLIC.
WATTAGE – 12WATT.
COLOR-TEMP(K) – 3000K/4500K/6500K.
SIZE – 310L*523H*55W.



MODEL NO – RS 037
TECHNICAL SPECIFICATION
APPLICATION – ARTISTIC > INDIRECTLIGHT.
HOUSING MATERIAL – M.S/ACRYLIC.
WATTAGE – 24WATT.
COLOR-TEMP(K) – 3000K/4500K/6500K.
SIZE – 460L*255H*55W.



MODEL NO – RS 038
TECHNICAL SPECIFICATION
APPLICATION – ARTISTIC > INDIRECTLIGHT.
HOUSING MATERIAL – M.S/ACRYLIC.
WATTAGE – 12WATT.
COLOR-TEMP(K) – 3000K/4500K/6500K.
SIZE – 309L*537H*55W.



MODEL NO – RS 039

TECHNICAL SPECIFICATION


APPLICATION – ARTISTIC > INDIRECTLIGHT.

HOUSING MATERIAL – M.S/ACRYLIC.

WATTAGE – 24WATT.

COLOR-TEMP(K) – 3000K/4500K/6500K.

SIZE – 459L*350H*55W.



MODEL NO – RS 040

TECHNICAL SPECIFICATION


APPLICATION – ARTISTIC > INDIRECTLIGHT.

HOUSING MATERIAL – M.S/ACRYLIC.

WATTAGE – 12WATT.

COLOR-TEMP(K) – 3000K/4500K/6500K.


SIZE – 355L*525H*55W.



MODEL NO – RS 042
TECHNICAL SPECIFICATION
APPLICATION – ARTISTIC > INDIRECTLIGHT.
HOUSING MATERIAL – M.S/ACRYLIC.
WATTAGE – 24WATT.
COLOR-TEMP(K) – 3000K/4500K/6500K.
SIZE – 462L*450H*55W



MODEL NO – RS 042
TECHNICAL SPECIFICATION
APPLICATION – ARTISTIC > INDIRECTLIGHT.
HOUSING MATERIAL – M.S/ACRYLIC.
WATTAGE – 24WATT.
COLOR-TEMP(K) – 3000K/4500K/6500K.
SIZE – 462L*450H*55W



MODEL NO – RS 043

TECHNICAL SPECIFICATION

APPLICATION – ARTISTIC > INDIRECTLIGHT.

HOUSING MATERIAL – M.S/ACRYLIC.

WATTAGE – 12WATT.

COLOR-TEMP(K) – 3000K/4500K/6500K.

SIZE – 235L*250H*55W



MODEL NO – RS 044

TECHNICAL SPECIFICATION

APPLICATION – ARTISTIC > INDIRECTLIGHT.

HOUSING MATERIAL – M.S/ACRYLIC.

WATTAGE – 12WATT.

COLOR-TEMP(K) – 3000K/4500K/6500K.

SIZE – 375L*250H*55W