




Wallwasher Light Housing

Product Code :-PRE-HRZ-27



Product Name	Harris Recess mounted
Housing	Aluminum Die-Casting OB Housing Reflector Fixing Glass Ring
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement

Beam Angle	24°, 40°, 60°
Reflector Dia & Type	75 MM Darkoo type
COB Holder	Available 1818,1919,2024,2525
Suitable for Watage	20W To 27W
Thermal tested report	66°C for 27W



Cutout 123mm




Wallwasher Light Housing

Product Code :- PRE-HRZ-36



Product Name	Harris Recess mounted
Housing	Aluminum Die-Casting OB Housing Reflector Fixing Glass Ring
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement

Beam Angle	24°, 40°, 60°
Reflector Dia & Type	85 MM Darkoo type
COB Holder	Available 1818,1919,2024,2525
Suitable for Watage	30W To 36W
Thermal tested report	66°C for 27W



Cutout 139mm



Down Light Housing

Product Code :- PRE-MSMZ-27



Product Name	MARS 27 (MEZZO) Recess mounted
Housing	Aluminum Die casted cob Housing – Frame-- Glass Ring also
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement

Beam Angle	24°, 40°, 60°
Reflector Dia & Type	75 MM Darkoo type
COB Holder	Available 1818,1919,2024,2525
Suitable for Watage	20W To 27W
Thermal tested report	66°C for 27W



Cut Out : 132mm x 132mm


Zoom Light Housing

Product Code :- PRE-MSHRZ-27



Product Name	MARS 27 (HARRIS) Recess mounted
Housing	Aluminum Die casted cob Housing – Frame-- Glass Ring also
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement

Beam Angle	24°, 40°, 60°
Reflector Dia & Type	75 MM Darkoo type
COB Holder	Available 1818,1919,2024,2525
Suitable for Watage	20W To 27W
Thermal tested report	66°C for 27W





Down Light Housing

Product Code :- PRE-MDMZ-27



Product Name	MARS 2X27 (MEZZO) Recess mounted
Housing	Aluminum Die casted cob Housing – Frame-- Glass Ring also
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement

Beam Angle	24°, 40°, 60°
Reflector Dia & Type	75 MM Darkoo type
COB Holder	Available 1818,1919,2024,2525
Suitable for Watage	20W To 27W
Thermal tested report	66°C for 27W





Cut Out : 260mm x 132mm

Zoom Light Housing

Product Code :- PRE-MDHRZ-27



Product Name	MARS 2X27 (HARRIS) Recess mounted
Housing	Aluminum Die casted cob Housing – Frame-- Glass Ring also
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement



Cut Out : 260mm x 132mm

Beam Angle	24°, 40°, 60°
Reflector Dia & Type	75 MM Darkoo type
COB Holder	Available 1818,1919,2024,2525
Suitable for Watage	20W To 27W
Thermal tested report	66°C for 27W


Track Light Housing

Product Code :-PRE-MZMH-27



Product Name	Mezzo Horizontal Track Mounted
Housing	Aluminum Die-Casting OB Housing Driver Box & Arm Knob, Reflector fixing ring PC.
Power Adapter Type	2 Wire / 3 Wire
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement

Beam Angle	40°, 60°
COB Holder	1818, 1919, 2024, 2525
Suitable for Watage	27W To 30W
Thermal tested report	68°C for 30W





Track Light Housing

Product Code :-PRE-MZLH-36



Product Name	Mezzo Horizontal Track Mounted
Housing	Aluminum Die-Casting OB Housing Driver Box & Arm Knob, Reflector fixing ring PC.
Power Adapter Type	2 Wire / 3 Wire
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement

Beam Angle	40°, 60°
Reflector Dia & Type	85mm k Darkoo Type (H-45mm)
COB Holder	1818, 1919, 2024, 2525
Suitable for Watage	36W To 45W
Thermal tested report	71°C for 45W




Down Light Housing

Product Code :-PRE-MZLT-27



Product Name	Mezzo Recess Mounted 360 D Tiltable
Housing	Aluminum Die-Casting OB Housing & Outer Ring, Reflector fixing ring PC.
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement

Beam Angle	15°, 24°, 40°, 60°
Reflector Dia & Type	75 MM Darkoo Type (H-45MM)
COB Holder	Available 1818,1919,2024,2525
Suitable for Watage	27W To 30W
Thermal tested report	68°C FOR 30W







Down Light Housing

Product Code :-PRE-MZLT-36



Product Name	Mezzo Recess Mounted 360 D Tiltable
Housing	Aluminum Die-Casting OB Housing & Outer Ring, Reflector fixing ring PC.
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement



Cutout-Ø139mm





Beam Angle	15°, 24°, 40°, 60°
Reflector Dia & Type	85MM Darkoo Type
COB Holder	Available 1818,1919,2024,2525
Suitable for Watage	36W To 45W
Thermal tested report	68°C FOR 45W

Down Light Housing

Product Code :-PRE-MZF-12



Product Name	Mezzo Recess Mounted Fix
Housing	Aluminum Die-Casting OB Housing & PC Outer Ring
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement



Cutout-Ø72mm

Beam Angle	
Reflector Dia & Type	
COB Holder	
Suitable for Watage	12W To 15W
Thermal tested report	67°C for 15W





Down Light Housing

Product Code :-PRE-MZSF-20



Product Name	Mezzo Recess Mounted Fix
Housing	Aluminum Die-Casting OB Housing & PC Outer Ring
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement

Beam Angle	24°, 40°, 60°
Reflector Dia & Type	
COB Holder	
Suitable for Watage	18W To 24W
Thermal tested report	63°C for 24W



Cut out : 96mm





Down Light Housing

Product Code :-PRE-MZMF-27



Product Name	Mezzo Recess Mounted Fix
Housing	Aluminum Die-Casting OB Housing & Outer Ring
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement

Beam Angle	15°, 24°, 40°, 60°
Reflector Dia & Type	75mm k Darkoo Type (H-45mm)
COB Holder	1818, 1919, 2024, 2525
Suitable for Watage	27W To 30W
Thermal tested report	63°C for 24W



Cut out : 107mm





Down Light Housing

Product Code :-PRE-MZLF-36



Product Name	Mezzo Recess Mounted Fix
Housing	Aluminum Die-Casting OB Housing & Outer Ring
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement

Beam Angle	15°, 24°, 40°, 60°
Reflector Dia & Type	85mm k Darkoo Type
COB Holder	1818, 1919, 2024, 2525
Suitable for Watage	36W To 45W
Thermal tested report	72°C for 45W







Cut out : 114mm

Down Light Housing

Product Code :-PRE-MZF-8



Product Name	Mezzo Recess Mounted Fix
Housing	Aluminum Die-Casting OB Housing & PC Outer Ring
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement



Ø70

Cutout-Ø60mm

Suitable for Watage	8W To 10W
Thermal tested report	57°C for 8W & 65°C for 10W



Down Light Housing

Product Code :-PRE-KYMF-36




Product Name	Kyma Recess Mounted Fix
Housing	Aluminium Die-casted housing in white finish.
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement

Beam Angle	12°, 24°, 36°, 60°
Suitable for Watage	24W To 36W
Thermal tested report	68°C FOR 36W



Ø129mm

Cutout Ø118mm







Down Light Housing

Product Code :-PRE-MZT-12



Product Name	Mezzo Recess Mounted Tiltable
Housing	Aluminum Die-Casting OB Housing & PC Outer Ring
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement



Cutout-Ø75mm

Suitable for Watage	12W To 15W
Thermal tested report	67°C FOR 15W


Down Light Housing

Product Code :-PRE-MZST-20



Product Name	Mezzo Recess Mounted Tiltable
Housing	Aluminum Die-Casting OB Housing & PC Outer Ring
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement

Beam Angle	24°, 40°, 60°
Reflector Dia & Type	69 MM Darkoo Type
COB Holder	Available 1818,1919,2024,2525
Suitable for Watage	18W To 24W
Thermal tested report	63°C FOR 24W



Cut Out : 105mm


Down Light Housing

Product Code :-PRE-MZST-27



Product Name	Mezzo Recess Mounted Tiltable
Housing	Aluminum Die-Casting OB Housing & PC Outer Ring
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement

Beam Angle	15°, 24°, 40°, 60°
Reflector Dia & Type	75 MM Darkoo Type (H-45MM)
COB Holder	Available 1818,1919,2024,2525
Suitable for Watage	27W To 30W
Thermal tested report	68°C FOR 30W





Cut Out : 111mm

Down Light Housing

Product Code :-PRE-MZT-5



Product Name	Mezzo Recess Mounted Tiltable
Housing	Aluminum Die-Casting OB Housing & Outer ring Front reflector fixing ring is PC
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement



Cutout Ø53mm





Suitable for Watage	3W To 7W
Thermal tested report	57° C for 5W & 68° C for 7W

Down Light Housing

Product Code :-PRE-MZT-8



Product Name	Mezzo Recess Mounted Tiltable
Housing	Aluminum Die-Casting OB Housing & PC Outer Ring
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement



Cutout-Ø63mm

Suitable for Watage	8W To 10W
Thermal tested report	57° C for 8 W & 65° C for 10 W





Track Light Housing

Product Code :-PRE-MZMV-27




Product Name	Mezzo Vertical Track Mounted
Housing	Aluminum Die-Casting OB Housing Driver Box & Knob, Reflector fixing ring PC.
Power Adapter Type	2 Wire / 3 Wire
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement

Beam Angle	15°, 24°, 40°, 60°
Reflector Dia & Type	75mm k Darkoo Type (H-45mm)
COB Holder	1818, 1919, 2024, 2525
Suitable for Watage	27W To 30W
Thermal tested report	68°C for 30W







Track Light Housing

Product Code :-PRE-MZLV-36



Product Name	Mezzo Vertical Track Mounted
Housing	Aluminum Die-Casting OB Housing Driver Box & Knob, Reflector fixing ring PC.
Power Adapter Type	2 Wire / 3 Wire
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement

Beam Angle	40°, 60°
Reflector Dia & Type	85mm k Darkoo Type (H-45mm)
COB Holder	1818, 1919, 2024, 2525
Suitable for Watage	36W To 45W
Thermal tested report	68°C for 45W




Track Light Housing


Product Code :-PRE-TCHL-27



Product Name	Trance Horizontal Track Mounted
Housing	Aluminum Die-Casting OB Housing Driver Box & Arm Knob, Reflector fixing ring PC.
Power Adapter Type	2 Wire / 3 Wire
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement



Beam Angle	40°, 60°
Reflector Dia & Type	69mm k Darkoo Type
COB Holder	1818, 1919, 2024, 2525
Suitable for Watage	24W To 30W
Thermal tested report	69°C for 30W




Track Light Housing

Product Code :-PRE-TCHI-27



Product Name	Trance Horizontal Track Mounted
Housing	Aluminum Die-Casting OB Housing Driver Box & Arm Knob, Reflector fixing ring PC.
Power Adapter Type	2 Wire / 3 Wire
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement

Beam Angle	40°, 60°
Reflector Dia & Type	69mm k Darkoo Type
COB Holder	1818, 1919, 2024, 2525
Suitable for Watage	24W To 30W
Thermal tested report	69°C for 30W




Track Light Housing

Product Code :-PRE-TCHL-36



Product Name	Trance Horizontal Track Mounted
Housing	Aluminum Die-Casting OB Housing Driver Box & Arm Knob, Reflector fixing ring PC.
Power Adapter Type	2 Wire / 3 Wire
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement

Beam Angle	40°, 60°
Reflector Dia & Type	75mm k Darkoo Type (H-45mm)
COB Holder	1818, 1919, 2024, 2525
Suitable for Watage	36W To 40W
Thermal tested report	63°C for 40W




Track Light Housing

Product Code :-PRE-TCHI-36



Product Name	Trance Horizontal Track Mounted
Housing	Aluminum Die-Casting OB Housing Driver Box & Arm Knob, Reflector fixing ring PC.
Power Adapter Type	2 Wire / 3 Wire
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement

Beam Angle	40°, 60°
Reflector Dia & Type	75mm k Darkoo Type
COB Holder	1818, 1919, 2024, 2525
Suitable for Watage	36W To 40W
Thermal tested report	63°C for 30W




Track Light Housing

Product Code :-PRE-TCV-27



Product Name	Trance Vertical Track Mounted
Housing	Aluminum Die-Casting OB Housing Driver Box & Knob, Reflector fixing ring PC.
Power Adapter Type	2 Wire / 3 Wire
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement

Beam Angle	40°, 60°
Reflector Dia & Type	69mm k Darkoo Type
COB Holder	1818, 1919, 2024, 2525
Suitable for Watage	24W To 30W
Thermal tested report	68°C for 30W




Track Light Housing

Product Code :-PRE-TCV-36




Product Name	Mezzo Vertical Track Mounted
Housing	Aluminum Die-Casting OB Housing Driver Box & Knob, Reflector fixing ring PC.
Power Adapter Type	2 Wire / 3 Wire
Powder Coating	Black / White / Customized as per requirement
Reflector	P.C. Reflector with Tested from NEBL Gov. Approved.
ABS / Polycarbonate	COB Holder & Reflector with cover (PC)
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement

Beam Angle	40°, 60°
Reflector Dia & Type	75mm k Darkoo Type
COB Holder	1818, 1919, 2024, 2525
Suitable for Watage	36W To 40W
Thermal tested report	68°C for 40W





Panel Light Housing

Product Code :-PRE-ZRP-15




Product Name	Zeta Recess Mounted Panel
Housing	Aluminum Die-Casted Housing
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
ABS / Polycarbonate	PC Diffuser 80%
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement
Beam Angle	120°
Suitable for Watage	12W To 15W
Thermal tested report	58°C FOR 15W





Cut Out : 126mm

Panel Light Housing

Product Code :-PRE-ZRP-20




Product Name	Zeta Recess Mounted Panel
Housing	Aluminum Die-Casted Housing
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
ABS / Polycarbonate	PC Diffuser 80%
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement
Beam Angle	120°
Suitable for Watage	18W To 20W
Thermal tested report	58°C FOR 20W





Cut Out : 144mm

Panel Light Housing

Product Code :-PRE-ZRP-24



Product Name	Zeta Recess Mounted Panel
Housing	Aluminum Die-Casted Housing
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
ABS / Polycarbonate	PC Diffuser 80%
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement
Beam Angle	120°
Suitable for Watage	18W To 20W
Thermal tested report	58°C FOR 20W




Cut Out : 172mm

Panel Light Housing

Product Code :-PRE-ZSP-15



Product Name	Zeta Recess Mounted Panel
Housing	Aluminum Die-Casted Housing
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
ABS / Polycarbonate	PC Diffuser 80%
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement
Beam Angle	120°
Suitable for Watage	12W To 18W
Thermal tested report	58°C FOR 20W




Panel Light Housing

Product Code :-PRE-ZSP-20



Product Name	Zeta Recess Mounted Panel
Housing	Aluminum Die-Casted Housing
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
ABS / Polycarbonate	PC Diffuser 80%
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement
Beam Angle	120°
Suitable for Watage	18W To 20W
Thermal tested report	58°C FOR 20W




Panel Light Housing

Product Code :-PRE-ZSP-24



Product Name	Zeta Recess Mounted Panel
Housing	Aluminum Die-Casted Housing
Mounting type	Recessed
Powder Coating	Black / White / Customized as per requirement
ABS / Polycarbonate	PC Diffuser 80%
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement

Beam Angle	120°
Suitable for Watage	18W To 24W
Thermal tested report	58°C FOR 24W



Panel Light Housing

Product Code :-PRE-SP-20



Product Name	Zeta Surface Mounted Panel
Housing	Aluminum Die-Casted Housing
Mounting type	Surface
Powder Coating	Black / White / Customized as per requirement
ABS / Polycarbonate	PC Diffuser 80%
Hardware	SS/Zinc/ Nickel plated MS (SS 304 as per Customer Requirement)
Packing	Corrugated as per Customer Requirement
Beam Angle	120°
Suitable for Watage	15W To 24W
Thermal tested report	62°C FOR 24W

